



Available in a range of sizes, complete with a shower door

- A guaranteed watertight solution without any sealant
- More hygienic easy clean and virtually maintenance free
- The entire unit, with the shower fully connected, can be fitted in just over an hour

For further details call the CORAM SALES LINE: 01746 713400



Tel: 01746 766466 Fax: 0174<u>6 764140</u>

All Coram products are designed and built in Britain to suit British site requirements.



Shower Enclosures Showertrays Bathscreens

showers

CORA


a WOLSELEY company

ne 0870 16 22557 or visit our website at

time of printing, we reserve the right to chang e. The photographs reproduced in this publication a of the printing process and are NOT to be used for matching pur










The Coram range offers the best value and is the easiest to install, which is why Coram shower enclosures are the choice of more professional installers than any other.



Each model is beautifully designed and finished, offering superb features and guaranteed quality.



Premier frameless enclosures enclosures available. They offer the minimal style of





The entire Coram range is designed and built in Britain to suit British site requirements.

There is a vast selection of shower enclosures on the market, but the majority of foreign manufactured products are not designed to be completely watertight. They are therefore prone to leaks, which on the continent is not a problem, because bathrooms are usually fully tiled with concrete floors. In Britain however, where we have wooden floors and carpeted bathrooms, leaks can cause serious damage.

When Coram Enclosures and Coratech® Showertrays are used together their performance is so unbeatable and reliable we offer a watertight lifetime guarantee. For full details of guarantee see page 63.



Optima enclosures



Glass shower panels for walk-in enclosures

superb, minimalist shower enclosure - a a shower door.







Coratech[®] showertrays

Bathscreens





Contents

PREMIER FRAMELESS ENCLOSU	JRES
Finishes & Glass Options	
Hinged Door	
Quadrant	8
Offset Quadrant	9
GLASS SHOWER PANELS	
Finishes & Glass Options	10
Tube Curved	11
Tube	12
Pillar	14
Stylus	16
PREMIER ENCLOSURES	
Finishes & Selection Guide	18
Side Panels	18
Glass Options	20
Bow Front Sliding Door	22
Crescent	23
Frameless Swing Door	24
Pivot Door	25
Bi-Fold Door	26
Sliding Door	27
Corner Entry	28
Pentagon	29
Quadrant	30
Offset Quadrant	32
Wider Enclosures	34
Bespoke Enclosures	35
Satin Glass Options	36

Finishes, Glass Options &	
Selection Guide	38
Side Panels	39
Crescent	40
Bow Front Door	41
Pivot Door	42
Bi-Fold Door	43
Tri-Fold Door	44
Sliding Door	44
Quadrant	45
Corner Entry	46
Pentagon	46
Wider Enclosures	47

Easy-Fit Features	49
Slimline Designer Showertrays	50
Riser Showertrays	52

Four & Five Panel Folding Screens	55
Screens with optional fixed panels	56
Designer Hinged Screens with fixed panels	58
Frameless Sliding Screen	60
Shower Curtain Screen	61

Premier Frameless Enclosures

These offer the minimal style of a wetroom panel with the added screening of a fully enclosed shower area.

A new luxury range of the most stylish enclosures available

They are available in a range of shapes and sizes suitable for both left and right hand corners, or alcoves. All enclosures are 2m high and made from 8mm toughened safety glass, which complies with EN12150 and EN12600. Each door features beautifully designed chrome hinges for smooth, silent operation. They can either be fitted on Designer Slimline Showetrays, as shown, or on a suitable waterproof floor.



Premier Frameless Quadrant on a 900mm x 900mm Quadrant Designer Slimline Showertray.



Glassguard Protection

Glassguard Protection is a permanent treatment applied to all Coram Premier Frameless doors/enclosures. Glassguard reduces cleaning, resists harmful soaps and prevents the build up of grime and limescale.



4







Premier Frameless Left Hand Hinged Door and Side Panel on a 900mm x 900mm Designer Slimline Showertray.

Premier Frameless Hinged Door

These feature a fixed glass panel with a beautifully hinged frameless glass door and are available either left or right hand opening, with matching side panels for corner installations.

Premier Frameless Left Hand Hinged Door on a 1200mm x 800mm Designer Slimline Showertray.

6

When used with a Coratech® showertray. For full guarantee details see page 63.

Nominal Tray Size

800mm (Left hand) 800mm (Right hand) 900mm (Left hand) 900mm (Right hand) 1000mm (Left hand) 1000mm (Right hand) 1200mm (Left hand) 1200mm (Right hand)

Finish Chrome Chrome Chrome Chrome Chrome Chrome Chrome Chrome

D09551 D09552 D09553 D09554 D09555 D09556

D09557

Plain Glass	
D09550	
DOOLE1	

PREMIER FRAMELESS SIDE PANELS

Nominal	Tray	Size
800mm		
900mm		

Finish Chrome Chrome

Plain Glass D09558 D09559

Width Adjustment				1200mm
Door in Alcove	760 - 800mm	860 - 900mm	960 - 1000mm	1160 - 1200mm
Door with Side Panel	764 - 786mm	864 - 886mm	964 - 986mm	1164 - 1186mm

Height: 2060mm with slimline showertray. All Premier enclosures can be left or right hand opening.





Premier Frameless Hinged Offset Quadrant. Finished in chrome with plain glass on a Designer Slimline Showertray.

Premier Frameless Hinged Quadrant & Offset Quadrant

These feature two fixed glass panels with beautifully hinged frameless glass doors and are available for either left or right hand corners..

Height: 2060mm with slimline showertray.

When used with a Coratech® showertray For full guarantee details see page 63.

Nominal Tray Size
 800 x 800mm
 Chrome
 D90560

 900 x 900mm
 Chrome
 D90561

 1200 x 900mm (Left hand)
 Chrome
 D90562

 1200 x 900mm (Right hand)
 Chrome
 D90563

Finish

Plain Glass

Width Adjustment

800mm

900mm

1200mm 757mm - 779mm 857mm - 879mm 1157mm - 1179mm

Glass shower panels for walk-in enclosures

Glass shower panels allow you to create a superb, minimalist shower enclosure a 'walk-in' style design, without the need for a shower door.

Simple and easy to install with a choice of stylish fittings

Coram glass shower panels are available with a choice of stylish fitting systems. They can all be fitted in a corner or an alcove and are fully reversible for left or right hand installations. There is a choice of widths to provide different levels of screening, plus in a corner you also have the option of an additional 700mm end panel for maximum screening. Each panel is The top support, which is supplied in a 1200mm length, can be easily cut to size during installation. All glass is toughened safety glass, which complies with EN12150 and EN12600. Shower panels can either be fitted on Designer Slimline Showetrays, as shown, or on a

For the neatest possible finish

Coram glass shower panels can be simply silicone sealed direct to the showertray or tiled floor, but for the neatest possible finish we also offer two alternative options – a



Satin etched glass and modesty panel options

Fully opaque etched satin glass or etched modesty panels are available as an optional extra.







Pillar 800mm Shower Panel with modesty panel 1 on 1200mm x 800mm Designer Slimline Showertray.



Acrylic Seal Code D29915



Chrome Trim Code D29916



Tube Curved Front and Side Panel. Finished in polished silver with plain glass on a Designer Slimline Showertray.

Tube Curved

Walk-in enclosures are becoming increasingly popular, but they vary greatly in size and how well they use the space. The Tube Curved however, provides the maximum showering area whilst using the minimum footprint. Innovative design means that this unique showertray and enclosure optimises the showering area and can be fitted in either left or right hand corners or an alcove.



Glassguard Protection

Glassguard Protection is a permanent treatment applied to all Coram Glass shower panels.

Glassguard reduces cleaning, resists harmful soaps and prevents the build up of grime and limescale.

When used with a Coratech® showertra For full guarantee details see page 63

Nominal Tray Size | Finish 1500mm x 900mr Front Panel Side Panel Slimline Showertray Slimline Riser Kit

Riser Showertrav

Polished Silver Polished Silver White White White

| Plain Glass

D15084 015083 D15087 D85568 D15085

Height: 1890mm with slimline showertray (can also be fitted on a riser showertray - for full range of showertrays see pages 48-53).



Tube

With Tube the 8mm glass panel is held firmly in place by a precision engineered single tube and clamp attached to the top edge. The tube can be wall fixed as shown left, or ceiling fixed as shown below.



Alternative ceiling fixing.

As a further alternative, panels are available with shorter, more discrete angled tube braces.



Angled brace fixing.

Everything you need in one pack

Both the Front Panel Pack and the End Panel Pack contain all the necessary fixtures and fittings. The 200mm Return Panel Pack comes complete with glass panel, 90° corner joint, closing cap and circular chrome foot. Wall channels allow for 20mm adjustment for out-of-true walls. Designer Slimline Showertrays will need to be ordered separately (see page 50).

Glassguard Protection

Glassguard Protection is a permanent treatment applied to all Coram Glass shower panels. Glassguard reduces cleaning, resists harmful soaps and prevents the build up of grime and limescale.





ſ

Corner installation with discrete angle brace.

STRAIGHT BRACE PACKS WITH PLAIN GLASS

bize	Finish	Plain Glass
Front Panel Pack		
300mm	Chrome	D29757
900mm	Chrome	D29760
000mm	Chrome	D29763
200mm	Chrome	D29889
End Panel Pack 700mm Return Panel Pack	Chrome	D29767
200mm	Chrome	D29885

RAIGHT BRACE PACKS WITH SATIN GLASS & MODESTY PANEL GLASS

STRAIGHT BRACE PACKS WITH SATIN GLASS & M					
Size	Finish	Satin	Modesty 1		
Front		Code	Code		
Panel Pack					
800mm	Chrome	D29758	D29759		
900mm	Chrome	D29761	D29762		
1000mm	Chrome	D29764	D29765		
1200mm	Chrome	D29890	D29891		
End					
Panel Pack					
700mm	Chrome	D29768	D29769		
Return					
Panel Pack					
200mm	Chrome	D29886	D29887		

Additional 90° Corner Joints are available: 90° Corner Joints Code: D29888



ANGLED BRACE PACKS WITH PLAIN GLASS Size | Finish | Plain Glass

Size
Front Panel Pack
800mm
900mm
1000mm
1200mm
End Panel Pack
700mm

Chrome Chrome Chrome Chrome Chrome

D29873 D29876 D29879 D29892 D29882

ANGLED BRACE PACKS WITH SATIN GLASS & MODESTY PANEL GLASS

Front		Code	Code
Panel Pack			
800mm	Chrome	D29874	D29875
900mm	Chrome	D29877	D29878
1000mm	Chrome	D29880	D29881
1200mm	Chrome	D29893	D29894
End			
Panel Pack			
700mm	Chrome	D29883	D29884

Height excluding showertray 1963mm (1900mm to top of glass).

[†]N.B. Maximum width of panels is 800mm when used on a 1200mm showertray in an alcove, or with an end panel in a corner, in order to allow a 400mm minimum gap for access. Please check that this is sufficient when planning your installation.





Everything you need in one pack

Both the Front Panel Pack and the End Panel Pack contain all the necessary fixtures and fittings. The 200mm Return Panel Pack comes complete with glass panel, 90° corner joint, closing cap and square chrome foot. Wall channels allow for 20mm adjustment for out-of-true walls. Designer Slimline Showertrays will need to be ordered separately (see page 50).

Glassguard Protection

Glassguard Protection is a permanent treatment applied to all Coram Glass shower panels. Glassguard reduces cleaning, resists harmful soaps and prevents the build up of grime and limescale.



PLAIN GLASS						
Size		Finis	h	Plain Glass		
Front Panel pack						
800mm		Chron	ne	D	D29771	
900mm		Chron	ne	D	29774	
1000mm		Chron	ne	D	D29777	
End Panel Pack						
700mm		Chron	ne	D	29780	
Storage System		Chron	ne	D	29783	
Return Panel Pack						
200mm		Chron	ne	D	29912	
SATIN GLASS & N	100	FCTV	PANEL GL	<u>م</u>	s	
Size			Satin	~	Modesty 1	
Front Panel Pack		11311	Code		Code	
	C.					
800mm		rome	D29772		D29773	
900mm			D29775		D29776	
1000mm	Ch	rome	D29778		D29779	
End Panel Pack						
700mm	Ch	rome	D29781		D29782	
Return Panel Pack						
200mm	l Ch	rome	D29913		D29914	
A L IV: 1 000 C						

Additional 90° Corner Joints are available: 90° Corner Joints Code: D29888

Height excluding showertray 1963mm (1900mm to top of glass).

⁺N.B. Maximum width of panels is 800mm when used on a 1200mm showertray in an alcove, or with an end panel in a corner, in order to allow a 400mm minimum gap for access. Please check that this is sufficient when planning your installation.



Stylus 800mm Shower Panel in plain glass on 1200mm x 800mm Designer Slimline Showertray.[†]

Stylus

With Stylus the 8mm glass panel is held firmly in place by slimline tubes and superbly engineered brackets.



Straight brace fixing.

As a further alternative, panels can be supported with a more discrete shortened tube and bracket, mounted at an angle.



Angled pole and bracket fixing.

Everything you need in one pack

Both the Front Panel Pack and the End Panel Pack contain all the necessary fixtures and fittings. The 200mm Return Panel Pack comes complete with glass panel, 90° corner joint, closing cap and square chrome foot. Wall channels allow for 20mm adjustment for out-of-true walls. Designer Slimline Showertrays will need to be ordered separately (see page 50).

Glassguard Protection

Glassguard Protection is a permanent treatment applied to all Coram Glass shower panels. Glassguard reduces cleaning, resists harmful soaps and prevents the build up of grime and limescale.





STYLUS BRACE PAG	KS WITH PLAIN G	GLASS
Size	Finish	Plain Glass
Front Panel Pack		
800mm	Chrome	D29895
900mm	Chrome	D29898
1000mm	Chrome	D29902
1200mm	Chrome	D29905
End Panel Pack		
700mm	Chrome	D29908
Return Panel Pack		
200mm	Chrome	D29912

⁺N.B. Maximum width of panels is 800mm when used on a 1200mm showertray in an alcove, or with an end panel in a corner, in order to allow a 400mm minimum gap for access. Please check that this is sufficient when planning your installation. Height excluding showertray 1950mm (1900mm to top of glass).

For latest prices and delivery to your door visit MyTub Ltd - www.mytub.co.uk - info@mytub.co.uk 0844 556 1818



STYLUS BRACE PACKS WITH SATIN GLASS & MODESTY PANEL GLASS Size Finish Satin Modesty 1 Gode Code Code

Front		Code	Code
Panel Pack			
800mm	Chrome	D29896	D29897
900mm	Chrome	D29899	D29901
1000mm	Chrome	D29903	D29904
1200mm	Chrome	D29906	D29907
End			
Panel Pack			
700mm	Chrome	D29909	D29910
Return			
Panel Pack			
200mm	Chrome	D29913	D29914

Additional 90° Corner Joints are available: 90° Corner Joints Code: D29888

Premier Enclosures



Premier Side Panels

You can create a corner enclosure using any of the Premier doors

Semi-Frameless Side Panels

Nominal Tray Size	Finish	Plain Glass	
760mm	Polished Silver	D00015	
760mm	White	D00021	
800mm	Polished Silver	D25059	
800mm	White	D25060	
900mm	Polished Silver	D00017	
900mm	White	D00022	
Width Adjustment	760mm	800mm	900mm

Door with Side Panel 730mm - 780mm 765mm - 815mm 865mm - 915mm

Side Panels

Nominal Tray Size	Finish	Plain Glass
760mm	Polished Silver	D13601
760mm	White	D13605
800mm	Polished Silver	D25057
800mm	White	D25058
900mm	Polished Silver	D13901
900mm	White	D13705
Width Adjustment	760mm	. 800mm
Door with Side Panel	730mm - 780n	1m 765mm - 815mm

Premier offers the best value for professional installers and their customers. The most extensive range with the best features, which is the easiest to fit and seal; to provide the perfect installation.

Height: A generous 1830mm.

Pivot: Nylon bush in hinge for smooth and silent operation.

Glass: 6mm Toughened safety glass – complies with EN12150 and EN12600. All glass marked with European Standard to comply with Building Regulations.
 The options of plain, overall etched satin glass, or a luxury etched modesty panel design (see page 20 for details).
 All enclosures are power shower tested to BS6340.
 All doors can be left or right hand opening.

Handle: Stylish, ergonomically designed, chromed metal handle.

adjustment in both directions.

Frame: High quality corrosion resistant aluminium in a choice of finishes - complies with BS6496.

Designer Slimline Showertray

New acrylic capped resin Coratech® showertray, one of a complete range.



Riser showertrays



Polished silver

Side Panel

Premier Frame Finishes







IN AN ALCOVE All Coram Premier shower doors can be either left or right hand opening and can be used in an alcove.





IN A CORNER

With the addition of a side panel, a Coram Premier shower door can be used in a corner. All Coram Premier shower doors can be either left or right hand opening.



IN A CORNER For corners there is also a range of angled or curved enclosures.

For latest prices and delivery to your door visit MyTub Ltd - www.mytub.co.uk - info@mytub.co.uk 0844 556 1818

Premier sizes and styles to suit all applications





FREESTANDING

With the addition of two side panels, a Coram Premier shower sided enclosure against a wall.












Premier Frameless Swing Door with modesty panel 2 and Semi-Frameless Side Panel in satin glass. Finished in polished silver on a Designer Slimline Showertray.

Premier Glass Options

All Premier enclosures in polished silver are available with the additional option of luxury satin glass, together with a choice of two luxury modesty panels, shown on the right. For corner or three sided enclosures you can have any combination of modesty panels with plain or satin glass - see example above.

For full details and prices see pages 36/37.





Modesty Panel 2



Premier Pivot Door with modesty panel 1. Finished in polished silver on a Designer Slimline Showertray.



Premier Frameless Swing Door and Semi-Frameless Side Panel with modesty panel 2. Finished in polished silver on a Coratech® Riser Showertray.



Premier Frameless Swing Door and Semi-Frameless Side Panel. Finished in polished silver with satin glass on a Coratech® Riser Showertray.

Premier Pentagon Panels with modesty panel 2 and Frameless Swing Door with plain glass. Finished in polished silver on a Designer Slimline Showertray.



Premier Bow Front Sliding Door with optional Semi-Frameless Side Panel. Finished in polished silver with plain glass on a Designer Slimline Showertray.

Premier Bow Front Sliding Door

A more stylish alternative to a traditional flat sliding door that offers the luxury of a large showering area, whilst still being suitable for smaller bathrooms. Although it is 850mm deep at the centre it narrows to only 550mm at the sides, which is ideal where space is restricted.

Height: 1890mm with slimline showertray (can also be fitted on a riser showertray - for full range of showertrays see pages 48-53). All Premier enclosures can be left or right hand opening.

When used with a Coratech® showertra For full guarantee details see page 63.

For Premier Bow Front you will need to order both a frame pack and a door pack.

Nominal Tray Size 1200mm x 850mm	Finish	Plain Glass
1200mm Frame	Polished Silver	D25043
1200mm Door	Polished Silver	D25044
550mm Side Panel	Polished Silver	D25265
Slimline Showertray	White	D85350
Slimline Riser Kit	White	D85367

Width Adjustment	
Door in Alcove	1181mm - 1217mm 1173mm - 1209mm 522mm - 547mm side panel
Door with Side Panel	1173mm - 1209mm
Side Panel	522mm - 547mm side panel



Premier 1200 Crescent. Finished in polished silver with plain glass on a Designer Slimline Showertray.

Premier Crescent

The Crescent offers an extremely stylish corner option created from two beautifully curved sheets of glass. Available in a choice of three sizes from the ultimate luxury of the 1200mm wide model, to the compact 850mm model, which will fit into the smallest bathroom, whilst still providing an ample showering area.

LEFT OR RIGHT HAND SHOWERTRAYS FOR 1200 CRESCENT

Please note that when ordering a 1200 Crescent showertray you will need to select either left or right hand corner options. The image above shows a right hand corner.

When used with a Coratech® showertray For full guarantee details see page 63.

Nominal Tray Size

1200mm x 950mm Left hand Slimline Showertray Right hand Slimline Showertray Slimline Riser Kit 950mm Slimline Showertrav Slimline Riser Kit 850mm

Slimline Showertray Slimline Riser Kit

Adjustment

1200mm x 950mm 1187mm - 1217mm x 920mm - 945mm

Finish

Polished Silver D29828 White White White Polished Silver White White Polished Silver White White

| Plain Glass

D25070 D25071 D85366 D29827 D25069 D85365 D29826 D25068 D85364

950mm 925mm - 950mm

Height: 1890mm with slimline showertray (can also be fitted on a riser showertray - for full range of showertrays see pages 48-53). All Premier enclosures can be left or right hand opening.

850mm 825mm - 850mm



Premier Frameless Swing Door with optional Semi-Frameless Side Panel. Finished in polished silver with plain glass on a Designer Slimline Showertray.

Premier Frameless Swing Door

The stunning simplicity of this semi-frameless 6mm tempered safety glass door with rounded and polished edges is ideal for alcoves or corners. It can be beautifully complemented with a semi-frameless side panel.

GLASS OPTIONS

Satin glass is available together with a choice of two luxury modesty panel designs – see pages 36/37 for details.

For side panels see page 18.

When used with a Coratech® showertra For full guarantee details see page 63.

Nominal Tray Size	Finish	Plain Glass
760mm	Polished Silver	D14987
760mm	White	D13775
800mm	Polished Silver	D25055
800mm	White	D25056
900mm	Polished Silver	D14988
900mm	White	D13795

Width Adjustment			
Door in Alcove	725mm - 775mm	760mm - 810mm	860mm - 910mm
Door with Side Panel	730mm - 780mm	765mm - 815mm	865mm - 915mm

Height: 1890mm with slimline showertray (can also be fitted on a riser showertray - for full range of showertrays see pages 48-53). All Premier enclosures can be left or right hand opening.



Premier Pivot Door. Finished in white with plain glass on a Designer Slimline Showertray.

Premier Pivot Door

The timeless elegance of this classic design has made it the best selling option for both corner and alcoves up to 900mm wide.

GLASS OPTIONS

Satin glass is available together with a choice of two luxury modesty panel designs - see pages 36/37 for details. For side panels see page 18.

When used with a Coratech® showertray For full guarantee details see page 63.

Nominal Tray Size | Finish

760mm 760mm 800mm 800mm 900mm 900mm

Polished Silver White Polished Silver White Polished Silver White

| Plain Glass

D13571 D13575 D25045 D25046 D13691

800mm

D13695

Width Adjustment

Door in Alcove

760mm

725mm - 775mm 760mm - 810mm 860mm - 910mm Door with Side Panel 730mm - 780mm 765mm - 815mm 865mm - 915mm

900mm

Height: 1890mm with slimline showertray (can also be fitted on a riser showertray - for full range of showertrays see pages 48-53). All Premier enclosures can be left or right hand opening.



Premier Bi-Fold Door with optional Side Panel. Finished in polished silver with plain glass on a Designer Slimline Showertray.

Premier Bi-Fold Door

The Bi-Fold Door is ideal where space for an outward opening door is restricted. It features a special gear wheel hinge and cushioned magnetic door seals that ensure it opens smoothly and silently every time.

GLASS OPTIONS

Satin glass is available together with a choice of two luxury etched modesty panel designs - see pages 36/37 for details.

For matching side panels see page 18.

Nominal Tray Size	Finish	Plain Glass
700mm	Polished Silver	D13881
700mm	White	D13885
760mm	Polished Silver	D14941
760mm	White	D13595
800mm	Polished Silver	D25053
800mm	White	D25054
900mm	Polished Silver	D14951
900mm	White	D13725
1000mm	Polished Silver	D14991
1000mm	White	D14993

Width Adjustment	700mm	760mm	80
Width Adjustment Door in Alcove Door with Side Panel	680 - 730mm	725 - 775mm	760
Door with Side Panel	685 - 735mm	730 - 780mm	765

mm	900mm	1000mm
- 810mm	900mm 860 - 910mm 865 - 915mm	945 - 995mm
- 815mm	865 - 915mm	950 - 1000mr

When used with a Coratech® showertra

For full guarantee details see page 63.

Height: 1890mm with slimline showertray (can also be fitted on a riser showertray - for full range of showertrays see pages 48-53). All Premier enclosures can be left or right hand opening.



Premier Sliding Door. Finished in polished silver with plain glass on a Designer Slimline Showertray.

Premier Sliding Door

For wider enclosures, in either an alcove or corner, this is the perfect solution. The 6mm toughened frameless safety glass door features clear push-on magnetic door seals, which are easy to clean. Our roller bearing runners ensure the door glides smoothly and silently every time.

GLASS OPTIONS

Satin glass is available together with a choice of two luxury etched modesty panel designs - see pages 36/37 for details.

For matching side panels see page 18.

For latest prices and delivery to your door visit MyTub Ltd - www.mytub.co.uk - info@mytub.co.uk 0844 556 1818



When used with a Coratech® showertray For full guarantee details see page 63.

Nominal Tray Size | Finish 1000mm 1000mm 1200mm 1200mm

Width Adjustment Door in Alcove Door with Side Panel 950mm - 1000mm

Polished Silver

White Polished Silver White

1000mm

945mm - 995mm

1200mm

| Plain Glass

D13821 D13825 D13841

D13845

1145mm - 1195mm 1150mm - 1200mm

Height: 1890mm with slimline showertray (can also be fitted on a riser showertray - for full range of showertrays see pages 48-53). All Premier enclosures can be left or right hand opening.



Premier Corner Entry. Finished in polished silver with plain glass on a Designer Slimline Showertray.

Premier Corner Entry

This is another space saving solution. It features two 6mm toughened frameless safety glass doors with clear push-on magnetic door seals, which are easy to clean. Our roller bearing runners ensure the doors glide smoothly and silently every time.

GLASS OPTIONS

Satin glass is available together with a choice of two luxury etched modesty panel designs - see pages 36/37 for details.

	waterlight	
1	LIFETIME	
	GUARANTEE	
V	When used with a Coratech® showertray.	

For full guarantee details see page 63.

Nominal Tray Size		Plain	
760mm or 800mm ⁺ 760mm or 800mm ⁺ 900mm 900mm	Polished Silver White Polished Silver White	D14871 D1490 D1488 D14925	L 5 1 5
Width Adjustment			900mm 855mm - 880m

755mm - 780mm 855mm - 880mm

⁺To create an 800mm enclosure you you will require an extension spacer pack (see page 35) Height: 1890mm with slimline showertray (can also be fitted on a riser showertray - for full range of showertrays see pages 48-53).



Premier Pentagon. Finished in polished silver with plain glass on a Designer Slimline Showertray.

Premier Pentagon

A 900mm wide enclosure that offers you the luxury of extra elbow room without intruding too much into your room. The Premier Pentagon is designed to be used with a 760mm Pivot, Bi-Fold or Frameless Swing Door, which you need to order separately.

GLASS OPTIONS

Satin glass is available together with a choice of two luxury etched modesty panel designs - see pages 36/37 for details.

When used with a Coratech® showertray For full guarantee details see page 63.

| Nominal Tray Size | Finish 900mm 900mm

Polished Silver D14051 White

| Plain Glass D13565

Width Adjustment 868mm - 918mm

Height: 1890mm with slimline showertray (can also be fitted on a riser showertray - for full range of showertrays see pages 48-53). All Premier enclosures can be left or right hand opening.

[†]The Premier Pentagon is designed to be used with a 760mm Pivot, Bi-Fold or Frameless Swing Door, which you need to order separately.



Premier Quadrant. Finished in polished silver with plain glass on a Designer Slimline Showertray.

Premier Quadrant

A stunning corner option with striking curved glass and a generous opening. The two toughened frameless safety glass doors feature clear push-on magnetic door seals which are easy to clean. Our roller bearing runners ensure the doors glide smoothly and silently every time.

GLASS OPTIONS (ONLY AVAILABLE IN POLISHED SILVER)

Satin glass is available for doors and side panels, plus a choice of two luxury etched modesty panel designs for the side panels – see opposite.

GUARANTEE When used with a Coratech® showertray For full guarantee details see page 63.

For Quadrants you will need to order both a frame pack and a doors pack.

Nominal Tray Size	Finish	Plain G	ilass
FRAME PACK 800 x 800mm 800 x 800mm 900 x 900mm 900 x 900mm	Polished Silver White Polished Silver White	D25253 D25255 D25256 D25258	
DOOR PACK Fits all size and finish	options	D25252	
Width Adjustment	800mm 780mm - 805m	1m	900mm 880mm - 905mm

Height: 1890mm with slimline showertray (can also be fitted on a riser showertray - for full range of showertrays see pages 48-53).



Premier Quadrant with satin side panels. Finished in polished silver with plain glass doors on a Designer Slimline Showertray.

POLISHED SILVER **GLASS OPTIONS** You will need to order both a frame pack and a door pack





Size 800 x 800mm

FRAME PACK	Satin glass	Modesty 1 glass	Modesty 2 glass
Code	D12470	D15061	D15062
DOOR PACK	Plain glass	Plain glass	Plain glass
Code	D25252	D25252	D25252

Size 900 x 900mm			
FRAME PACK	Satin glass	Modesty 1 glass	Modesty 2 glass
Code	D12471	D15063	D15064
DOOR PACK	Plain glass	Plain glass	Plain glass
Code	D25252	D25252	D25252

30



Premier Quadrant with modesty 2 side panels. Finished in polished silver with plain glass doors on a Designer Slimline Showertray.



NEW 'EASY-CLICK' DOOR SYSTEM

Premier Offset Quadrant. Finished in polished silver with plain glass on a Designer Slimline Showertray.

Premier Offset Quadrant

This offers all the features of the Quadrant, but with the added luxury of extra space. Trays are available for either left or right handed corners.

GLASS OPTIONS (ONLY AVAILABLE IN POLISHED SILVER)

Satin glass is available for doors and side panels, plus you also have a choice of two luxury etched modesty panel designs for the side panels - see opposite.

waterligh	ź
LIFETIME	

When used with a Coratech® showertray. For full guarantee details see page 63.

For Offset Quadrants you will need to order both a frame pack and a door pack.

-	2	
Nominal Tray Size	Finish	Plain Glass
FRAME PACK		
1200 x 900mm	Polished Silver	D25259
1200 x 900mm	White	D25263
DOOR PACK		
Fits all size and finish	options	D25252

Width Adjustment | 1200 x 900mm

1180 - 1205mm x 880 - 905mm

Height: 1890mm with slimline showertray (can also be fitted on a riser showertray - for full range of showertrays see pages 48-53).



Premier Offset Quadrant with satin side panels. Finished in polished silver with plain glass doors on a Designer Slimline Showertray.

POLISHED SILVER **GLASS OPTIONS** You will need to order

both a frame pack and a door pack.





Si

Size 1200 x 900mm				
FRAME PACK	Satin glass	Modesty 1 glass	Modesty 2 glass	
Code	D12472	D15065	D15066	

DOOR PACK	Plain glass	Plain glass	Plain glass
Code	D25252	D25252	D25252



Premier Offset Quadrant with modesty 1 side panels. Finished in polished silver with plain glass doors on a Coratech® Riser Showertray.



Premier Offset Quadrant with modesty 2 side panels. Finished in polished silver with plain glass doors on a Designer Slimline Showertray.



Premier Swing Door with Inline Panel. Finished in polished silver with plain glass on a Designer Slimline Showertray.

Premier Wider Enclosures

The Premier Inline Panels, supplied with a 'H' Section, can be used with any Premier 760mm Door to extend the enclosure width to 1000mm or 1200mm. The width can be extended further by using other doors or side panels, contact our sales office for details.



For wide enclosures we can provide extra wide doors and additional panels can be used, positioned at either one or both sides of the door.

Inline Panel Supplied with matching 'H' Section and Bracket Pack.

PLAIN GLASS			
Nominal Tray Size	Finish	Code	
1000mm 1000mm 1200mm 1200mm	Polished Silver White Polished Silver White	D29707 D29711 D13871 D13685	

SATIN GLASS & MODESTY PANEL GLASS

Nominal Tray Size	Finish	Satin Code	Modesty 1 Code	Modesty 2 Code
	Polished Silver	D29708	D29709	D29710
1200mm	Polished Silver	D15080	D15081	D15082



D14741

1000mm Extension Pack Enables a 900mm door and side panel to extend from 903mmm - 970mm. Enables a 900 Alcove installation to extend from 936mm - 1020mm.

Finish	Code
Polished Silver	D14861
White	D14865

*The 1800 Strengthening Pack For use in an alcove situation only.

| Finish Code Polished Silver D14771 White D14775 White

Extension Spacer Supplied in pairs (2x20mm). The Extension Spacer adds up to 40mm to the width of doors or panels.

| Finish Code Polished Silver D14761 White D14765 White

Fixing Bracket Pack

Required when 2 side panels are used to create a 3 sided enclosure.

Finish	Code
	D13861 D13865

Premier Bespoke Enclosures made to order

The Coram Premier Pivot, Swing and Sliding Doors can be made to create virtually any height, width and depth of enclosure.

In addition, Frameless Swing Doors, Inline Panels and Side Panels can be shaped to fit where there are ceiling restrictions.

Availability

All Coram Premier Bespoke Products can be supplied in a choice of white or polished silver frame finish with plain glass. Once your order is confirmed, you can expect delivery within 4-5 weeks.

For more information and costings please fax details to 01746 764140. Email: bespoke@coram.co.uk



Swing Doors, Inline Panels and Side Panels can have angled top profiles to fit under stairs or in roof spaces etc.

Premier Glass Options

All over etched satin glass is available as well as a choice of two luxury etched modesty panel designs.







Nominal Indy 512e	1 man	Jaun Glass	Panel 1	Panel 2
760mm	Polished Silver	D14985	D15033	D15035
800mm	Polished Silver	D29654	D29655	D29656
900mm	Polished Silver	D14986	D15034	D15036

Width Adjustment			
Door in Alcove	725mm - 775mm	760mm - 810mm	860mm - 910mm
Door with Side Panel	730mm - 780mm	765mm - 815mm	865mm - 915mm

For side panels see opposite page. All Premier Shower Enclosures are 1830mm in height and can be left or right hand opening.

Premier Pivot Door Nominal Trav Size | Finish Satin Glass | Modesty | Modest

Nominal Itay 512e	1 111511	Sauli Glass		Panel 2
760mm	Polished Silver	D15027	D15029	D15031
800mm	Polished Silver	D29648	D29649	D29650
900mm	Polished Silver	D15028	D15030	D15032

760mm 800mm Width Adjustment 900mm 725mm - 775mm 760mm - 810mm 860mm - 910mm Door in Alcove Door with Side Panel 730mm - 780mm 765mm - 815mm 865mm - 915mm

For side panels see opposite page. All Premier Shower Enclosures are 1830mm in height and can be left or right hand opening.





Premier Bi-Fold Door

Nominal Tray Size	Finish	Satin Glass	Modesty Panel 1	Modesty Panel 2
700mm	Polished Silver	D15037	D15041	D15045
760mm	Polished Silver	D15038	D15042	D15046
800mm	Polished Silver	D29651	D29652	D29653
900mm	Polished Silver	D15039	D15043	D15047
1000mm	Polished Silver	D15040	D15044	D15048

I	Width Adjustment	700mm	760mm	800mm	900mm	1000mm
	Door in Alcove	680mm - 730mm	725 - 775mm	760 - 810mm	860 - 910mm	945 - 995mm
	Door with Side Panel	685mm - 735mm	730 - 780mm	765 - 815mm	865 - 915mm	950 - 1000mm

For side panels see opposite page. All Premier Shower Enclosures are 1830mm in height and can be left or right hand opening.

Premier Sliding Door

Nominal Tray Size	Finish	Satin Glass	 Modesty Panel 2
1000mm	Polished Silver	D15070	 D15074
1200mm	Polished Silver	D15071	D15075

	Width Adjustment	1000mm	1200mm
			1145mm - 1195mm
	Door with Side Panel	950mm - 1000mm	1150mm - 1200mm

For side panels see opposite page

All Premier Shower Enclosures are 1830mm in height and can be left or right hand opening.





No	minal Tray S	Size Finish
800	mm)mm)mm	Polishe Polishe Polishe

Width Adjustment 760mm Door with Side Panel 730mm - 780mm 765mm - 815mm 865mm - 915mm

All Premier Shower Enclosures are 1830mm in height.



Nominal Tray Size | Finish Polished Silver

760mm 800mm 900mm

Width Adjustment | 760mm

All Premier Shower Enclosures are 1830mm in height.

Side Panels



Premier Corner Entry

Nominal Tray Size | Finish 760mm 900mm

| Width Adjustment | 760mm or 800mm | 900mm

755mm - 780mm

All Premier Shower Enclosures are 1830mm in height.

Premier Pentagon

The Premier Pentagon is designed to be used with a 760mm Pivot, Bi-Fold or Frameless Swing Door, which you will need to order separately.

| Nominal Tray Size | Finish 900mm Polished Silver

Width Adjustment 868mm - 918mm

All Premier Shower Enclosures are 1830mm in height.

Semi-Frameless Side Panels

Satin Glass Modestv Panel 1 D29735 olished Silver D00016 olished Silver D29660 D29661 olished Silver D00018 D29737

Modestv Panel 2 D29736 D29662 D29738

800mm

900mm



800mm 900mm Door with Side Panel 730mm - 780mm 765mm - 815mm 865mm - 915mm



855mm - 880mm

Satin Glass		Modesty Panel 2
D15067	D15068	D15069

Optima Enclosures



Optima is designed specifically for housebuilders as a lower cost alternative to Premier. It is available in a smaller range and with less features than Premier, but it is still the best value alternative available.

Pivot: Nylon bush in hinge for smooth and silent operation.

- Glass: 4mm Toughened safety glass – complies with EN12150 and EN12600. All glass marked with European Standard to comply with Building Regulations.

Frame: High quality corrosion resistant aluminium in a choice of finishes - complies with BS6496.

Wall Channel: Generous adjustment for out-of-true walls.

Handle: All metal chrome handle.

All doors can be left or right hand opening.

Designer Slimline Showertray

New acrylic capped resin Coratech® showertray, one of a complete range. sizes weigh less than 25kg, light enough



Riser showertrays

Optima Finishes & Glass Options

Available in a choice of chrome or white frame finishes with plain glass. All Optima enclosures in chrome, with the exception of the Quadrant, are also available with the additional option of luxury satin glass or a luxury modesty panel.



Optima Side Panels

You can create a corner enclosure using any of the Optima doors

PLAIN GLASS				
Nominal Tray Size	Finish	Code		
700mm 700mm 760mm 760mm 800mm 800mm 900mm	White Chrome White Chrome White Chrome White	D15417 D15630 D15422 D15640 D15652 D15650 D15427		
900mm	Chrome	D15660		

Width Adjustment 700mm | **760**mm 670-695mm 735-760mm 775-800mm 875-900mm

Optima sizes and styles to suit all applications





IN AN ALCOVE All Coram Optima shower doors can be either left or



IN A CORNER With the addition of a side panel, a Coram Optima shower doors can be either left or right hand opening.





IN A CORNER For corners there is also a range of angled or curved options.





SATIN GLASS & MODESTY PANEL GLASS

Nominal Tray Size	Finish	Si Ci
700mm	Chrome	D
760mm	Chrome	D
800mm	Chrome	D
900mm	Chrome	D

Width Adius

 700mm
 760mm

 670-695mm
 735-760mm

Modesty 1 Code

775-800mm

900mm 875-900mm



FREESTANDING

With the addition of two side sided enclosure against a wall.



All Coram products are designed and built in Britain to suit British site requirements



Optima 850 Crescent. Finished in chrome with plain glass on a Designer Slimline Showertray.

Optima Crescent

The Crescent offers an extremely stylish corner option created from two beautifully curved sheets of glass.

Height: 1860mm with slimline showertray (can also be fitted on a riser showertray - for full range of showertrays see pages 48-53). All Premier enclosures can be left or right hand opening.

When used with a Coratech® showertra For full guarantee details see page 63.

For Optima Crescent you will need to order both a frame pack and a door pack.

Nominal Tray Size 850mm	Finish	Plain Glass
Frame Pack	White	D29742
Frame Pack	Chrome	D29740
Door Pack	White	D29741
Door Pack	Chrome	D29739
Slimline Showertray	White	D25068
Slimline Riser Kit	White	D85364

Width Adjustment 850mm 825mm - 850mm



Optima 1200 Bow Front Sliding Door with optional Side Panel. Finished in chrome with plain glass on a Designer Slimline Showertray.

Optima Bow Front Sliding Door

A more stylish alternative to a traditional flat sliding door that offers the luxury of a large showering area, whilst still being suitable for smaller bathrooms. Although it is 850mm deep at the centre it narrows to only 550mm at the sides, which is ideal where space is restricted.

Height: 1860mm with slimline showertray (can also be fitted on a riser showertray - for full range of showertrays see pages 48-53). All Premier enclosures can be left or right hand opening.

When used with a Coratech® showertray For full guarantee details see page 63.

For Optima Bow Front you will need to order both a frame pack and a door pack.

Nominal Tray Size | Finish 1200mm x 850mm Frame Pack Frame Pack Door Pack Door Pack 550mm Side Panel 550mm Side Panel Chrome Slimline Showertray White Slimline Riser Kit White

Width Adjustment Door in Alcove

Door with Side Panel Side Panel

White Chrome White Chrome White

1200mm

| Plain Glass

D29746 D29744 D29745 D29743 D29748 D29747 D85350 D85367

1181mm - 1217mm 1173mm - 1209mm 522mm- 547mm side panel



Optima Pivot Door with optional Side Panel. Finished in chrome with plain glass on a Designer Slimline Showertray.

Optima Pivot Door

PL	AIN	GL/	ISS

Nominal Tray Size	Finish	Code
700mm	White	D15402
700mm	Chrome	D15500
760mm	White	D15407
760mm	Chrome	D15510
800mm	White	D15522
800mm	Chrome	D15520
900mm	White	D15412
900mm	Chrome	D15530

For matching side panels see page 39.

CATIN CLACC & MODECTV DANEL CLACC

Nominal Tray Size	Finish	Satin Code	Mode: Code	sty 1		
700mm 760mm 800mm 900mm	Chrome Chrome Chrome Chrome	D29668 D29670 D29672 D29674	D29669 D29671 D29675 D29675	3		
Width Adju	istment		700mm	760mm	800mm	900mm
Door in Alco	ove or with S	ide Panel	650-700mm	710-760mm	750-800mm	850-900m

Height: 1860mm with slimline showertray (can also be fitted on a riser showertray - for full range of showertrays see pages 48-53). All Optima enclosures can be left or right hand opening.

isactertight **JFETIME** GUARANTEE When used with a Coratech® showertray. For full guarantee details see page 63.

For matching side panels see page 39.

Optima Bi-Fold Door

PLAIN GLASS			SATIN GLAS	SATIN GLASS & MODESTY PANEL GLASS						
Nominal Tray Size	Finish	Code	Nominal Tray Size	Finish	Satin Code	Modesty 1 Code				
700mm	White	D15432	700mm	Chrome	D29676	D29677				
700mm	Chrome	D15540	760mm	Chrome	D29678	D29679				
760mm	White	D15437	800mm	Chrome	D29680	D29681				
760mm	Chrome	D15550	900mm	Chrome	D29682	D29683				
800mm	White	D15562	1000mm	Chrome	D29684	D29685				
800mm	Chrome	D15560								
900mm	White	D15442	Width Adju	stment	700mm	760mm	800mm	900mm	1000mm	
900mm	Chrome	D15570	Door in Alco	vo or	650-700mm	710-760mm	750-800mm	850-900mm	950-1000mm	
1000mm	White	D25062	with Side Pa		000-70011111	710-70011111	750-80011111	030-90011111	930-10001111	
1000mm	Chrome	D25061	T WILLT SIDE Pa	inei	I	1	1	1	I	

For latest prices and delivery to your door visit MyTub Ltd - www.mytub.co.uk - info@mytub.co.uk 0844 556 1818

When used with a Coratech® showertray

For full guarantee details see page 63.



Optima Bi-Fold Door. Finished in white with plain glass on a Designer Slimline Showertray.

Height: 1860mm with slimline showertray (can also be fitted on a riser showertray - for full range of showertrays see pages 48-53). All Optima enclosures can be left or right hand opening.



Optima Tri-Fold Door. Finished in chrome with plain glass on a Designer Slimline Showertray.

When used with a Coratech® showertray For full guarantee details see page 63.

Optima Tri-Fold Door

PLAIN GLASS

Nominal Tray Size	Finish	Code
1200mm 1200mm		D15668 D15667

SATIN GLASS & MODESTY PANEL GLASS

Nominal Tray Size	Finish	Satin Code	Modesty 1 Code	
1200mm	Chrome	D29686	D29687	
Width Adjustment 1200mm				

Door in Alcove or with Side Panel 1168-1218mm

Height: 1860mm with slimline showertray (can also be fitted on a riser showertray - for full range of showertrays see pages 48-53). All Optima enclosures can be left or right hand opening.

For matching side panels see page 39.



Finished in chrome with plain glass on a Designer Slimline Showertray.

When used with a Coratech® showertray For full guarantee details see page 63.

Optima Sliding Door

PLAIN GLASS

lominal 'ray Size	Finish	Code
000mm	White	D15457
000mm	Chrome	D15610
200mm	White	D15462
200mm	Chrome	D15620

SATIN GLASS & MODESTY PANEL GLASS

Nominal Tray Size	Finish		Modesty 1 Code
	Chrome	D29689	D29690
	Chrome	D29691	D29692

Width Adjustment | 1000mm 1200mm Door in Alcove or with Side Panel 950-1000mm 1150-1200mm

Height: 1860mm with slimline showertray (can also be fitted on a riser showertray - for full range of showertrays see pages 48-53). All Optima enclosures can be left or right hand opening.

For matching side panels see page 39.



When used with a Coratech® showertray For full guarantee details see page 63.

Optima Quadrant

The Optima Quadrant offers a stunning option for a corner situation. Striking curved glass, generous opening and smooth action doors ensure a luxurious showering experience.

Optima Quadrant. Finished in chrome with plain glass on a Designer Slimline Showertray.

PLAIN GLASS

Nominal Tray Size	Finish		Code	
800mm	White		D15481	
800mm	Chrome		D15482	
900mm	White		D15486	
900mm	Chrome		D15487	
Width Adjus	stment	80	0mm	900m

780-805mm 880-905mm

Height: 1860mm with slimline showertray (can also be fitted on a riser showertray - for full range of showertrays see pages 48-53). All Optima enclosures can be left or right hand opening.



Optima Corner Entry. Finished in white with plain glass on a Designer Slimline Showertray. When used with a Coratech® showertray For full guarantee details see page 63.

Optima Corner Entry

PLAIN GLASS

Nominal Tray Size	Finish	Code
760mm	White	D15447
760mm	Chrome	D15580
800mm	White	D15592
800mm	Chrome	D15590
900mm	White	D15452
900mm	Chrome	D15600

SATIN GLASS & MODESTY PANEL GLASS

Nominal	Finish	Satin	Modesty 1
Tray Size		Code	Code
760mm	Chrome	D29712	D29716
800mm	Chrome	D29720	D29724
900mm	Chrome	D29728	D29732

Width Adjustment	760mm 735-760mm	900mm 875-900mm

Height: 1860mm with slimline showertray. (can also be fitted on a riser showertray - for full range of showertrays see pages 48-53). All Optima enclosures can be left or right hand opening.

Optima Pentagon with Pivot Door. Finished in chrome with plain glass on a Designer Slimline Showertray. When used with a Coratech® showertray For full guarantee details see page 63.

Optima Pentagon

The Optima Pentagon is designed to be used with the 760mm Pivot or Bi-Fold Doors which you need to order separately.

PLAIN GLASS

Nominal Tray Size	Finish	Code
900mm	White	D15467
900mm	Chrome	D15665

SATIN GLASS & MODESTY PANEL GLASS

	Nominal Tray Size 200mm	Finish	Satin Code		Modesty 1 Code
9	900mm	Chrome	D29701		D29702
	Width Adju	stment	Across front 709-739mm	3	5ides 360-385mm

Height: 1860mm with slimline showertray (can also be fitted on a riser showertray - for full range of showertrays see pages 48-53). All Optima enclosures can be left or right hand opening.



When used with a Coratech® showertray. For full guarantee details see page 63.

Optima Wider Enclosures

INLINE PANEL

The Optima Inline Panel can be used with 760mm Pivot or Bi-Fold Doors to extend the enclosure width.

	GL	

Nominal Tray Size	Finish	Code
1000mm	White	D15472
1000mm	Chrome	D15670
1200mm	White	D15477
1200mm	Chrome	D15475

SATIN GLASS & MODESTY PANEL GLASS

Nominal Tray Size	Finish	Satin Code	Modesty 1 Code	
1000mm 1200mm	Chrome Chrome	D29703 D29705	D29704 D29706	
Width Adjus	tment		1000mm	1200mm
Door in Alcov	e or with Sid	e Panel	955-1055mm	1100-1200mm

Optima Bi-Fold Door with Inline Panel. Finished in chrome with plain glass on a Designer Slimline Showertray.

EXTENSION SPACER PACK

The Extension Spacer Pack adds up to 40mm to the width of doors or panels. Supplied in pairs (2x20mm).

Finish White Chrome

I	Code
l	D15490
l	D15492

FIXING BRACKET PACK

Required when 2 side panels are used to create


a 3 sided enclosure.

Finish	Code
White	D13865
Chrome	D29810

Height: 1860mm with slimline showertray (can also be fitted on a riser showertray - for full range of showertrays see pages 48-53). All Optima enclosures can be left or right hand opening.

CORAM Coratech® Resin Showertrays

Coratech[®] is a **revolutionary resin** formulation developed by Coram for use in their showertrays. It has all the strength of traditional 'stone resin' showertrays but without the excessive weight.



A showertray doesn't need to be heavy to stop it moving

We all know that even the slightest movement of a showertray after installation will lead to expensive water leaks. That's why Coram's Coratech® trays are absolutely rigid and designed to be fixed in a way which will ensure feet, which can be securely screwed to the floor, whilst the slimline trays are bonded to the floor by large fixing pads and the entire rim of the tray.

Why risk injury by lifting trays that are unnecessarily heavy?

The Health and Safety Executive (HSE) recommends that the maximum that is safe for one person to lift unassisted is 25kgs. Most stone resin trays are above this limit and so should be lifted by two people Coram's entire range of trays on the other hand have all been designed to be below 25kgs, so the entire range is 'safe' for one person to lift and install.



When Coram Showertrays and Enclosures are used together their performance is so unbeatable and eliable we offer a watertight lifetime guarantee. For full details of guarantee see page 63.

FASTER & EASIER TO FIT THAN ANY OTHER SHOWERTRAY LESS THAN 25kg

Size	Riser	Slimline
760 x 760mm	14kg	
800 x 800mm	14.9kg	12.7kg
900 x 900mm	17.9kg	15.8kg
900 x 760mm	15.2kg	
1000 x 800mm	19.8kg	15.9kg
1200 x 760mm	22.5kg	
1200 x 800mm	23.7kg	19kg
Quadrant		
800 x 800mm	13.5kg	15kg
900 x 900mm	16.3kg	16kg
1200 x 900mm	20kg	20kg
Crescent		12.11
800 x 800mm 900 x 900mm		13.1kg 15.2kg
1200 x 900mm		19kg
Pentagon		
900 x 900mm	15.2kg	12.3kg



in less than 20 minutes.

The most sturdy legs and feet

- On Slimline Showertrays, legs are easily screw fixed to the factory fitted mounting plates. On Riser Showertrays, legs are factory fitted.
- Hexagonal feet simply screw in and can be easily adjusted by hand to level the tray.
- Angled screw holes make the feet easy to fix in position.

Rigid easy to trim panels

Panels are timber backed to make them completely rigid and easy to trim to size.

The fastest, easiest and most secure panel fixing

• The panels are attached with specially designed push-on spring clips.







Unique easy-fit features allow you to install either a Coram Riser Showertray or a Designer Slimline Showertray with a riser kit,



Specifications

Hard wearing acrylic surface with the strength and rigidity of a resin base

Unique Coratech® resin.

Slimline Showertrays have easy screw fix legs. Riser Showertrays have factory fitted legs.

Detachable push-fit rigid panels.

Easy to adjust threaded feet with angled screw fixings.

CORAM Designer Slimline Showertrays



The most stylish showertrays available

subtle angled sides and a shallow sloping circular or elliptical recess - superb design features which provide truly efficient drainage.



Designer Slimline Showertray on a plinth

plumbing connections cannot be recessed into the floor, a tiled plinth can be constructed to conceal the plumbing. The Designer Slimline Showertray can then be installed on top of the plinth



building a plinth, because the plumbing connections are concealed beneath the showertray, which offers



When Coram Showertrays and Enclosures are used together unbeatable and reliable we offer a watertight lifetime guarantee. For full details of guarantee see page 63.

For alcoves and corners Height to rim 60mm (height to rim with riser kit 185mm)

SOUARE & RECTANGULAR

Size	Tray	Riser Kit
Square	Code	Code
760 x 760mm	D25065	D85357
800 x 800mm	D25066	D85357
900 x 900mm	D25067	D85357
Rectangular		
1000 x 800mm 1200 x 800mm	D25072 D25073	D85358 D85358
1200 X 00011111		00000



Size	Tray	Riser Kit
Pentagon	Code	Code
900 x 900mm	D25076	D85359
Quadrant & Offset Quadrant		
800 x 800mm	D25077	D85360
900 x 900mm	D25078	D85361
1200 x 900mm (Left hand)	D25074	D85362
1200 x 900mm (Right hand)	D25075	D85363



HH All showertrays are available with optional riser kits.

All Coram products are designed and built in Britain to suit British site requirements

CORAM **Riser Showertrays**

For site conditions, such as solid floors, where the plumbing connections cannot be recessed into the floor, a riser showertray offers an easier, lower cost alternative to building a plinth. The plumbing connections are concealed beneath the 185mm high tray, which offers easy access via removable panels (see page 49).



For alcoves Height to rim 185mm

SQUARE & RECTANGULAR WITH 3 UPSTANDS & WATERGUARD



water seal) Top Access Chrome Domed Trap for plumbing installation above the floor to meet UK Building Regulations Part H.

Showertrays with 3 upstands and 1 panel are

designed specifically for alcoves. They have a



When used with a Coram Enclosure. For full guarantee details see page 63.








900 x 760mm Internal: 900 x 755mm External: 918 x 778mm White D84900



1200 x 800mm Internal: 1200 x 795mm External: 1214 x 818mm White D15679

Universal Height to rim 185mm

SOUARE & RECTANGULAR WITH 4 UPSTANDS





760 x 760mm Internal: 755 x 755mm External: 778 x 778mm White D85349



800 x 800mm Internal: 795 x 795mm External: 818 x 818mm White D84100



1000 x 800mm Internal: 995 x 795mm External: 1018 x 818mm White D85326



1200 x 760mm Internal: 1190 x 755mm External: 1214 x 778mm White D85327

QUADRANTS WITH UPSTANDS & WATERGUARD




Quadrant 800mm Internal: 800 x 800mm External: 824 x 824mm White D85330



Quadrant 900mm Internal: 900 x 900mm External: 924 x 924mm White D85305

OFFSET QUADRANT WITH UPSTANDS & WATERGUARD



Internal: 1200 x 900mm External: 1217 x 917mm Left Handed: D85340



Offset Quadrant Internal: 1200 x 900mm External: 1217 x 917mm Right Handed: D85345



760 x 760mm

White D84700

Internal: 755 x 760mm

External: 778 x 778mm

In an Alcove



1000 x 800mm Internal: 1000 x 795mm External: 1018 x 818mm White D85320



800 x 800mm

White D84800

Internal: 795 x 800mm

External: 818 x 818mm



900 x 900mm

White D85000

Internal: 895 x 900mm

External: 918 x 918mm

1200 x 760mm Internal: 1200 x 755mm External: 1214 x 778mm White D85100









900 x 900mm Internal: 895 x 895mm External: 918 x 918mm White D84400



900 x 760mm Internal: 895 x 755mm External: 918 x 778mm White D85325





1200 x 800mm Internal: 1190 x 795mm External: 1214 x 818mm White D85324

PENTAGON WITH UPSTANDS & WATERGUARD





Pentagon Internal: 900 x 900mm External: 924 x 924mm White D85300






All Coram products are designed and built in Britain to suit British site requirements

Bathscreens

Coram bathscreens are simply the best designed bathscreens you can buy.



Hinged D Compact with panel. Finished in chrome with plain glass.

Unique levelling system makes them faster and easier to adjust than any other bathscreens

A single screw can be adjusted to ensure that it fits perfectly in line with the rim of the bath.

This unique levelling system also provides longer lasting benefits. If, for any reason in the future, the screen becomes slightly out of fit, you can simply remove the push-fit screw cap and re-adjust it.

This product is protected by UK Patent No. 0403656.2

Choosing the right kind of bath for your bathscreen

Baths must have a flat rim and should be installed with top edge horizontal. Any water that collects around the taps should then drain into the bath.



soap recesses that would prevent the bath screen from providing an effective seal with the rim of the bath.

Failure to comply with the above may cause your bathscreen to leak.

The Bathscreen should be fitted so that the seal is in contact with the inside edge of the bath as shown below.



To ensure it is completely watertight, the seal also features a deflector on the inside edge so that any water from above will drip straight into the bath and not collect on the rim.



Unique, patented levelling system.



You can swing all bathscreens out for easy cleaning.



Four panel. Finished in white with plain glass.

Folding bathscreens

For a neat and flexible solution, these are the most practical folding screens you can buy. Full-length magnetic seals ensure the screen remains rigid when in use, whilst allowing you to simply fold it away when not needed.

Four Panel Folding

Width Folded			Plain Glass
245mm	865mm	Chrome	D25396
245mm	865mm	White	D25397

All Bathscreens are 1400mm in height.

Four panel bathscreens can be neatly folded away when not required.





Five panel. Finished in chrome with plain glass.

Five Panel Folding

Width Folded	Open		Plain Glass
245mm	1060mm	Chrome	D25394
245mm	1060mm	White	D25395

All Bathscreens are 1400mm in height.

Five panel bathscreens can be neatly folded away when not required.









Sail with panel. Finished in chrome with plain glass.

Square with panel. Finished in chrome with plain glass.

Curved with panel. Finished in chrome with plain glass.

Curved

1050mm with panel

1050mm with panel

Width

800mm

800mm

Bathscreens with optional fixed panels

With this range of bathscreens you have the added option of an extra fixed panel. This extends the overall length of the screen and provides added protection at the end of the bath, where it is most needed. Ideal for high performance power showers.

With the fixed panel you also

get the additional feature of a

wire corner basket in high

quality chromed brass.

<u> </u>		
5 =		
JC	11	

Width	Finish	Plain Glas
1050mm with panel	Chrome	D25388
1050mm with panel	White	D25389
800mm	Chrome	D25386
800mm	White	D25387

All Bathscreens are 1400mm in height.

Sail. Finished in chrome with plain glass.



Square

Width	Finish	Plain Glass
1050mm with panel 800mm	Chrome	D00011

All Bathscreens are 1400mm in height.

Square. Finished in chrome with plain glass.



With the fixed panel you also get the additional feature of a wire corner basket in high quality chromed brass.



Curved. Finished in chrome with plain glass.

All Bathscreens are 1400mm in height.

Finish | Plain Glass

Chrome

White Chrome D25382

White

D25455

D25456

D25383



With the fixed panel you also get the additional feature of a wire corner basket in high quality chromed brass.



For latest prices and delivery to your door visit MyTub Ltd - www.mytub.co.uk - info@mytub.co.uk 0844 556 1818

56



Compact Curved with panel. Finished in chrome with plain glass.

Compact Curved with Panel

Width 800mm 800mm

Finish Plain Glass White

Chrome D25384 D25385

All Bathscreens are 1400mm in height.







Hinged Sail with panel. Finished in chrome with plain glass.

Hinged D with panel. Finished in chrome with plain glass.



Hinged Square with panel. Finished in chrome with plain glass.

Designer hinged bathscreens with fixed panels

Each bathscreen in this range features a fixed panel with two beautifully finished chrome designer hinges and is available in a choice of two sizes. The fixed panel provides added protection at the end of the bath, where it is most needed. Ideal for high performance power showers.

Hinged Sail with panel

1	Width	Finish	Plain Glas
	1050mm with panel	Chrome	D29756
	800mm with panel	Chrome	D29755

All Bathscreens are 1400mm in height.

Hinged Sail Compact with panel. Finished in chrome with plain glass.



With the fixed panel you also get the additional feature of a wire corner basket in high



Hinged D with panel

Width Finish Plain Glas 1050mm with panelChromeD29750800mm with panelChromeD29749

All Bathscreens are 1400mm in height.

Hinged D Compact with panel. Finished in chrome with plain glass.



With the fixed panel you also get the additional feature of a wire corner basket in high quality chromed brass.



Hinged Square Compact with panel. Finished in chrome with plain glass.

Hinged Square with panel

1050mm with panel Chrome D29754

800mm with panel Chrome D29753

All Bathscreens are 1400mm in height.

| Finish | Plain Glass

Width



With the fixed panel you also get the additional feature of a wire corner basket in high quality chromed brass.



0844 556 1818 ^{....}Oct

58



Hinged Curved with panel. Finished in chrome with plain glass.

Hinged Curved with panel

Width 1050mm with panel Chrome D29752 800mm with panel Chrome D29751

Finish

Plain Glass

All Bathscreens are 1400mm in height.

Hinged Curved Compact with panel. Finished in chrome with plain glass.



With the fixed panel you also get the additional feature of a wire corner basket in high quality chromed brass.





Frameless sliding. Finished in chrome with plain glass.

Discreet chrome handle allows you to slide the screen without finger marking the glass.

Frameless Sliding Bathscreen

A new extremely stylish modern minimalist design, in 5mm safety glass, which offers a host of practical features.

Unlike other sliding screens that tend to sag when extended due to the weight of the glass, Coram's ingenious 'slide and lock' mechanism* keeps the screen rigidly in place and perfectly level when fully extended - providing the best seal with the edge of your bath. It also eliminates any risk of the screen sliding back whilst in use.

The screen slides out easily on smooth action runners and simply clicks into place. It can be extended and pushed back to the wall, without leaving any finger marks, thanks to the discreet chrome handle. Fully extended it measures 1065mm, making it Coram's largest screen, which provides even greater protection from shower spray. When not in use and pushed back neatly to the wall it takes up only 650mm - offering greater access to your bath.

* This product is protected by patent pending GB 2460873.



Width **Plain Glass** Finish Open | Closed 1065mm D25398

650mm Chrome

All Bathscreens are 1400mm in height.

Shower Curtain Screen. Finished in chrome with plain glass.

Shower Curtain Screen

This is simply a fixed short panel, for use together with a shower curtain. It can be silicone sealed where it fits to the bath, in order to provide effective screening where a shower curtain cannot, because it falls within the curve of the bath.



The Shower Curtain Screen is 1400mm in height.

Accessories


The finest European design and craftsmanship. Solid brass with a high quality chrome finish.





D29788 Hanging Double Basket













Customer Care

on the full range of Coram shower enclosures, shower trays and bathscreens. needs, or useful installation advice, our fully trained staff are always here to help Call direct on CORAM CARE LINE 01746 713410



Coratech[®] showertray and are used and maintained in accordance with the manufacturer's instructions (guarantee excludes seals and magnets). 'Lifetime' means during the period of use by the original user. When Coram enclosures and Coratech[®] showertrays are used with any other showertray or enclosure the guarantee period is limited to ten (10) years. Shower panels and bathscreens are guaranteed for 10 years. This guarantee is in addition to your statutory rights.

PRICES

All prices are recommended retail prices shown both inclusive and exclusive of VAT.

SITE CONDITIONS

Your Coram shower enclosure will give you years of reliable service if the following are observed:

The shower control and sprayhead should not be positioned so that the shower sprays directly onto the door of the enclosure.

It is recommended that the sprayhead is sited as shown, which will make the shower easier to use and ensure watertight performance.

Outward opening doors may drip water onto the floor. Therefore ensure the floor covering immediately outside the enclosure will not be affected by water.



Your Coram bathscreen will give you years of reliable service if the following are observed







Baths must have a flat rim and should be installed with top edge horizontal. Any water that collects around the taps should then drain into the bath.

FAILURE TO COMPLY WITH THE ABOVE MAY CAUSE THE SHOWER ENCLOSURE OR BATHSCREEN TO LEAK.



All Coram products are designed and built mitain to suit British site requirements