22948 Cover+inside front+back UK:Layout 1 21/6/10 09:59 Page 1

MYSON Eastern Avenue, Team Valley, Gateshead, Tyne & Wear NE11 0PG, UK
T: 0845 402 3434, F: 0191 491 7568, sales@myson.co.uk, www.myson.co.uk

MYSON

The **Design** Collection.

Brochure & Price List RRP
July 2010

heatingthrough**innovation.**

Prices exclude VAT

01.07.2010 ISSUE 1

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Cover+inside front+back UK:Layout 1 21/6/10 10:01 Page 2



Towel Pegs.

To suit the **KASIA** & **FATALA**.
Code: TPeg1
To suit the **FULDA**.
Code: TPeg2
Available in chrome £30

To suit the **FERLO**, **ANGARA**, **LINDI**, **AVONMORE**, **TYNE**, **FULDA**, **VELINO**, **FATALA** & **KASIA**.
Code: TPeg3
Available in chrome £8 or white £6

To suit the **FERLO**, **ANGARA**, **LINDI**, **AVONMORE**, **TYNE**, **FULDA**, **VELINO**, **FATALA** & **KASIA**.
Code: TPeg4
Available in chrome £8 or white £6

Towel Rails.

To suit the **FERLO**, **ANGARA**, **LINDI**, **AVONMORE**, **TYNE**, **FULDA**, **VELINO**, **FATALA** & **KASIA**.
Code: TRail1
Available in chrome £24 or white £17

To suit the **FERLO**, **ANGARA**, **LINDI**, **AVONMORE**, **TYNE**, **FULDA**, **VELINO**, **FATALA** & **KASIA**.
Code: TRail2
Available in chrome £20 or white £15

To suit the **FERLO**, **ANGARA**, **LINDI**, **TYNE**, **FULDA**,**VELINO**, **FATALA** & **KASIA**.
Code: TRail3
Available in chrome £47 or white £32

Towel Rings.

To suit the **KASIA** & **FATALA**.
Code: TRing
Available in chrome £56

To suit the **FERLO**, **ANGARA**, **LINDI**, **BANI** & **AVONMORE**.
Code: TRing1
Available in chrome £23 or white £17

Laundry Rail.

To suit the **KASIA** & **FATALA**.
Code: LRail
Available in chrome £113

Glass Shelf.

To suit the **KASIA** & **FATALA**.
Code: GShelf
Available with chrome fixings £100

COLUMN Decorative Radiator Accessories.

Towel rail
White with chrome fixings.
Code: 12secrail / 16secrail / 20secrail £183

Lambswool cleaning brush
Code: Columnbrush
£91

Decorative foot
Code: Coldecfoot
£43

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:29 Page 2

Introduction 04
Important Technical Information 05
Deciding On Your Heating Needs 06
How To Order Your Product 07

Contemporary Design Introduction 08

Stainless Steel
Fowey 09
Parrett 10
Laune 11
Nene 12
Eske 13
Wensum 14

Square
Bani 15
Tahoe 16
Champlain 17
Navajo 17

Round Tube
Seine 18
Fulda 19
Velino 20
Opus 21

Cayuta 22
Fatala 23
Kasai 24
Stour 25
Column 26

Flat Tube
Décor 27
Jarua 28
Maranoa 29
Interlude 29

Multi-rail
Avonmore 30
Lindi 31
Angara 32
Ferlo 33
Tyne 34
Medway 35

Traditional Towel Warmer Introduction 36

Windermere 37
Bala 38
Buttermere 39
Ullswater 40
Thirlmere 41
Salmon 42
Awe 42

Inn 43
Saxby 43
Sokoto 44
Ouse 45
Mersey 46
Dee 47

Electric Heating Introduction 48

Towel Warmers
Tamar EO70 49
Tamar EO80 49
Tamar EO90 50
Tamar EO130 50
Tamar EO350 51
Innoko 51

Designer
Legato/Avonmore 52
Mariga 53

Underfloor
Electric Underfloor Heating 54

Radiators
Finesse 55

Kickspace® Fan Convectors Introduction 56

Kickspace® 57

Curtain Rails & Accessories Introduction 60

Curtain Rails (Pecos) 61
Accessories 62

Please note: due to print restrictions exact colour match is not always possible, however every effort has been made to ensure as much accuracy as possible. In accordance with our policy of continual improvement, we reserve the right to amend product specification or discontinue products without prior notification.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:30 Page 3

More quality. More solutions.

MYSON is one of the oldest and most respected names in the British heating industry. It has a heritage stretching back to the early days of central heating.

Today, **MYSON** is part of a Finnish, family owned company, Rettig ICC (Indoor Climate Control). Rettig ICC has factories and sales operations in all major European markets, China and the USA. With annual sales of over EUR500 million, Rettig ICC is Europe's leading radiator, controls and underfloor heating company.

Consequently, **MYSON** now offers an unrivalled and constantly improving selection of heating solutions. This design product brochure introduces our latest range of towel warmers, decorative radiators, electric heating, fan convectors and accessories.

Whether you are planning a new build project, doing renovation work or adding an extension, **MYSON** has the optimum heating solution for you. Choose **MYSON** and you can be confident that you are using the highest quality products and receiving the highest quality service available:

Warranties: All **MYSON** hydronic towel warmers and design radiators have a 10 year warranty. All **MYSON** sealed electric towel warmers, electric radiators, fan convector elements, valves, accessories and thermostats carry a 2 year warranty. With electric underfloor - the electric mat has a 10 year warranty and the thermostat has a 2 year warranty.

Certifications: **MYSON** towel warmers and design radiators are manufactured and tested in accordance with BS EN 442, which certifies independent approval of heat outputs, unless otherwise stated. Products highlighted 'No Performance Declared' (NPD) have heat outputs below the measureable limits of EN 442 test methods and calculated outputs are therefore shown.

Convectors are tested to BS 4856 Part 1 for heating and Part 2 for cooling, and are manufactured to quality system BS EN ISO 9001. All manufacturing sites are approved to the environmental standard BS EN ISO 14001.

Availability: The **MYSON** design product range is now more widely available than ever before through our strong relationships with leading national heating and plumbing merchants/distributors, which means that **MYSON** products are always available where and when you need them. All **MYSON** towel warmers are now supplied from stock, eliminating manufacturing lead times and ensuring that products are despatched to you as soon as you order them.

Packaging: All **MYSON** products are packed in robust cardboard packaging specially designed to ensure that the product reaches you in perfect condition.

Pressure testing: Products in the contemporary and traditional ranges are pressure tested to 6.9 bar (maximum operating pressure 5.3 bar).

Products in the multi-rail range are pressure tested to 9.6 bar (maximum operating pressure 7.4 bar).

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:30 Page 4

Important technical information.

1/2" tappings: All products featured now come with ½" tappings. Some products were previously supplied with ¾" tappings. A special valve tail will be required if a new product with ½" tappings is being purchased to replace an existing one with ¾" tappings.

Dual fuel: This allows a hydronic product to be used if the hot water central heating system is not active. The pipe centres featured in this brochure are based on hydronic products. When adding heater kits to multi-rails, a T-piece and element will be required that alters the pipe centre dimensions (see below). The difference in pipe centres featured are based on using **MYSON** valves. These differences may vary on other manufacturers' valves. For the most efficient operation, one valve should be open and one valve should be closed. Avoid closing both valves.

Dual fuel heater kits pipe centre adjustment

IP ratings: IP ratings are shown for all electrical products. This must be considered when installing in a location containing a bath or shower, as defined by BS 7671.

Dezincification: In certain areas, the local water can gradually remove zinc from brass alloys. This process is called dezincification and, on rare occasions and over time, can affect the integrity of a brass product.

All **MYSON** brass products are manufactured using dezincification resistant brass. This, however, does not entirely eliminate the possibility of dezincification occurring. These products can be used on any hot water central heating system and are identified within the brochure using the symbol. Please note, however, this does not affect the stainless steel products on pages 9-14. **MYSON** insist that you ask your heating engineer/installer if this problem applies to your area, as **MYSON** can not be held responsible for any resulting damage.

Auto Power Management system (APM®): APM® represents the most advanced element technology available. It is an economical, self-regulating element. When it reaches the required temperature, it reduces power consumption accordingly. There is no need for a thermostat. The required temperature is achieved smoothly and stays constant. APM® is now fitted to all PTC heater kits and most **MYSON** electric units where stated.

Electrical installation: All electrical models must be hard wired and installed in the correct orientation by a qualified electrician, in accordance with the IEE wiring regulations BS 7671.

Fixings: For the correct installation of designer radiators and towel warmers, it is essential that the fixing of the radiator is carried out in such a way that it is suitable for intended use AND predictable misuse. A number of elements need to be taken into consideration including the fixing method used to secure the designer radiator or towel warmer to the wall, the type and condition of the wall itself, and any additional potential forces or weights that may happen to be applied to the designer radiator or towel warmer, prior to finalising installation.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:30 Page 5

Deciding on your heating needs.

The amount of heat output required in a room to provide the warmth you need, is primarily dictated by the size of the room in question. Just as this size varies from room to room, so will the level of heat output required.

The simplest way to identify the heat output needed for an individual room is to, firstly, calculate the volume of the room in cubic metres (m^3) and then multiply this number by 50 to find the Watts requirement.

For example, the volume of a room 2.4m high, 2m wide and 4m long would be 2.4 x 2 x 4 = 19.2 m^3.
The recommended heat output required for this room would therefore be 19.2 x 50 = 960 Watts.

MYSON insist that you always confirm your heating requirements with your heating engineer/installer.

Hot water central heating systems.

Direct/open systems use your domestic hot water supply to heat radiators and towel rails, whereas indirect/closed systems operate independently.

Products made from brass are suitable for any hot water central heating system but steel products should only be fitted to indirect/closed systems. See 'Brochure symbols explained.'

Brochure symbols explained.

Indicates that this product is suitable for use with an indirect/closed system (see 'Hot water central heating systems').

Indicates that this product is suitable for any system (see 'Hot water central heating systems'). Dezincification may affect some products, please refer to our advice on page 5. Except 'gravity fed' systems.

Highlights which valves are recommended for this model.

Highlights which accessories are available for this model.

Denotes that a dual fuel option is available with the appropriate electric heater kit. See 'Important technical information' on page 5.

Denotes that this is a sealed electric product, for electric fuel type only. See 'Important technical information' on page 5.

Highlights any special product information that is specific to this model.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:30 Page 6

How to order your product.

More choice. Fewer steps.

To ensure that you obtain your optimum heating solutions, simply follow the six steps below:

1. **Method of heating:** Start by choosing your preferred method of heating. Whether your priority is what looks best, what is most practical or what is most economical, **MYSON** have the optimum heating method for you. Models from our range of towel warmers, decorative radiators, electric heating or fan convectors can be used exclusive or collectively, depending on your requirements.

2. **Heat outputs:** Calculate your required heat output for the room. The amount of heating required from your choice of heating method varies from room to room, according to its size. See 'Deciding on your heating needs' on page 6.

3. **System requirements:** See 'Hot water central heating systems' on page 6, or contact your heating engineer/installer, to help you specify the product needed for your heating system.

4. **Select the right model:** Once you have decided on your method of heating, your heat output requirements and established the hot water central heating system you wish to run the product on, select the correct model to satisfy your needs.

5. **Controls & accessories:** The decisions you need to make are not all technical! **MYSON** offer a broad range of controls and accessories to complement your chosen product. Whether you desire a contemporary or traditional style, **MYSON** have the options that will give you what you want.

6. **Ordering & delivering:** Simply place your order at your preferred merchant, distributor or showroom, quoting the **MYSON** product code. If the product is not in stock it will be dispatched from **MYSON** stock within a minimum of 5 working days.

If you require any further information or assistance, please contact Customer Services on 0845 402 3434

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:30 Page 7

For those seeking to create a contemporary feel, **MYSON** offer an unparalleled range of choices. Available in brass and steel construction, with a variety of colour and metallic finishes, the range varies from sleek, clean styles to modern works of art. Products are also supplied in a wide range of sizes and are applicable to all domestic heating system options.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:31 Page 8

FOWEY.

Classic flat tube design.

Suitable for most central heating or hot water system, please see page 6.

Recommended valves: brushed nickel V15A - £105, please see page 62.

Manufactured from non-corrosive stainless steel.

Can be installed horizontally or vertically.

code	width mm	height mm	Btu/hr Δ50˚C	watts Δ50˚C	stainless steel hydronic £
FOW1	290	2000	2330	683	776
FOW2	340	2000	2719	797	901

width (mm)	A (mm)
290	250
340	300

Pipe Centre Tappings (mm)



These products have back tappings.

Projection (mm)



NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:31 Page 9

PARRETT.

Stunning cylindrical tower.

- Suitable for most central heating or hot water system, please see page 6.
- Recommended valves: brushed nickel V15A - £105, please see page 62.
- Manufactured from non-corrosive stainless steel.
- Internal coil which gives maximum heat output.

code	width mm	height mm	Btu/hr Δ 50°C	watts Δ 50°C	stainless steel hydronic £
PAR1	190	1823	1447	424	1276

Pipe Centre Tappings (mm)



NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:31 Page 10

LAUNE.

Efficient and attractive round tubes.

Suitable for most central heating or hot water system, please see page 6.

Recommended valves: brushed nickel V15A - £105, please see page 62.

Manufactured from non-corrosive stainless steel.

Can be installed horizontally or vertically.

code	width mm	height mm	Btu/hr Δ50°C	watts Δ50°C	stainless steel hydronic £
LAU1	368	1500	3170	929	920
LAU2	368	2000	4227	1239	1094

Pipe Centre Tappings (mm)



These products have back tappings.

Projection (mm)



NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:31 Page 11

NENE.

Angular tube, floor standing radiator.

Suitable for most central heating or hot water system, please see page 6.

Recommended valves: brushed nickel V15A - £105, please see page 62.

Manufactured from non-corrosive stainless steel.

code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	stainless steel hydronic £
NEN1	1060	580	2419	709	1069
NEN2	1060	730	3156	925	1200

Pipe Centre Tappings (mm)



These products have back tappings.

Projection (mm)



NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:31 Page 12

ESKE.

Elegant tube on tube towel warmer.

Suitable for most central heating or hot water system, please see page 6.

Recommended valves: brushed nickel V15A or V15S - £105, please see page 62.

Dual fuel option available: recommended heater kit = ECO450 - £129.

Manufactured from non-corrosive stainless steel.

code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	stainless steel hydronic £
ESK1	500	800	1382	405	343
ESK2	600	800	1587	465	370
ESK3	500	1200	2129	624	463
ESK4	600	1200	2460	721	500
ESK5	500	1500	2634	772	625
ESK6	600	1500	3033	889	650

Projection (mm)



Pipe Centre Tappings (mm)



For dual fuel +/- 70mm.

width (mm)	A (mm)
500	450
600	550

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:32 Page 13

WENSUM.

Flat tube, ultra practical towel warmer.

Suitable for most central heating or hot water system, please see page 6.

Recommended valves: brushed nickel V15A or V15S - £105, please see page 62.

Manufactured from non-corrosive stainless steel.

code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	stainless steel hydronic £
WEN1	500	790	1167	342	838
WEN2	500	940	1457	427	963

Pipe Centre Tappings (mm)



These products have back tappings.

Projection (mm)



NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:32 Page 14

BANI.

A stylish, high precision engineered product.

Suitable for indirect/closed heating systems only.

Recommended valves: chrome V15A or V15S - £81, please see page 62.

Available accessories: TRing1 - £23, please see page 63.

Pipe Centre Tappings (mm)



Projection (mm)



code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	chrome hydronic £
FAN1	532	1108	1119	328	1600
FAN2	532	1800	1767	518	2475

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:32 Page 15

TAHOE.

A sleek square tube ladder rail design.

Suitable for indirect/closed heating systems only.

Recommended valves: chrome V15A or V15S - £81, please see page 62.

code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	chrome hydronic £
ALTO1	382	1200	676*	198*	1074
ALTO2	382	1800	1013	297	1173

*Outputs NPD.

Pipe Centre Tappings (mm)



Projection (mm)



NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:32 Page 16

CHAMPLAIN.

Contemporary square tube design.

Suitable for indirect/closed heating systems only.

Recommended valves: chrome V15A - £81, please see page 62.

code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	chrome hydronic £
ADA1	708	947	1320	387	710

Face to Face (mm)



Projection (mm)



NAVAJO.

An elegant square tube multi-rail design.

Suitable for indirect/closed heating systems only.

Recommended valves: chrome V15A or V15S - £81, please see page 62.

code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	chrome hydronic £
LIB1	644	644	818*	240*	453

*Outputs NPD.

Pipe Centre Tappings (mm)



Projection (mm)



NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:33 Page 17

SEINE.

A unique example of engineering disguised as art.

- Suitable for indirect/closed heating systems only.
- Recommended valves: chrome V15A - £81, please see page 62.
- Dual fuel option available: recommended heater kit = ECO450 - £129.

code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	chrome hydronic £
RHA1	572	1250	1658	486	1288
RHA2	636	1600	2303	675	1717

Pipe Centre Tappings (mm)
(shows reverse of product)



width (mm)	A (mm)
572	247
636	272

Projection (mm)



width (mm)	B (mm)
572	225-237
636	251-263

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:33 Page 18

FULDA.

A unique elegant and artistic curved design.

Suitable for indirect/closed heating systems only.

Recommended valves: chrome V15A or V15S - £81, please see page 62.

Available accessories: towel pegs and towel rails, please see page 63.

Dual fuel option available: recommended heater kit = ECO450 - £129.

Pipe Centre Tappings (mm)
(shows reverse of product)



width (mm)	A (mm)
500	400
600	495

For dual fuel +/- 70mm.

Projection (mm)



width (mm)	B (mm)
500	146-158
600	155-167

code	width mm	height mm	Btu/hr Δ 50°C	watts Δ 50°C	chrome hydronic £
GAV1	500	758	1382	405	852
GAV2	600	758	1617	474	905
GAV3	500	1220	2115	620	1064
GAV4	600	1220	2470	724	1143
GAV5	500	1766	2968	870	1363
GAV6	600	1766	3484	1021	1473

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:33 Page 19

VELINO.

Vertical and curvaceous.

Suitable for indirect/closed heating systems only.

Recommended valves: V15A, please see page 62.

Dual fuel option available: recommended heater kit = MEL615 - £207.

Recommended accessories: towel pegs and rail, please see page 63.

Pipe Centre Tappings (mm)
(shows reverse of product)



Projection (mm)



code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	white hydronic £	chrome hydronic £
CRE1	510	1800	3235	948	524	1485

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:33 Page 20

OPUS.

Blends unobtrusively into its surroundings.

Suitable for indirect/closed heating systems only.

Recommended valves: V15A or V15S, please see page 62.

Available in 2 versions - horizontal and vertical.

OPUS Horizontal.



OPUS Vertical.

OPUS Horizontal

code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	white hydronic £
MEZH1	600	468	1375	403	249
MEZH2	600	612	1761	516	298
MEZH3	1000	468	2293	672	286
MEZH4	1000	612	2934	860	342

Pipe Centre Tappings (mm)



Projection (mm)



width (mm)	A (mm)
600	538
1000	938

OPUS Vertical

code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	white hydronic £
MEZV1	324	2000	2740	803	338
MEZV2	468	2000	3958	1160	422
MEZV3	612	2000	5173	1516	500
MEZV4	756	2000	6391	1873	581

Pipe Centre Tappings (mm)



Projection (mm)



width (mm)	B (mm)
324	256
468	400
612	544
756	688

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:33 Page 21

CAYUTA.

A bold concept in curved design.

Suitable for indirect/closed heating systems only.

Recommended valves: V15A or V15S, please see page 62.

Dual fuel option available: recommended heater kit = ECO450 - £129.

code	width mm	height mm	Btu/hr Δ50˚C	watts Δ50˚C	white hydronic £	metallic hydronic £
CNT1	700	1344	2992	877	644	713

Pipe Centre Tappings (mm)



Projection (mm)



For dual fuel +/- 70mm.

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:33 Page 22

FATALA.

A contribution to the art of style.

Suitable for indirect/closed heating systems only.

Recommended valves: V15A or V15S, please see page 62.

A Recommended accessories: laundry rail and glass shelf, please see page 63.



Pipe Centre Tappings (mm)
(shows reverse of product)



Projection (mm)





code	width mm	height mm	Btu/hr Δ 50°C	watts Δ 50°C	white hydronic £	metallic hydronic £
MAE1	500	796	1522	446	357	423
MAE2	500	1196	2218	650	419	495
MAE3	500	1756	3061	897	498	589

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:34 Page 23



KASAI.

A striking individual design.



Suitable for indirect/closed heating systems only.

Recommended valves: V15A, please see page 62.

Available accessories: laundry rail, glass shelf, towel pegs and rings, please see page 63.

Dual fuel option available: recommended heater kit = ECO450 - £129.

code	width mm	height mm	Btu/hr Δ 50°C	watts Δ 50°C	white hydronic £	metallic hydronic £
CAP1	600	1262	2092	613	431	509
CAP2	600	1502	2470	724	504	594

Pipe Centre Tappings (mm)



For dual fuel +/- 70mm.

Projection (mm)



NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:34 Page 24

BEA6.

BEA1.

STOUR.

High precision engineering from **MYSON**.

Suitable for most central heating or hot water system, please see page 6.

Recommended valves: chrome V15A or V15S - £81, please see page 62.

Dual fuel option available: recommended heater kit = £170. BEA1=PTC75. BEA6=PTC150.

code	width mm	height mm	Btu/hr Δ 50°C	watts Δ 50°C	chrome hydronic £
BEA1	642	642	659*	193*	497
BEA6	642	1000	935*	274*	529

*Outputs NPD.

Pipe Centre Tappings (mm)



For dual fuel +/- 70mm.

Projection (mm)



NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:34 Page 25



COLUMN Vertical.

COLUMN.

The perfect design solution when wall space is at a premium.

- Suitable for indirect/closed heating systems only.
- Recommended valves: V15A or V15S, please see page 62.
- Various accessories available, please see page 63.
- Available in 2 versions - horizontal and vertical.
- COLUMN Bench Seat is a practical alternative to mainstream radiators.
- For full range, please refer to the Designer Radiator technical guide.

COLUMN Horizontal.

COLUMN Bench Seat.

COLUMN Horizontal

code 4 column	width mm	height mm	projection mm	Btu/hr Δ 50˚C	watts Δ 50˚C	white £	colour* £
12-4060	600	600	170/180	3402	997	446	512
16-4060	800	600	170/180	4537	1330	593	681
20-4060	1000	600	170/180	5671	1662	741	853

COLUMN Vertical

code 2 column	width mm	height mm	projection mm	Btu/hr Δ 50˚C	watts Δ 50˚C	white £	colour* £
6-2200	300	2000	94/104	3006	881	391	449
8-2200	400	2000	94/104	4008	1175	520	599
10-2200	500	2000	94/104	5010	1468	647	744
12-2200	600	2000	94/104	6012	1762	776	895
15-2200	750	2000	94/104	7515	2202	970	1117

COLUMN Bench Seat

code	width mm	height mm	projection mm	Btu/hr Δ 50˚C	watts Δ 50˚C	white* £	colour* £
23-05-6180	2150	472	365	6196	1816	3596	4138
23-06-6180	2150	522	365	7230	2119	3779	4348

*To order only. For colour options and full technical details, please refer to the Designer Radiator technical guide.

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:34 Page 26

V10.

DÉCOR.

Add a new dimension to blending warmth with contemporary style decor.

- Suitable for indirect/closed heating systems only.
- Recommended valves: V15A or V15S, please see page 62.
- Available in 2 versions - horizontal and vertical.
- For full range, please refer to the Designer Radiator technical guide.

H11.

TS4.

DÉCOR V10

code	width mm	height mm	projection mm	Btu/hr Δ50˚C	watts Δ50˚C	white £	metallic* £	colour* £
6V10200	455	2000	75	3381	991	312	369	360
8V10200	605	2000	75	4511	1322	348	412	400
10V10200	755	2000	75	5637	1652	402	477	463

DÉCOR H11

code	width mm	height mm	projection mm	Btu/hr Δ50˚C	watts Δ50˚C	white £	metallic* £	colour* £
6H11060	600	455	85	1631	478	195	232	225
6H11080	800	455	85	2177	638	214	255	248
6H11100	1000	455	85	2719	797	222	263	256
8H11060	600	605	85	2054	602	234	276	268
8H11080	800	605	85	2736	802	238	282	274
8H11100	1000	605	85	3422	1003	257	305	294

DÉCOR TS4

code	width mm	height mm	projection mm	Btu/hr Δ50˚C	watts Δ50˚C	white £	metallic* £	colour* £
15TS4060	588	600	103	1726	506	426	504	489
21TS4060	828	600	103	2416	708	485	573	558
25TS4060	1028	600	103	2876	843	642	756	739
31TS4060	1228	600	103	3566	1045	719	849	827
35TS4060	1428	600	103	4026	1180	894	1055	1028

*Colour and metallic to order only. For colour options and full technical details, please refer to the Designer Radiator technical guide.

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:34 Page 27

JARUA.

A sleek inspirational curved contemporary design.

Suitable for indirect/closed heating systems only.

Recommended valves: V15A or V15S, please see page 62.

Dual fuel option available: recommended heater kit = ECO450 - £129.

code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	white hydronic £	metallic hydronic £
CAV1	650	1130	2498	732	644	759
CAV2	650	1430	3102	909	752	884

Pipe Centre Tappings (mm)



Projection (mm)



For dual fuel +/- 70mm.

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:35 Page 28

Pipe Centre Tappings (mm)



For dual fuel +/- 70mm.

MARANOA.

A union of warmth and timeless fashionable style.

- Suitable for indirect/closed heating systems only.
- Recommended valves: V15A or V15S, please see page 62.
- Dual fuel option available: recommended heater kit = ECO450 - £129.
- Option of mounting either left or right handed.

Projection (mm)



code	width mm	height mm	Btu/hr Δ 50°C	watts Δ 50°C	white hydronic £	metallic hydronic £
CHO1	600	1130	2409	706	469	552
CHO2	600	1430	2917	855	579	684

INTERLUDE.

Elegance combined with design simplicity.

- Suitable for indirect/closed heating systems only.
- Recommended valves: V15A or V15S, please see page 62.
- Dual fuel option available for INT2 & INT3 only: recommended heater kit = ECO450 - £129.

code	width mm	height mm	Btu/hr Δ 50°C	watts Δ 50°C	white hydronic £	metallic hydronic £
INT1	500	530	1007	295	260	308
INT2	500	905	1604	470	347	408
INT3	500	1655	2788	817	454	534

Pipe Centre Tappings (mm)



For dual fuel +/- 70mm.

Projection (mm)



NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:35 Page 29

AVONMORE.

A good value classic multi-rail design.

Suitable for indirect/closed heating systems only.

Recommended valves: V15A or V15S, please see page 62.

Sealed electric option available - refer to prices below.

IMPORTANT: Please ensure that you add an extra 'E' to the beginning of the product code when placing an order for sealed electric.

Available accessories: towel pegs, rails and rings, please see page 63.

Dual fuel option available: recommended heater kit = ECO450 - £129.

Available in either straight or curved.

Product shown with TRing1



Rail Combinations

Pipe Centre Tappings (mm)



width (mm)	A (mm)
500	455
600	555

For dual fuel +/- 70mm.

Projection (mm)



width (mm)	B (mm)	C (mm)
500	83-106	92-115
600	83-106	100-123

B = Straight, C = Curved

AVONMORE Curved

code	width mm	height mm	Btu/hr Δ 50°C	watts Δ 50°C	white hydronic £	chrome hydronic £	white electric £	chrome electric £
ECOC85	500	862	1436	421	181	410	310	539
ECOC86	600	862	1686	494	190	436	-	-
ECOC125	500	1222	2003	587	235	540	364	669
ECOC126	600	1222	2351	689	245	567	374	696
ECOC185	500	1807	2941	862	310	719	439	848
ECOC186	600	1807	3487	1022	327	742	-	-

IMPORTANT: Please ensure that you add an extra 'E' to the beginning of the product code when placing an order for sealed electric.

AVONMORE Straight

code	width mm	height mm	Btu/hr Δ 50°C	watts Δ 50°C	white hydronic £	chrome hydronic £	white electric £	chrome electric £
ECOS85	500	862	1423	417	148	334	278	463
ECOS86	600	862	1662	487	158	359	-	-
ECOS125	500	1222	1965	576	192	447	321	576
ECOS126	600	1222	2307	676	201	469	330	599
ECOS185	500	1807	2955	866	256	581	385	710
ECOS186	600	1807	3460	1014	267	613	-	-

IMPORTANT: Please ensure that you add an extra 'E' to the beginning of the product code when placing an order for sealed electric.

NB: All measurements are nominal.

AVONMORE Straight.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:35 Page 30

LINDI.

A square frame yet stylish, straight multi-rail design.

- Chrome finish suitable for most central heating or hot water system, please see page 6.
- White finish suitable for indirect/closed heating systems only.
- Recommended valves: V15A or V15S, please see page 62.
- Available accessories: towel pegs, rails and rings, please see page 63.
- Dual fuel option available: recommended heater kit - please refer to the table below:

Product shown with TRail3

Heater Kits

multi-rail size	suitable for white rail		suitable for chrome rail	
	code	£	code	£
1/45 to 3	MHK300	213	MHK200	194
4/45 to 6	MHK300	213	MHK200	194
7/45 to 9	MHK500	232	MHK500	232

Heater kits fitted with APM® technology - please see page 5.

Projection (mm)



Pipe Centre Tappings (mm)



width (mm)	A (mm)
450	412
500	462
600	562
750	712

For dual fuel +/- 70mm.

code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	white hydronic £	chrome hydronic £
MRS1/45	450	760	1194	350	377	816
MRS1	500	760	1327	389	382	831
MRS2	600	760	1590	466	385	844
MRS3	750	760	1989	583	406	883
MRS4/45	450	1190	1972	578	468	1256
MRS4	500	1190	2191	642	476	1280
MRS5	600	1190	2627	770	491	1323
MRS6	750	1190	3286	963	500	1359
MRS7/45	450	1800	2945	863	594	1945
MRS7	500	1800	3272	959	608	1979
MRS8	600	1800	3924	1150	623	2030
MRS9	750	1800	4906	1438	641	2096

Outputs based on white finish. Chrome outputs less approx 35%.



Rail Combinations

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:35 Page 31

ANGARA.

A round tube, simple but stylish, straight multi-rail design.

- Chrome finish suitable for most central heating or hot water system, please see page 6.
- White finish suitable for indirect/closed heating systems only.
- Recommended valves: V15A or V15S, please see page 62.
- Available accessories: towel pegs, rails and rings, please see page 63.
- Dual fuel option available: recommended heater kit - please refer to the table below:

Heater Kits

multi-rail size	suitable for white rail		suitable for chrome rail	
	code	£	code	£
1/45 to 3	MHK300	213	MHK200	194
4/45 to 6	MHK300	213	MHK200	194
7/45 to 9	MHK500	232	MHK500	232

i Heater kits fitted with APM® technology - please see page 5.

Projection (mm)



Pipe Centre Tappings (mm)



width (mm)	A (mm)
450	418
500	468
600	568
750	718

For dual fuel +/- 70mm.

code	width mm	height mm	Btu/hr Δ 50°C	watts Δ 50°C	white hydronic £	chrome hydronic £
MRR1/45	450	780	1194	350	377	816
MRR1	500	780	1327	389	382	831
MRR2	600	780	1590	466	385	844
MRR3	750	780	1989	583	406	883
MRR4/45	450	1210	1972	578	468	1256
MRR4	500	1210	2191	642	476	1280
MRR5	600	1210	2627	770	491	1323
MRR6	750	1210	3286	963	500	1359
MRR7/45	450	1820	2945	863	594	1945
MRR7	500	1820	3272	959	608	1979
MRR8	600	1820	3924	1150	623	2030
MRR9	750	1820	4906	1438	641	2096

Outputs based on white finish. Chrome outputs less approx 35%.



Rail Combinations

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:36 Page 32

FERLO.

A high quality, stylish curved multi-rail.

Chrome finish suitable for most central heating or hot water system, please see page 6.

White finish suitable for indirect/closed heating systems only.

Recommended valves: V15A or V15S, please see page 62.

Available accessories: towel pegs, rails and rings, please see page 63.

Dual fuel option available: recommended heater kit - please refer to the table below:

Product shown with TPeg3

Heater Kits

multi-rail size	suitable for white rail		suitable for chrome rail	
	code	£	code	£
1/45 to 3	MHK300	213	MHK200	194
4/45 to 6	MHK300	213	MHK200	194
7/45 to 9	MHK500	232	MHK500	232

Heater kits fitted with APM® technology - please see page 5.

code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	white hydronic £	chrome hydronic £
CMR1/45	440	730	1017	298	414	897
CMR1	490	730	1129	331	422	919
CMR2	590	730	1355	397	425	929
CMR3	740	730	1692	496	444	973
CMR4/45	440	1200	1682	493	515	1379
CMR4	490	1200	1866	547	524	1406
CMR5	590	1200	2242	657	537	1451
CMR6	740	1200	2801	821	551	1496
CMR7/45	440	1858	2576	755	653	2136
CMR7	490	1858	2863	839	669	2177
CMR8	590	1858	3432	1006	686	2231
CMR9	740	1858	4292	1258	705	2308

Outputs based on white finish. Chrome outputs less approx 35%.



Rail Combinations

Pipe Centre Tappings (mm)



width (mm)	A (mm)
440	396
490	446
590	546
740	696

For dual fuel +/- 70mm.

Projection (mm)



NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:36 Page 33



TYNE.

A stylish tube on tube multi-rail design.

Suitable for indirect/closed heating systems only.

Recommended valves: V15A or V15S, please see page 62.

Available accessories: towel pegs and rails, please see page 63.

Dual fuel option available: recommended heater kit = ECO450 - £129.

code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	white hydronic £	chrome hydronic £
TUB1	600	770	1610	472	125	218
TUB2	600	1130	2440	715	156	294
TUB3	600	1400	3070	900	174	356

Pipe Centre Tappings (mm)



For dual fuel +/- 70mm.

Projection (mm)





Rail Combinations

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 1:Layout 1 23/6/10 10:36 Page 34

MEDWAY.

A product worthy of any contemporary bathroom or kitchen.

Suitable for most central heating or hot water system, please see page 6.

Recommended valves: chrome V15A or V15S - £81, please see page 62.

Dual fuel option available: recommended heater kit = PTC - £170. RTM1=PTC200. RTM2 =PTC300.

code	width mm	height mm	Btu/hr Δ50˚C	watts Δ50˚C	chrome hydronic £
RTM1	500	760	850	249	1149
RTM2	500	1190	1375	403	1676

Pipe Centre Tappings (mm)



For dual fuel +/- 70mm.

Projection (mm)





Rail Combinations

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 2:Layout 1 23/6/10 10:46 Page 1



Traditional Towel Warmers.

MYSON provide a range of traditional units, all manufactured from high quality brass, which will provide a focal point in any bathroom. Available in a variety of period styles from simple rails to units featuring ball fittings and decorative radiator panels. Designed for use as hydronic or dual fuel units. **Please note that all products now are available with 1/2" tappings only.**

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 2:Layout 1 23/6/10 10:46 Page 2

WINDERMERE.

A masterpiece from **MYSON**.

Suitable for most central heating or hot water system, please see page 6.

Recommended valves: chrome CHV15 - £104, please see page 62.

Dual fuel option available: recommended heater kit = PTC300 = £170.

Sleeving kits to hide pipework: SK15 - £50, please see page 62.

Face to Face Tappings (mm)



Projection (mm)



SK15 Sleeving Kit

code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	chrome hydronic £
B49	693	1867	1525	447	2141

This product now has ½" tappings.

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 2:Layout 1 23/6/10 10:46 Page 3

BALA.

A traditional elegant design.

Suitable for most central heating or hot water system, please see page 6.

Recommended valves: chrome CHV15 - £104, please see page 62.

Dual fuel option available: recommended heater kit = PTC200 = £170.

A Sleeving kits to hide pipework: SK15 - £50, please see page 62.

code	width mm	height mm	Btu/hr Δ 50°C	watts Δ 50°C	chrome hydronic £
B29	693	1040	761	223	1153

This product now has ½" tappings.

Pipe Centre Tappings (mm)



Projection (mm)



NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 2:Layout 1 23/6/10 10:47 Page 4

BUTTERMERE.

Traditional style at it's best.

Suitable for most central heating or hot water system, please see page 6.

Recommended valves: chrome CHV15 - £104, please see page 62.

Sleeving kits to hide pipework: SK15 - £50, please see page 62.

Face to Face Tappings (mm)



Depth (mm)



code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	chrome hydronic £
B30	693	1026	1109	325	1377

This product now has ½" tappings.

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 2:Layout 1 23/6/10 10:47 Page 5

ULLSWATER.

A touch of traditional style for any bathroom.

Suitable for most central heating or hot water system, please see page 6.

Recommended valves: chrome CHV15 - £104, please see page 62.

Dual fuel option available: recommended heater kit = PTC300 = £170.

Sleeving kits to hide pipework: SK15 - £50, please see page 62.

code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	chrome hydronic £
B36/1	540	1302	1194	350	1521

This product now has ½" tappings.

Pipe Centre Tappings (mm)



Projection (mm)



NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 2:Layout 1 23/6/10 10:47 Page 6

THIRLMERE.

Style and elegance for any bathroom.

Suitable for most central heating or hot water system, please see page 6.

Recommended valves: chrome CHV15 - £104, please see page 62.

Dual fuel option available: recommended heater kit = PTC150 = £170.

Sleeving kits to hide pipework: SK15 - £50, please see page 62.

code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	chrome hydronic £
B35/1	540	1303	770*	226*	931

This product now has ½" tappings. *Outputs NPD.

Pipe Centre Tappings (mm)



Projection (mm)



NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 2:Layout 1 23/6/10 10:48 Page 7

SALMON.

Stylish and elegant design.

Suitable for most central heating or hot water system, please see page 6.

Recommended valves: chrome CHV15 - £104, please see page 62.

Dual fuel option available: recommended heater kit = PTC200 = £170.

Sleeving kits to hide pipework: SK15 - £50, please see page 62.

Pipe Centre Tappings (mm)



Projection (mm)



code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	chrome hydronic £
B31/1	693	693	863*	253*	1014

This product now has ½" tappings. *Outputs NPD.

NB: All measurements are nominal.

AWE.

A classic and distinguished towel warmer design.

Suitable for most central heating or hot water system, please see page 6.

Recommended valves: chrome CHV15 - £104, please see page 62.

Dual fuel option available: recommended heater kit = PTC200 = £170.

Sleeving kits to hide pipework: SK15 - £50, please see page 62.

code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	chrome hydronic £
B27/1	693	955	761	223	980

This product now has ½" tappings.

Face to Face Tappings (mm)



Projection (mm)



For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 2:Layout 1 23/6/10 10:48 Page 8

INN.

A distinctive but practical towel warmer design.

Suitable for most central heating or hot water system, please see page 6.

Recommended valves: chrome CHV15 - £104, please see page 62.

Dual fuel option available: recommended heater kit = PTC100 = £170.

Sleeving kits to hide pipework: SK15 - £50, please see page 62.

code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	chrome hydronic £
B24/1	693	955	498*	146*	608

This product now has ½" tappings. *Outputs NPD.

Face to Face Tappings (mm)



Projection (mm)



SK15 Sleeving Kit

SAXBY.

A slick classic towel warmer design.

Suitable for most central heating or hot water system, please see page 6.

Recommended valves: chrome CHV15 - £104, please see page 62.

Dual fuel option available: recommended heater kit = PTC100 = £170.

Sleeving kits to hide pipework: SK15 - £50, please see page 62.

code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	chrome hydronic £
B34/1	693	693	679*	199*	646

This product now has ½" tappings. *Outputs NPD.

Pipe Centre Tappings (mm)



Projection (mm)



NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 2:Layout 1 23/6/10 10:48 Page 9

SOKOTO.

Style from a décor radiator with a high heat output.

Suitable for indirect/closed heating systems only.

Recommended valves: chrome V15A - £81, please see page 62.

Sleeving kits to hide pipework: SK15 - £50, please see page 62.

Projection (mm)



Face to Face Tappings (mm)



code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	chrome hydronic £
DRPW4VERT	636	934	1320	387	568
DRPW6VERT	936	934	1907	559	658

This product now has ½" tappings.

width (mm)	A (mm)
636	531
936	831

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 2:Layout 1 23/6/10 10:49 Page 10



OUSE.

Style from a panel radiator with a high heat output.

Suitable for indirect/closed heating systems only.

Recommended valves: chrome V15A - £81, please see page 62.

Sleeving kits to hide pipework: SK15 - £50, please see page 62.

Projection (mm)



Face to Face Tappings (mm)



code	width mm	height mm	Btu/hr Δ 50°C	watts Δ 50°C	chrome hydronic £
RPW1	622	934	989	290	466
RPW2	777	934	1225	359	491

This product now has ½" tappings.

width (mm)	A (mm)
622	517
777	672

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 2:Layout 1 23/6/10 10:49 Page 11

MERSEY.

A multi-functional towel warmer and radiator design.

Suitable for indirect/closed heating systems only.

Recommended valves: chrome V15A - £81, please see page 62.

Projection (mm)



Pipe Centre Tappings (mm)



code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	chrome hydronic £
MTR2	640	655	1314*	385*	469
MTR4	745	809	1924	564	506

This product now has ½" tappings. *Outputs NPD.

width (mm)	A (mm)	B (mm)
640	640	505
745	745	607

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 2:Layout 1 23/6/10 10:49 Page 12

DEE.

A design statement from **MYSON**.

Suitable for indirect/closed heating systems only.

Recommended valves: chrome CHV15 - £104, please see page 62.

Dual fuel option available: recommended heater kit = £170. VR1/4=300PTC, VR1=400PTC, VR2=500PTC, VR3=500PTC.

Sleeving kits to hide pipework: SK15 - £50, please see page 62.

code	width mm	height mm	Btu/hr Δ 50˚C	watts Δ 50˚C	chrome hydronic £
VR1/4	476	955	1443	423	907
VR1	676	955	2054	602	995
VR2	776	955	2361	692	1050
VR3	876	955	2672	783	1140

This product now has ½" tappings.

Face to Face Tappings (mm)



width (mm)	A (mm)
476	341
676	541
776	641
876	741

Projection (mm)



NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 3:Layout 1 23/6/10 10:54 Page 1

Electric Heating.

Towel Warmers

Radiators


Designer

Underfloor

The recent trend towards electric heating has been driven by heating professionals who recognise that these systems often offer benefits that conventional hydronic systems can't. Promoted by ease of installation, greater flexibility of use, virtually no maintenance, lower lifetime cost as well as allowing simpler new-build construction and renovation methods to be applied, it is not difficult to see why. **MYSON** offer electric options for all applications - giving a superior choice to that of any other manufacturer.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 3:Layout 1 23/6/10 10:54 Page 2

TAMAR EO70.

An innovative and practical design.

- Sealed electric.
- Easy to install, virtually maintenance free.
- Rotates through 180°
- IP rating: IP44

Projection (mm)



code	width mm	height mm	rated watts	chrome electric £
EO70	604	505	70	180

TAMAR EO80.

A practical and curvaceous design.

- Sealed electric.
- Easy to install, virtually maintenance free.
- IP rating: IP44

Projection (mm)



code	width mm	height mm	rated watts	chrome electric £
EO80	483	644	55	143

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 3:Layout 1 23/6/10 10:54 Page 3

TAMAR EO90.

A neat towel warmer.



- Sealed electric.
- Available accessories: discreet and cone cover, please see page 63.
- Fitted with APM® technology, please see page 5.
- Easy to install, virtually maintenance free.
- IP rating: IP64

Projection (mm)



code	width mm	height mm	rated watts	chrome electric £
EO90	584	638	75	245

TAMAR EO130.

A practical towel warmer design.

- Sealed electric.
- Available accessories: discreet and cone cover, please see page 63.
- Fitted with APM® technology, please see page 5.
- Easy to install, virtually maintenance free.
- IP rating: IP64

Projection (mm)



NB: All measurements are nominal.

code	width mm	height mm	rated watts	chrome electric £
EO130	584	886	100	288

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 3:Layout 1 23/6/10 10:54 Page 4

TAMAR EO350.

A practical combined radiator and towel warmer.

- Sealed electric.
- Available accessories: discreet and cone cover, please see page 63.
- Fitted with APM® technology, please see page 5.
- Easy to install, virtually maintenance free.
- IP Rating: IP64



Projection (mm)



code	width mm	height mm	rated watts	chrome electric £
EO350	656	886	250	448

INNOKO.

Designed with a small bathroom, kitchen or cloakroom in mind. Available in straight or curved options.

- Sealed electric.
- Available accessories: discreet and cone cover, please see page 63.
- Left hand and right hand options available.
- Fitted with APM® technology, please see page 5.
- Easy to install, virtually maintenance free.
- IP rating: IP64

INNOKO Straight.

INNOKO Curved.

INNOKO Curved

code	width mm	height mm	rated watts	chrome electric £
PETCL	450	500	40	293
PETCR	450	500	40	293

INNOKO Straight

code	width mm	height mm	rated watts	chrome electric £
PETSL	450	500	40	293
PETSR	450	500	40	293

Projection - Curved (mm)



Projection - Straight (mm)



NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 3:Layout 1 23/6/10 10:55 Page 5

LEGATO.

Add a warm feel of stone to your interior.

- Sealed electric.
- Available in 2 stone finishes - slate and grey granite.
- IP rating: IP32
- Overall product width, including towel rail is 540mm.



Slate granite



Grey granite

code	width mm	height mm	rated watts	slate granite electric £	grey granite electric £
LGT1	400	900	600	705	705
LGT2	400	1500	1000	895	895

Projection (mm)



AVONMORE is also available as a sealed electric unit. See page 30.

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 3:Layout 1 23/6/10 10:55 Page 6



Mirror

MARIGA.

A revolutionary heated glass wall mounted radiator.

- Sealed electric.
- Supplied with a stainless steel towel rail as standard.
- Available in 2 finishes, mirror and crystal (clear glass).
- IP rating: IP46

MARIGA Crystal.

Projection (mm)



MARIGA Mirror

code	width mm	height mm	rated watts	mirror electric £
MIR2	500	1000	500	1489

MARIGA Crystal (clear glass)

code	width mm	height mm	rated watts	crystal electric £
CRY2	500	1000	500	1376

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 3:Layout 1 23/6/10 10:55 Page 7



Electric Underfloor Heating.

Everything you need is provided in one box for a quick and easy heating solution. Our electric underfloor heating system is ideal for self build, renovations or extensions.

Everything you need, including electric mat, digital clock thermostat, control card, floor sensor, sensor tube, multimeter and installation manual is packed and supplied together.

- Sealed electric.
- It will save you space - everything is hidden under the floor not the walls.
- It's easy to install - no need for specialist tools, skills or groundwork.
- No more cold floors - the electric mat warms up quickly, delivering 150w/m^2.
- Is suitable for installation under most flooring types - tiles, stone, carpet, wood and laminate.

code	size m^2	£
UF1M	1	214
UF1.5M	1.5	243
UF2M	2	266
UF2.5M	2.5	293
UF3M	3	338
UF3.5M	3.5	359
UF4M	4	382
UF4.5M	4.5	417
UF5M	5	450
UF6M	6	496
UF7M	7	541
UF8M	8	608
UF9M	9	629
UF10M	10	652

Tile/stone

Carpet

Wood/laminate

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 3:Layout 1 23/6/10 10:55 Page 8

FINESSE.

Our **FINESSE** electric panel radiators bring instant warmth to every room. This range of oil filled sealed electric panel radiators delivers all the benefits of central heating without the need for a plumbed-in system.

Sealed electric.

Childproof electronic thermostat to control room temperature with frost protection for peace of mind.

IP rating: IP44

Supplied with 115cm cable.

Projection (mm)



code	width mm	height mm	heat outputs watts	white electric £
EPAND35	495	300	300	244
EPAND38	815	300	500	251
EPAND312	1215	300	800	281
EPAND315	1495	300	1000	300
EPAND318	1775	300	1200	318
EPAND55	495	500	500	251
EPAND58	775	500	800	275
EPAND510	1015	500	1000	294
EPAND512	1175	500	1200	326
EPAND516	1575	500	1600	363

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 3:Layout 1 23/6/10 10:55 Page 9

KICKSPACE® Fan Convectors.

KICKSPACE®

Clever by design, the **KICKSPACE®** unit fits neatly within a unit plinth or floor cavity providing a fresh thinking, innovative heating solution. Where traditional radiators take up precious wall space and restrict design possibilities, the **KICKSPACE®** heater allows freedom to tailor your home around your lifestyle. Central heating, electric and duo models available.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 3:Layout 1 23/6/10 10:56 Page 10

KICKSPACE®.

The space saving solution.

The kitchen is often where space is most at a premium and the **KICKSPACE®** can deliver the most benefits but equally, the bathroom or hallway can be alternative applications. All versions, except the floor model, are designed to be installed horizontally into recessed locations. They require an adequate supply of inlet air and the axis of the motor must remain horizontal.

The **KICKSPACE®** can also be used alongside the **MYSON INNOKO** towel rail to provide the perfect drying and heating solution for any kitchen. For information on the **MYSON** range of towel warmers please contact Customer Services.

Before

After

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 3:Layout 1 23/6/10 10:56 Page 11

Featured towel warmer: INNOKO (straight), please see page 51.

i With effective climate control **KICKSPACE®** works by drawing room air over the heated fins of the unit heat exchanger and projecting warm air back into the room. Controls are situated on the front grille, with the unit having a choice of heating fan speeds (winter setting) as well as a fan-only (summer setting) operation. Alternatively, a remote control wall switch can be fitted to central heating and duo models for extra control and convenience.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 3:Layout 1 23/6/10 10:56 Page 12



A The unit grille and remote wall switch can be customised to suit any room décor with a variety of metallic and colour finish options. The remote room thermostat is supplied white as standard and is suitable for the 500, 600 & 800 unit models.



KICKSPACE® Central Heating

code	unit width mm	unit height mm	unit depth mm	grille height mm	grille width mm	watts Δ 50˚C normal	watts Δ 50˚C boost	Btu/h Δ 50˚C normal	Btu/h Δ 50˚C boost
500	322	99	309	101	496	896	1116	3058	3981
600	376	99	309	101	550	1225	1630	4179	5561
800	447	90	406	101	603	1707	2192	5824	7479
Floor	362	210	240	244	422	802	1322	2736	4510
600-12V	375	93	405	101	550	1225	1630	4179	5561

KICKSPACE® Duo

code	unit width mm	unit height mm	unit depth mm	grille height mm	grille width mm	watts Δ 50˚C normal	watts Δ 50˚C boost	Btu/h Δ 50˚C normal	Btu/h Δ 50˚C boost
500Duo	321	93	318	101	496	835	1083	2849	3695

KICKSPACE® Electric

code	unit width mm	unit height mm	unit depth mm	grille height mm	grille width mm	watts Δ 50˚C normal	watts Δ 50˚C boost
500E	321	93	203	101	496	1000	2000
600E*	360	88	225	100	600	1000	3000

*Available with brown, white or brushed stainless steel grilles.

Flexi Hoses

code
FP

KICKSPACE® Remote Wall Switch

code	description
RCONT	Remote wall switch - all models except 500E and 600E.

Available in white (WT), chrome (CM), brushed stainless (BS) and brass (BR).

KICKSPACE® Remote Thermostat

code	description
RCONSTAT	Only applicable to 500, 600 & 800 models.

Available in white.

KICKSPACE® Grille Options

description
All units except 600E and Floor are supplied with a white grille as standard.

Available in white, brown, black, brushed stainless, chrome and aluminium.
For order codes, please refer to the Fan Convector technical guide.

For all Kickspace prices please contact our Customer Services Department on 0845 402 3434

Other Fan Convector models are available. For full details please see the Fan Convector technical guide.
NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 3:Layout 1 23/6/10 10:56 Page 13

Curtain Rails & Accessories.

Curtain rails

Accessories

Finishing touches are extremely important. That's why **MYSON** offer an exclusive range of shower curtain rails and accessories. Finish off your home to perfection with matching shower curtain rings, radiator valves and towel and robe pegs, all available in a variety of styles.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 3:Layout 1 23/6/10 10:57 Page 14

CR1.

Pecos CR1 & CR2.

Straight shower rail and L-shaped shower rail.

A Optional extra: Adjustable ceiling stay - £72.

i Available in 4 standard sizes but CR1 can be cut to required size.

code	dimensions inch	chrome £
CR1	48	79
CR1	60	96
CR1	72	116
CR1	84	124

code	dimensions inch	chrome £
CR2	30x30	124
CR2	30x36	132
CR2	42x24	132
CR2	36x36	158

CR2.

CR3.

Pecos CR3.

Circular shower rail.

A Optional extra: Adjustable ceiling stay - £72.

code	dimensions inch	chrome £
CR3	24 dia	182
CR3	30 dia	196

CR4.

Pecos CR4 & CR5.

U-Shaped shower rail and oval shower rail.

A CR4 & CR5 come complete with 18" fixed ceiling stays as standard. CR4A & CR5A come with 18" adjustable stays.

CR5.

code	dimensions inch	chrome £
CR4	48x28	217
CR4A	48x28	239

code	dimensions inch	chrome £
CR5	60x28	447
CR5A	60x28	491

NB: All measurements are nominal.

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Design Product Bro 3:Layout 1 23/6/10 10:58 Page 15

Contemporary Valves.

Angled valves
½" to suit your installation. Code: V15A

Chrome £81

Brushed nickel £105

White £91

Straight valves
½" to suit your installation. Code: V15S

Chrome £81

Brushed nickel £105

White £91

Traditional Valves.

Crosshead valves
½" to suit your installation.
Code: CHV15
Available in chrome £104

Sleeving Kits.

Covers water pipes and the holes through which they come. ½" to suit the valves used.
Code: SK15
Available in chrome £50

Wire Kits.

Discreet
Covers the element end and cable. Suitable for the entire **MYSON** APM® electric range and selected dual fuel models.
Code: Discreet
Available in chrome £50

Cone
Covers the element end. Suitable for the entire **MYSON** APM® electric range and selected dual fuel models.
Code: Cone
Available in chrome £22

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Cover+inside front+back UK:Layout 1 21/6/10 10:01 Page 2



Towel Pegs.

To suit the **KASIA** & **FATALA**.
Code: TPeg1
To suit the **FULDA**.
Code: TPeg2
Available in chrome £30

To suit the **FERLO**, **ANGARA**, **LINDI**, **AVONMORE**, **TYNE**, **FULDA**, **VELINO**, **FATALA** & **KASIA**.
Code: TPeg3
Available in chrome £8 or white £6

To suit the **FERLO**, **ANGARA**, **LINDI**, **AVONMORE**, **TYNE**, **FULDA**, **VELINO**, **FATALA** & **KASIA**.
Code: TPeg4
Available in chrome £8 or white £6

Towel Rails.

To suit the **FERLO**, **ANGARA**, **LINDI**, **AVONMORE**, **TYNE**, **FULDA**, **VELINO**, **FATALA** & **KASIA**.
Code: TRail1
Available in chrome £24 or white £17

To suit the **FERLO**, **ANGARA**, **LINDI**, **AVONMORE**, **TYNE**, **FULDA**, **VELINO**, **FATALA** & **KASIA**.
Code: TRail2
Available in chrome £20 or white £15

To suit the **FERLO**, **ANGARA**, **LINDI**, **TYNE**, **FULDA**,**VELINO**, **FATALA** & **KASIA**.
Code: TRail3
Available in chrome £47 or white £32

Towel Rings.

To suit the **KASIA** & **FATALA**.
Code: TRing
Available in chrome £56

To suit the **FERLO**, **ANGARA**, **LINDI**, **BANI** & **AVONMORE**.
Code: TRing1
Available in chrome £23 or white £17

Laundry Rail.

To suit the **KASIA** & **FATALA**.
Code: LRail
Available in chrome £113

Glass Shelf.

To suit the **KASIA** & **FATALA**.
Code: GShelf
Available with chrome fixings £100

COLUMN Decorative Radiator Accessories.

Towel rail
White with chrome fixings.
Code: 12secrail / 16secrail / 20secrail £183

Lambswool cleaning brush
Code: Columnbrush
£91

Decorative foot
Code: Coldecfoot
£43

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk

22948 Cover+inside front+back UK:Layout 1 21/6/10 09:59 Page 1

MYSON Eastern Avenue, Team Valley, Gateshead, Tyne & Wear NE11 0PG, UK
T: 0845 402 3434, F: 0191 491 7568, sales@myson.co.uk, www.myson.co.uk

MYSON

The **Design** Collection.

Brochure & Price List RRP
July 2010

heatingthrough**innovation.**

Prices exclude VAT

01.07.2010 ISSUE 1

For latest prices and delivery to your door visit MyTub Ltd - 0845 303 8383 - www.mytub.co.uk - info@mytub.co.uk