Ideal STANDARD

www.idealstandard.co.uk

Synergy

Step into a
new world
of showering

body &mind

At Ideal Standard, we believe that creativity is the catalyst to continuous evolution in your bathroom. As Europe's leading brand, Ideal Standard's goal is to create a living space that is truly like you. Sustainable and exclusively following three main philosophies: design, performance and innovation. Ideal Standard is the reflection of personalised well-being. Spirit and materials focused to create a universe where the body and mind are immersed in renewed pleasure day after day. Discover the new groundbreaking solutions that capture your desires.

Synergy is an exclusive collection of contemporary enclosures, wetroom panels and bath screens that delivers minimalist design, innovative features and contemporary styling to suit every bathroom. The collection offers an outstanding choice of installation options, from space saving enclosures to simple but elegant bath screens. And for the ultimate style statement, Synergy wetroom panels create the perfect minimalist, contemporary shower space.

Contents

4 Stylish showering

6 Enclosures

8 Quadrants

10 Pivot

14 Slider

17 Corner entry

18 Infold

20 Wetrooms

22 1200 x 1000 dual access wetroom

24 1000 x 800 wetroom

26 1700 x 700 wetroom

28 Bath screens

30 Shower trays

32 Technical Specifications

Stylish showering

Synergy has been designed to deliver a range of contemporary, stylish showering spaces that will work perfectly no matter what your bathroom design or space available.

The Collection

Enclosures

Contemporary semi-framed design and exposed glass edge doors give Synergy enclosures a touch of added design sophistication. But, there is much more to these enclosures than mere looks. Each piece has been engineered to exacting standards and manufactured using 8mm toughened safety glass. What's more every enclosure is power shower tested and comes complete with IdealClean finish.

There is a wide choice of installation options available, so you're sure to find an enclosure to suit your available space and bathroom style. From Pentagon enclosures that are perfect for the smaller bathroom or en-suite, to the Offset Quadrant that gives a truly luxurious showering area. Alcove enclosures are perfect for fitting in awkward spaces and can be created using a pivot, infold or slider door option – the choice is yours. And for complete versatility, the Corner range offers a choice of sizes – from compact to spacious – as well as door options.

Wetrooms

Synergy wetroom panels can be used to create a full wetroom installation or a partial wetroom using a conventional shower tray. Either way, they create the epitome of minimalist showering chic. The wetrooms range gives you the chance to completely customise your showering space, from a simple, single contemporary panel to a walk-in shower area with a return and end panel, letting you create the space you've always dreamed of. Installation couldn't be easier, thanks to Ideal Standard's new innovative adjustable wall profile and to make sure your stylish look doesn't diminish over time, IdealClean finish comes as standard.

Bath screens

Creating a contemporary showering area is simple and easy using one of Synergy's stylish bath screens. Exceptionally well manufactured with 6mm toughened safety glass, Synergy bath screens come in 3 stylish designs, including an option with a practical towel rail, to create the perfect shower area above a bath.



Innovation
built in

What makes Synergy so special is the quality engineering, attention to detail and innovative features. Concealed fixings and smooth running doors compliment the bright silver finish. Practical features like IdealClean glass, Click and Clean wheels and easy fit installation features, make Synergy the perfect blend of style and performance.

Enclosure features
Style and quality is at the forefront of the Synergy collection. No detail has been overlooked to make sure that every enclosure performs to the highest standard. Easy to use, sleek and solid handles are complimented by soft cushion open and close door operation on sliding doors to reinforce a quality feel. The exposed glass door edges, giving a clean seal free look, brings a real sense of contemporary style, whilst the practicality of the range is reflected in the Click and Clean wheels.

Wetrooms features
Minimalist design requires a high degree of attention to detail and innovative engineering to keep clean lines and a sleek finish. Ideal Standard's innovative adjustable profile fixings not only make installation easy, even with out-of-true walls, but also cleverly conceals the silicone to give a clean finish that is so important to wetroom design. Bracing brackets and corner connectors help conceal fixings and aluminium floor and tray strips seal the panels to the floor or tray.

Synergy showers key features

These symbols appear throughout the brochure to provide a quick overview of each enclosure or wetroom's features:

8mm Toughened Safety Glass Thickness

IC IdealClean finish. Makes glass easier to clean and then stay clean for longer

CC Click and Clean. The lower wheels and panels can be released to expose them for thorough cleaning. Panel then easily clicks back into position to ensure a water tight seal

Smooth Running Wheels. Smooth and easy to move doors eliminate jarring

25mm Horizontal Adjustment. The profile can be adjusted horizontally to allow for out-of-true walls

Power Shower Tested. Enclosures have been power shower tested to ensure the seals are watertight

Horizontal and Vertical Adjustment. The profile can be adjusted horizontally and vertically to allow for fixing into grout lines rather than onto tiles

Enclosures

Spacious luxury

Synergy enclosures are semi-framed, clean and stylish, designed to maximise the showering area, even in restricted spaces, to give you the very best showering experience. But, behind all the style, this is a collection that has been built to last. Backed by the Ideal Standard 10 year guarantee and with 8mm toughened safety glass with IdealClean finish as standard, Synergy enclosures are as practical as they are good looking.



Synergy offset quadrant

Whether it's a relaxing shower after a hard day's work or an invigorating wake up call this is a stylish enclosure that maximises your showering pleasure. Spacious and luxurious yet with subtle clean lines for a contemporary finish.

Available sizes: 900 x 800 and 1200 x 900.
Shown with Attitude valve and Moonshadow shower kit.

Synergy quadrant

The same stylish finish as our Offset Quadrant, but in a slightly more compact design. A versatile enclosure that can fit into most bathroom spaces to add a sense of style and luxury.

Available sizes: 800, 900 and 1000.
Shown with Jasper Morrison valve and kit.

8mm CC 25mm IC

design

Click and Clean
Click and Clean function makes cleaning the door panels simple and easy. Just push on the bottom wheel covers to release the lower part of the door panel.

+

Synergy pivot alcove
For awkward spaces this compact pivot door is the perfect fit. The new roller ball catch mechanism provides a smooth operating door to reinforce a quality feel.
Available sizes: 760, 800, 900 and 1000.
Shown with Attitude valve and Moonshadow shower kit.

Pivot doors

A versatile collection of stylish doors that work even in awkward spaces. Exposed glass edge doors and bright silver finish add to the contemporary styling of these enclosures. Use these pivot doors to create a classic alcove or add semi-framed side panels for a more spacious enclosure

performance

Quality feel
The new roller ball catch mechanism provides a smooth operating door to reinforce a quality feel.

Synergy pivot pentagon
This contemporary enclosure was made for en-suites. Designed to offer a space saving installation option with maximum design appeal.
Available sizes: 800 and 900.
Shown with Space shower tray, Jasper Morrison valve and shower kit.

Synergy 1200 pivot corner

A spacious showering area is created with this twist on a traditional pivot door. An additional slim glass panel gives you more flexibility in size and style. Use without the side panel to create a spacious alcove enclosure.

Available size: 1200. Add the side panel of your choice.

Shown with Attitude valve and Moonshadow shower kit.

8mm 25mm IC

Synergy pivot corner

Semi-framed design and exposed glass edge on the door make this an understated but stylish addition to any bathroom. Concealed fixing and integral watertight seals only add to the contemporary look, but installation couldn't be easier with profile adjustment for out-of-true walls.

Available sizes: 760, 800, 900 and 1000. Add the side panel of your choice.
Shown with Jasper Morrison valve and shower kit.

design

Sleek and solid
Ergonomic design and sleek style are perfectly combined in this contemporary, robust handle that gives a reassuring quality feel.

Synergy slider corner

Built for indulgence, an enclosure with the space to maximise your showering pleasure. This slider door runs smoothly to give a reassuring sense of quality and has the practical advantage of easy access.

Available sizes: 1000, 1200 and 1400.
Add the side panel of your choice.
Shown with Silver valve and Moonshadow shower kit.

8mm CC 25mm IC

performance

Quality feel
Ideal Standard's new soft cushion open and close operation gives a re-assuring quality feel and long lasting performance.

+



Synergy slider alcove

The bright silver finish frame puts the style back into sliders. Simple, clean lines give a sophisticated look to an enclosure that will look at home whatever your bathroom design with the versatility to fit those awkward spaces.

Available sizes: 1000, 1200 and 1400.
Shown with Attitude valve and Moonshadow shower kit.

Sophisticated looks
The exposed glass edge door adds to Synergy's sophisticated looks whilst the watertight seal is maintained by cleverly concealing the door seal within the frame.

design

Synergy corner entry

Corner entry doors give easy access to this spacious enclosure.

The full length bright silver finish frame profiles discreetly cover the fixings and integral seals to give a clean and fresh aspect. The Click and Clean mechanism, along with IdealClean glass, makes this an easy maintenance enclosure.

Available sizes: 800, 900 and 1000.
Shown with Jasper Morrison valve and shower kit.

Synergy infold corner
A versatile enclosure that can be fitted with the door to the front or side, whatever suits your bathroom layout. The exposed glass door edge and semi-framed design are as stylish as the adjustable profiles and integral watertight seals are practical.
Available sizes: 760, 800, 900 and 1000.
Add the side panel of your choice. Shown with Attitude valve and Moonshadow shower kit.

Infold doors

The infold door is the perfect option for bathrooms with limited space. Ideal Standard have developed a new triple wheel door runner which makes opening and closing the door smooth and easy.

Synergy infold alcove
The infold door adds another dimension to Synergy's range of alcove enclosures. The smooth opening and closing mechanism is discreet and along with the stylish frame give this alcove a contemporary design feel.
Available sizes: 760, 800, 900 and 1000.
Shown with Attitude valve and Moonshadow shower kit.

Wetrooms

Minimalist Style



The ultimate in contemporary bathroom design. Minimalist and sleek, the Synergy range of wetroom panels is available in 9 different panel sizes to give you complete freedom to create the perfect full or partial wetroom installation.

Synergy wetroom panels are manufactured with 8mm toughened safety IdealClean glass. The innovative wall profile cleverly conceals the silicone providing clean lines for a sophisticated and contemporary bathroom.

Dual access

Designed to give you the real wow factor, a touch of opulence that will create a real style statement. Engineered to exacting standards and with IdealClean glass these panels are low on maintenance, but high on style.

8mm IC

Synergy 1600 x 1000
dual access wetroom
The ultimate showering experience, the ultimate style statement. Large enough to allow two people to shower in absolute comfort this panel is the height of chic, giving you the chance to create the perfect minimalist wetroom design.
See page 38 for full range.

Synergy 1200 x 1000 dual access wetroom

Plenty of space and plenty of style. This dual access panel, available with or without return panels, lets you indulge your senses and gives a truly luxurious experience.

See page 38 for full range.

Shown with Moments shower column.

8mm

performance

Flexible and strong

Synergy corner connectors make adding a return panel quick and easy. As strong as they are small, these connectors keep the panels locked in place for a sturdy and robust panel installation.



Synergy 1000 x 800 corner or alcove wetroom

Minimalist design in the minimum of space. You don't have to have a huge bathroom to install a wetroom. This simple and elegant panel gives you the flexibility to install a wetroom even in smaller spaces like an en-suite.

See page 38 for full range.

Shown with Silver valve and Outline shower.

8mm 23mm

Quick and easy
Synergy's new wall profile design makes installation quick and easy. Wall fixing can be easily adjusted to ensure fixing in the grout line, leaving tiles intact.

innovation

Wetroom with Idealite tray
Get all the style benefits of a wetroom without having to install a complete wetroom solution by using a conventional shower tray.

Synergy 1000 x 1000 corner or alcove wetroom

The elegant and sophisticated feel is emphasised by the clean lines. Easy to install, thanks to Ideal Standard's adjustable wall profile, and available as a tray or wetroom installation and with and without return panels – the choice is yours. Either way, this is a panel that will add a sense of style to any bathroom.

See page 39 for full range.

Shown with Silver valve and Outline shower kit.

8mm 23mm IC

Synergy 1700 x 700 corner wetroom

Think you can't have a wetroom because space is limited? Then think again. Ideal Standard's design team have carefully created these panels to fit in the same space as a conventional bath. So you can add these stylish panels to an existing design or replace your bath and embrace the showering experience. Suitable for tray or wetroom installation and with Ideal Standard's innovative wall profile design, fitting couldn't be easier.

See page 39 for full range.
Shown with Moments shower column.



design

Flexible installation
Add a side panel to create a walk-in wetroom with the Synergy angle bracket.

Bath screens

If you want all the benefits of showering but just don't have the space for an enclosure then a bath screen is the perfect option. Synergy bath screens are 1500mm x 850mm to allow plenty of room to shower and come in 3 stylish shapes, including one with a practical towel rail, that will fit into any bathroom design. Every bath screen is manufactured with 6mm toughened safety glass and a watertight seal. The wall profile has 20mm adjustment for ease of installation.

6mm 20mm

Bow bath screen

Bow bath screen with towel rail

Sail bath screen

Angle bath screen

Idealite low profile shower trays

These slim, lightweight trays with a height of just 45mm compliment Synergy enclosures and wetrooms. Every tray comes complete with a 90mm waste and for complete flexibility of installation, there are tray options with integral upstands to allow for tiling to the surface of the tray.

a

b

c

d

e

Left to right:
a. Rectangular Idealite tray
b. Square Idealite tray
c. Quadrant Idealite tray
d. Offset Quadrant Idealite tray
e. Pentagon Idealite tray

Trays are available in a range of sizes, with and without upstands. Please see pages 41-42 for full details.

innovation

Idealite
Idealite low profile shower trays are substantially lighter than conventional shower trays. With a height of just 45mm they are strong and durable with contemporary good looks.

The range includes shower trays with integral upstands.
The upstand is designed to be tiled over and allows for tiling down to the shower tray surface (see below). Where an upstand is not required around the whole tray, a roll of flexible adhesive upstand is available to purchase which can be cut to size as required.



Riser tray kit

Idealite shower trays can be fitted with risers when pipework is above floor level. Once in position the tray is easily levelled by adjusting the height of each leg.

Synergy Enclosures pages 8-21

Quadrant

L6283EO 800 Quadrant
L6284EO 900 Quadrant
L6285EO 1000 Quadrant
L6286EO 900 x 800 Offset Quadrant
L6287EO 1200 x 900 Offset Quadrant

Quadrant enclosure	Dim. A Width (mm)	Dim. B Opening (mm)	Dim. C Width (mm)
800	755 - 780	415	755 - 780
900	855 - 880	535	855 - 880
1000	955 - 980	535	955 - 980
900 x 800	855 - 880	448	755 - 780
1200 x 900	1155 - 1180	535	855 - 880





Slider corner

L6288EO 1000 Slider
L6289EO 1200 Slider
L6290EO 1400 Slider
L6216EO 760 Side Panel
L6217EO 800 Side Panel
L6218EO 900 Side Panel
L6219EO 1000 Side Panel

Slider enclosure	Dim. A Width (mm)	Dim. B Opening (mm)
1000	952 - 1002	382
1200	1152 - 1202	435
1400	1352 - 1402	535

Side panel	Dim. C Width (mm)
760	708 - 733
800	748 - 773
900	848 - 873
1000	948 - 973





Slider alcove

L6288EO 1000 Slider
L6289EO 1200 Slider
L6290EO 1400 Slider

Slider enclosure	Dim. A Width (mm)	Dim. B Opening (mm)
1000	950 - 1000	382
1200	1150 - 1200	435
1400	1350 - 1400	535



Corner entry

L6280EO 800 Corner Entry
L6281EO 900 Corner Entry
L6282EO 1000 Corner Entry

Corner entry enclosure	Dim. A Width (mm)	Dim. B Opening (mm)	Dim. C Width (mm)
800	753 - 778	385	753 - 778
900	853 - 878	455	853 - 878
1000	953 - 978	455	953 - 978





Pivot corner

L6201EO 760 Pivot Door
L6202EO 800 Pivot Door
L6203EO 900 Pivot Door
L6204EO 1000 Pivot Door
L6216EO 760 Side Panel
L6217EO 800 Side Panel
L6218EO 900 Side Panel
L6219EO 1000 Side Panel

Pivot enclosure	Dim. A Width (mm)	Dim. B Opening (mm)	Dim. D Reach (mm)
760	711 - 761	490	455
800	751 - 801	520	485
900	851 - 901	600	565
1000	951 - 1001	680	645

Side panel	Dim. C Width (mm)
760	708 - 733
800	748 - 773
900	848 - 873
1000	948 - 973





Pivot alcove

L6201EO 760 Pivot Door
L6202EO 800 Pivot Door
L6203EO 900 Pivot Door
L6204EO 1000 Pivot Door

Pivot enclosure	Dim. A Width (mm)	Dim. B Opening (mm)	Dim. D Reach (mm)
760	710 - 760	490	455
800	750 - 800	520	485
900	850 - 900	600	565
1000	950 - 1000	680	645



1200 pivot corner

L6205EO 1200 door with in-line panel
L6216EO 760 Side Panel
L6217EO 800 Side Panel
L6218EO 900 Side Panel
L6219EO 1000 Side Panel

1200 Pivot enclosure	Dim. A Width (mm)	Dim. B Opening (mm)	Dim. D Reach (mm)
1200	1151 - 1201	600	656

Side panel	Dim. C Width (mm)
760	708 - 733
800	748 - 773
900	848 - 873
1000	948 - 973



1200 pivot alcove

L6205EO 1200 door with in-line panel

1200 Pivot enclosure	Dim. A Width (mm)	Dim. B Opening (mm)	Dim. D Reach (mm)
1200	1150 - 1200	600	656



Synergy Enclosures pages 8-21

Pivot pentagon

L6214EO 800 Pivot Pentagon inc panels
L6215EO 900 Pivot Pentagon inc panels

Pentagon enclosure	Dim. A Width (mm)	Dim. B Opening (mm)	Dim. C Width (mm)	Dim. D Reach (mm)
800	763 - 788	450	763 - 788	420
900	873 - 898	520	873 - 898	485



Infold corner

L6206EO 760 Infold Door
L6207EO 800 Infold Door
L6208EO 900 Infold Door
L6209EO 1000 Infold Door
L6216EO 760 Side Panel
L6217EO 800 Side Panel
L6218EO 900 Side Panel
L6219EO 1000 Side Panel

Infold enclosure	Dim. A Width (mm)	Dim. B Opening (mm)
760	711 - 761	414
800	751 - 801	455
900	851 - 901	556
1000	951 - 1001	609

Side panel	Dim. C Width (mm)
760	708 - 733
800	748 - 773
900	848 - 873
1000	948 - 973



Infold alcove

L6206EO 760 Infold Door
L6207EO 800 Infold Door
L6208EO 900 Infold Door
L6209EO 1000 Infold Door

Infold enclosure	Dim. A Width (mm)	Dim. B Opening (mm)
760	710 - 760	414
800	750 - 800	455
900	850 - 900	556
1000	950 - 1000	609



Synergy Wetrooms installation options

Wetroom panels are sold separately to bracing brackets to ensure maximum flexibility of installation. Each wetroom panel must be supported by a straight or corner bracing bracket.

Wetroom panels can be installed as front or end panels and also as dual access panels.

All wetroom panels are supplied with a wall profile, if using as a dual access installation, simply discard during installation.

All wetroom panels are also suitable for use with a shower tray.

- All wetroom panels are supplied with a wall profile and an aluminium floor or tray strip.
- Return panels are supplied with corner seal and 2 x corner connectors.
- Bracing brackets are supplied at 1 metre length and can be cut down to required size, wall fixings and covers are supplied.

Straight panel
corner or alcove

a - panel size of your choice
b - straight bracing bracket



Straight panel with return panel
corner or alcove

a - panel size of your choice
b - straight bracing bracket
c - 300mm return panel





Straight panel with end panel
corner

a - panel size of your choice
b - straight bracing bracket
c - panel size of your choice
d - angle bracing bracket





Straight panel with return panel and end panel corner

a - panel size of your choice
b - straight bracing bracket
c - panel size of your choice
d - angle bracing bracket
e - 300mm return panel



Dual access
corner, alcove or peninsular

a - panel size of your choice
b - 2 x straight bracing bracket



Dual access with return panels
corner, alcove or peninsular

a - panel size of your choice
b - 2 x straight bracing bracket
c - 2 x 300mm return panels



Synergy Wetrooms pages 22-29

Dual access wetroom

L6220EO 700 Wetroom Panel
L6221EO 760 Wetroom Panel
L6222EO 800 Wetroom Panel
L6223EO 900 Wetroom Panel
L6224EO 1000 Wetroom Panel
L6225EO 1200 Wetroom Panel
L6226EO 1400 Wetroom Panel
L6227EO 1600 Wetroom Panel
L6229EO Bracing Bracket - Straight

Panel	Dim.B	Dim.C
700	650 - 994	638
760	650 - 994	698
800	650 - 994	738
900	650 - 994	838
1000	650 - 994	938
1200	650 - 994	1138
1400	650 - 994	1338
1600	650 - 994	1538

Recommended opening minimum 500mm



Dual access wetroom
with return panels

L6220EO 700 Wetroom Panel
L6221EO 760 Wetroom Panel
L6222EO 800 Wetroom Panel
L6223EO 900 Wetroom Panel
L6224EO 1000 Wetroom Panel
L6225EO 1200 Wetroom Panel
L6226EO 1400 Wetroom Panel
L6227EO 1600 Wetroom Panel
L6228EO 300 Wetroom Panel - return
L6229EO Bracing Bracket - Straight

Panel	Dim.B	Dim.C
700	650 - 994	638
760	650 - 994	698
800	650 - 994	738
900	650 - 994	838
1000	650 - 994	938
1200	650 - 994	1138
1400	650 - 994	1338
1600	650 - 994	1538

Recommended opening minimum 500mm



Corner or alcove wetroom

L6220EO 700 Wetroom Panel
L6221EO 760 Wetroom Panel
L6222EO 800 Wetroom Panel
L6223EO 900 Wetroom Panel
L6224EO 1000 Wetroom Panel
L6225EO 1200 Wetroom Panel
L6226EO 1400 Wetroom Panel
L6227EO 1600 Wetroom Panel
L6229EO Bracing Bracket - Straight

Panel	Dim.A	Dim.B
700	654 - 677	650 - 994
760	714 - 737	650 - 994
800	754 - 777	650 - 994
900	854 - 877	650 - 994
1000	954 - 977	650 - 994
1200	1154 - 1177	650 - 994
1400	1354 - 1377	650 - 994
1600	1554 - 1577	650 - 994

Recommended opening minimum 500mm





Corner or alcove wetroom
with return panel

L6220EO 700 Wetroom Panel
L6221EO 760 Wetroom Panel
L6222EO 800 Wetroom Panel
L6223EO 900 Wetroom Panel
L6224EO 1000 Wetroom Panel
L6225EO 1200 Wetroom Panel
L6226EO 1400 Wetroom Panel
L6227EO 1600 Wetroom Panel
L6228EO 300 Wetroom Panel - return
L6229EO Bracing Bracket - Straight

Panel	Dim.A	Dim.B
700	654 - 677	650 - 994
760	714 - 737	650 - 994
800	754 - 777	650 - 994
900	854 - 877	650 - 994
1000	954 - 977	650 - 994
1200	1154 - 1177	650 - 994
1400	1354 - 1377	650 - 994
1600	1554 - 1577	650 - 994

Recommended opening minimum 500mm







Corner wetroom
with end panel

L6220EO 700 Wetroom Panel
L6221EO 760 Wetroom Panel
L6222EO 800 Wetroom Panel
L6223EO 900 Wetroom Panel
L6224EO 1000 Wetroom Panel
L6225EO 1200 Wetroom Panel
L6226EO 1400 Wetroom Panel
L6227EO 1600 Wetroom Panel
L6229EO Bracing Bracket - Straight
L6230EO Bracing Bracket - Angle

Panel	Dim.A	Dim.B
700	654 - 677	650 - 994
760	714 - 737	650 - 994
800	754 - 777	650 - 994
900	854 - 877	650 - 994
1000	954 - 977	650 - 994
1200	1154 - 1177	650 - 994
1400	1354 - 1377	650 - 994
1600	1554 - 1577	650 - 994

Recommended opening minimum 500mm







Corner wetroom with return panel and end panel

L6220EO 700 Wetroom Panel
L6221EO 760 Wetroom Panel
L6222EO 800 Wetroom Panel
L6223EO 900 Wetroom Panel
L6224EO 1000 Wetroom Panel
L6225EO 1200 Wetroom Panel
L6226EO 1400 Wetroom Panel
L6227EO 1600 Wetroom Panel
L6228EO 300 Wetroom Panel - return
L6229EO Bracing Bracket - Straight
L6230EO Bracing Bracket - Angle

Panel	Dim.A	Dim.B
700	654 - 677	650 - 994
760	714 - 737	650 - 994
800	754 - 777	650 - 994
900	854 - 877	650 - 994
1000	954 - 977	650 - 994
1200	1154 - 1177	650 - 994
1400	1354 - 1377	650 - 994
1600	1554 - 1577	650 - 994

Recommended opening minimum 500mm





Synergy bath screens pages 30-31



Bow bath screen

L6211AA Bow screen





Bow bath screen
with towel rail

L6212AA Bow screen with rail



Sail bath screen

L6213AA Sail screen



Angle bath screen

L6210AA Angle screen



Idealite shower trays pages 32-33

Square flat top

L631301 Idealite 760 flat top low profile tray and waste

L631401 Idealite 800 flat top low profile tray and waste

L631501 Idealite 900 flat top low profile tray and waste

L631601 Idealite 1000 flat top low profile tray and waste

LV69967 Adhesive upstand

	A	B	C	D	E	F
760 x 760	766	766	45	65	383	190
800 x 800	806	806	45	65	403	190
900 x 900	906	906	45	65	453	190
1000 x 1000	1006	1006	45	65	503	190



Rectangular flat top

L631701 Idealite 900 x 760 flat top low profile tray and waste

L631801 Idealite 900 x 800 flat top low profile tray and waste

L631901 Idealite 1000 x 800 flat top low profile tray and waste

L632001 Idealite 1200 x 760 flat top low profile tray and waste

L632101 Idealite1200 x 800 flat top low profile tray and waste

L632201 Idealite 1200 x 900 flat top low profile tray and waste

L632301 Idealite 1400 x 900 flat top low profile tray and waste

L632401 Idealite 1600 x 800 flat top low profile tray and waste

L632501 Idealite 1700 x 750 flat top low profile tray and waste

LV69967 Adhesive upstand

	A	B	C	D	E	F
900 x 760	906	766	45	65	453	190
900 x 800	906	806	45	65	453	190
1000 x 800	1006	806	45	65	503	190
1200 x 760	1206	766	45	65	603	190
1200 x 800	1206	806	45	65	603	190
1200 x 900	1206	906	45	65	603	190
1400 x 900	1406	906	45	65	703	190
1600 x 800	1606	806	45	65	803	190
1700 x 750	1700	750	45	65	850	190



Quadrant flat top

L632601 Idealite 800 quadrant flat top low profile tray and waste

L632701 Idealite 900 quadrant flat top low profile tray and waste

L632801 Idealite 1000 quadrant flat top low profile tray and waste

LV69967 Adhesive upstand

	A	B	C	D	E	F	G	H
800 x 800	806	806	45	65	500	500	256	256
900 x 900	906	906	45	65	600	600	356	356
1000 x 1000	1006	1006	45	65	700	700	456	456



Offset Quadrant flat top

L632901 Idealite 900 x 800 RH offset quadrant flat top low profile

L633001 Idealite 900 x 800 LH offset quadrant flat top low profile

L633101 Idealite 1200 x 900 RH offset quadrant flat top low profile

L633201 Idealite 1200 x 900 LH offset quadrant flat top low profile

LV69967 Adhesive upstand

	A	B	C	D	E	F	G	H
900 x 800	906	806	45	65	510	600	256	356
1200 x 900	1206	906	45	65	610	890	356	656



Idealite shower trays pages 32-33

Pentagon flat top

L634301 Idealite 900 Pentagon flat top low profile tray and waste

LV69967 Adhesive upstand

Pentagon with upstands

E708401 Space 800 Pentagon upstand stone resin tray with waste

	A	B	C	D	E	F	G	H	K
800 x 800	795	795	125	50	435	435	322	322	670
900 x 900	906	906	45	65	515	515	398	398	720



Space 800 Pentagon upstand tray



Idealite 900 Pentagon flat top tray

Square with upstands

L633301 Idealite 760 upstand low profile tray and waste

L633401 Idealite 800 upstand low profile tray and waste

L633501 Idealite 900 upstand low profile tray and waste

	A	B	C	D	E	F
760 x 760	766	766	55	65	383	190
800 x 800	806	806	55	65	403	190
900 x 900	906	906	55	65	453	190



Rectangular with upstands

L633601 Idealite 900 x 760 upstand low profile tray and waste

L633701 Idealite 1000 x 800 upstand low profile tray and waste

L633801 Idealite 1200 x 760 upstand low profile tray and waste

L633901 Idealite 1200 x 800 upstand low profile tray and waste

L634001 Idealite 1400 x 900 upstand low profile tray and waste

	A	B	C	D	E	F
900 x 760	906	766	55	65	453	190
1000 x 800	1006	806	55	65	503	190
1200 x 760	1206	766	55	65	603	190
1200 x 800	1206	806	55	65	603	190
1400 x 900	1406	906	55	65	703	190



Quadrant with upstands

L634101 Idealite 800 quadrant upstand low profile tray and waste

L634201 Idealite 900 quadrant upstand low profile tray and waste

	A	B	C	D	E	F	G	H
800 x 800	806	806	55	65	515	515	256	256
900 x 900	906	906	55	65	615	615	356	356



Sundries

L630901 Idealite 1200 riser kit (for use with trays up to 1200)
L631001 Idealite Quadrant riser kit
L631201 Extension kit (for use with L630901 on trays over 1200)
L630801 Idealite flexible waste pipe

Guarantee

Our confidence in the quality and reliability of Ideal Standard products enables us to offer long guarantees for complete peace of mind. Synergy shower enclosures, wetroom panels and bath screens are guaranteed for ten years, one year for IdealClean glass coating and Idealite shower trays for ten years. The guarantee covers all defects in materials and manufacture but excludes general wear and tear. Our guarantee is offered on all products that have been used in the manner they were intended, and does not apply to any products that have been misused or abused in any way. Products must be installed and cared for in line with our fixing instructions and local water byelaws. The guarantee covers products in domestic use by the consumer and not commercial or business use. In the unlikely event the product fails within the guarantee period, we offer a free replacement or replacement part (or nearest equivalent). Liability is limited to individual products and does not cover consequential loss or damage on installations. When your bathroom has been satisfactorily installed and is working well, please ensure you register your guarantee. The guarantee is transferable – it applies to the product not the purchaser provided guarantee registration details are passed on to the new owner. You can register for guarantees on a bathroom bought on your behalf by a plumber or builder. Applies to UK and Republic of Ireland only. This guarantee does not affect your statutory rights.

Ideal Standard pursues a policy of continuing improvement in design and performance of its products. The right is therefore reserved to vary specifications without notice. Colour reproduction is as accurate as possible within the limitations of the printing process.

A division of Ideal Standard (UK) Ltd.
P1326 03/10.

Important installation information

A key element in the performance of a bathroom is the quality of the installation. We recommend you use a plumber from a registered association (see below) and consult him (or her) right from the start. Your local Ideal Standard stockist may offer a plumbing service or, if not, will be able to recommend a qualified plumber.

Recognised plumbing associations

Association of Plumbing and Heating Contractors (APHC) www.aphc.co.uk Tel: 024 7647 0626

The Institute of Plumbing and Heating Engineering www.iphe.org.uk Tel: 01708 472791

Scottish and Northern Ireland Plumbing Employers Federation www.snipef.org.uk Tel: 0131 225 2255

Acknowledgments

Ideal Standard would like to thank the following for their help and co-operation:

All tiles supplied by Pilkington Tiles Group www.pilkingtons.com

www.grahambrown.com

www.dulux.co.uk

www.habitat.co.uk

www.heals.co.uk

Designed by Hangar Seven.

Ideal Standard

The Bathroom Works
National Avenue
Kingston Upon Hull
HU5 4HS

T 01482 346461
F 01482 445886

www.idealstandard.co.uk

Ideal Standard

M50 Business Park
Ballymount
Dublin 12

T 00353 1 4564525
F 00353 1 4564505

www.idealstandard.ie

Ideal STANDARD | Body & Mind