



revision4

www.multikwik.com

PLUMBERSguide



 Multikwik®

CONTENTS

page 6-27



page 28-35



page 36-51



page 52-65



page 66-71



About Multikwik	2-3
Become a Member	4-5
TRAPS	6-27
Bottle Traps	10-12
Universal Traps	13
Running Traps	14-15
Shower Waste Traps	16-17
Bath Waste Traps	18-19
Ventilation	20
Washing Machine Waste Trap	21
Space Saver Waste Trap	22
Bowl Kit Waste Trap	23
Waste Accessories	24-27
COMPRESSION WASTE	28-35
WC CONNECTORS	36-51
Straight Long Connectors	40
Straight Connectors	41
Offset Connectors	42-43
Bend Connectors	44-48
Extension & Link Connectors	49
Multiclik Hose Connectors	50
Rigid Connectors	51
SANITARY SYSTEMS	52-65
Cisterns	56
Proteus Concealed Cisterns	57
Proteus Cable	58
Proteus Pneumatic	59
Multiflush Valves	60
Pneumatic Valves	61
Sanitary Frames	62-65
ANCILLARY PRODUCTS	66-71
Utility Sinks	68-69
Toilet Seats	68-69
Easy Boss	72-73
INDEX	74-80
Fabrications & Specials Service	81




every to your door visit MyTub Ltd - www.mytub.co.uk - info@mytub.co.uk

About Multikwik

Since its inception Multikwik has revolutionised plumbing in the UK, it was one of the first companies to support the use of plastics in plumbing. The innovative EVA WC connectors first introduced to the UK by Multikwik, provided plumbers a solution to a long standing plumbing problem.

From this innovation, the Multikwik ethos has grown – in every product we manufacture we aim to meet Multikwik's benchmark standards of:

- Reliability
- Simplicity
- Speed of installation
- Problem solving features



Become A Member

Members only newsletters

Designed to keep you updated on the products already available to you and any new introductions.

See your name in print!

Enjoy your 15 seconds of fame by sharing your unusual Multikwik Installation - they could feature in our newsletters, websites and in some cases across the industry press!

Shape the future of plumbing

Take part in surveys and have your say about both, new and existing products.

Up-to-date technical info

Our fully trained technical team are just a phone call away and have a Q&A forum just for members – making sure you get the answers you need!

Plus instant access to our exclusive online members area!



MEMBERSapplication

To join 'Multikwik Members' is free and easy, just simply fill out the form below and return to Multikwik, Nathan Way, London SE28 0AE

Name

Company

Address

.....

.....

Postcode

Telephone

Fax

Email

If you do not wish to receive Membership info by email please tick

Members Data Protection

By completing this form you agree to your personal data being processed for the legitimate purposes of becoming a member of the Multikwik Scheme. Hunter Plastics will use this data to process and to carry out your Membership and for management and statistical purposes, as a result will provide information on behalf of both Multikwik & Hunter Plastics Ltd that may be of interest to you. By virtue of your membership, you agree to your personal data and any other information received during the course of your membership to being made available for this purpose, subject as always in compliance with Data Protection legislation. If you cease to be a member, the information will not be held for longer than necessary, after which time it will be destroyed.

 Multikwik®

TRAPS





Multikwik Traps

The Multikwik traps range has been created with and by plumbers to ensure all the typical installations and installer preferences can be met.

Our high quality components including, but not limited to, our compression nuts, slip ring and EPDM profiled rubber seal – ensure a secure watertight joint and help you to achieve a fuss free 'no call back' installation. The smooth, clean, internal surfaces facilitate self-cleaning and avoid debris build-up.

No matter how challenging the installation we are confident we have a trap to meet your requirements.

KEY



- Resealing



- Adjustable



- Water Seal Size



- Colour



Multifit Nut & Seal

All Multikwik traps have a multifit nut and seal that allow connection to Push Fit, Solvent and Copper pipes. The thumb recesses make it easy to tighten, even with wet hands to ensure a 'fit and forget' job every time!



Water Seal

BS EN 12056-2:2000 states that traps which discharge to a soil stack should have a 75mm seal. This is not always possible directly at the outlet due to size restrictions so other seal depths can be installed.

- 50mm Water Seal Traps can be fitted to baths, shower trays and basins with spray taps and no plugs.
- 38mm Water Seal can be used on ground floors when connecting to flat bottomed appliances that discharge to a back inlet gully.

All our traps have 75mm Water Seals unless otherwise stated.

TRAPS

STANDARD



SIZE	CODE
32mm	B032
40mm	B040

RESEALING



SIZE	CODE
32mm	B032R
40mm	B040R

ADJUSTABLE



SIZE	CODE
32mm	B032A
40mm	B040A

ADJUSTABLE / RESEALING



SIZE	CODE
32mm	B032RA
40mm	B040RA

BOTTLEtrap



ANTI VAC

SIZE	CODE
32mm	B032V
40mm	B040V



COMPACT

Seal
38
mm

SIZE	CODE
32mm	B032S
40mm	B040S



SLIMLINE

Space saving for vanity unit

SIZE	CODE
32mm	BS032

Slimline design

Adjustable telescoping outlet

Easy assembly and disassembly for maintenance after installation

Designed to reduce flow variations and help to retain water seal

Offers similar performance to Anti Vac traps

STRAIGHT THROUGH TRAP

SIZE	CODE
32mm	ST032





Includes
40x32mm
chromed
waste pipe

ADJUSTABLE

A
Adjustable

C
Chrome

SIZE
32mm

CODE
B032ACR



ADJUSTABLE / RESEALING

A
Adjustable

R
Resealing

C
Chrome

SIZE
32mm
40mm

CODE
B032RACR
B040RACR

TRAPS



ADDEDinfo

The resealing function helps
to prevent loss of water

Easily removed and cleaned to ensure
100% reliability

UNIVERSALtrap

UNIVERSAL ALL IN ONE

A
Adjustable

SIZE
32mm
40mm

CODE
SP032
SP040



TIPS and HINTS

The multi position outlet adjusts 360° for installations where space is at a premium or the pipework is misaligned.

TRAPS

TUBULAR SWIVEL TRAP

Use NKT001 nozzle for appliance connection

A
Adjustable

SIZE	CODE
40mm	SWM040A



Both inlet and outlet swivel to allow easy connection to pipes, even in confined areas

'P' TRAP



SIZE	CODE
32mm	RP032
40mm	RP040
50mm	RP050X

'S' TRAP



SIZE	CODE
32mm	RS032
40mm	RS040

RUNNINGtrap



'P' TRAP

SIZE	CODE
32mm	P032
40mm	P040
50mm	P050



'S' TRAP

SIZE	CODE
32mm	S032
40mm	S040



ADJUSTABLE 'P' TRAP

A
Adjustable

SIZE	CODE
32mm	P032A
40mm	P040A

TIPS and HINTS

To save time on site all Multikwik traps have unique slip ring colours to aid size identification.

- 50mm** white seals
- 40mm** red seals
- 32mm** blue seals

50mmtraps

Suitable for a range of Basins, Urinals, Catering Sinks and Hospital Appliances

40mmtraps

Suitable for Baths, Showers, Sinks, Urinals and Kitchen Appliances

32mmtraps

Suitable for Hand Basins, Bidets, Bar Wells and Drinking Fountains

Actual Size

SHOWER WASTEtrap

TRAPS



ADDEDextra

All 40mm Shower Traps are supplied with an access key for installation, easy cleaning and maintenance.



70mm Flange

COMPACT

Seal
50
mm

C
Chrome

SIZE
40mm

CODE
S5040C



70mm Flange

COMPACT

Seal
50
mm

W
White

SIZE
40mm

CODE
S5040W



70mm Flange

COMPACT

Seal
50
mm

G
Gold

SIZE
40mm

CODE
S5040G

SHOWER WASTEtrap



70mm Flange

RESEALING

Seal 50 mm	C Chrome	R Resealing
-------------------------	--------------------	-----------------------

SIZE 40mm	CODE S5040CR
---------------------	------------------------



85mm Flange

RESEALING

Seal 50 mm	C Chrome	R Resealing
-------------------------	--------------------	-----------------------

SIZE 40mm	CODE S5040XCR
---------------------	-------------------------

TIPS and HINTS

Install a resealing shower trap to eliminate self-siphonage and eradicate the gurgling in your system.



Resealing Device



70mm Flange

RESEALING

Seal 80 mm	C Chrome	R Resealing
-------------------------	--------------------	-----------------------

SIZE 40mm	CODE S8540CR
---------------------	------------------------



85mm Flange

RESEALING

Seal 80 mm	C Chrome	R Resealing
-------------------------	--------------------	-----------------------

SIZE 40mm	CODE S8540XCR
---------------------	-------------------------

TRAPS

LOW LEVEL




SIZE
40mm

CODE
P1940

Seal
19
mm

LOW LEVEL



SIZE
40mm

CODE
P5040

Seal
50
mm

LOW LEVEL / ANTI VAC



SIZE
40mm

CODE
P5040V

Seal
50
mm

BATH WASTEtrap

LOW LEVEL SWIVEL 'P'



SIZE
40mm

CODE
P040L

LOW LEVEL

Includes
'plug tidy'
overflow

Seal
50
mm

SIZE
40mm

CODE
P5040F



STANDARD



SIZE
40mm

CODE
P6040

Seal
60
mm

STANDARD

Includes
'plug tidy'
overflow

Seal
60
mm

SIZE
40mm

CODE
P6040F



STANDARD



SIZE
40mm

CODE
P7540

Seal
75
mm

STANDARD

Includes
'plug tidy'
overflow

Seal
75
mm


SIZE
40mm

CODE
P7540F



TRAPS

GURGLE MASTER



Unique design converts almost any standard trap to anti vac format

Simple multifit in-line assembly for quick installation

SIZE	CODE
32mm	WV032
40mm	WV040

ANTI-SIPHON UNIT



Use with any BS 5255/ BS EN 1566 solvent weld socket





SIZE	CODE
32mm	WW150
40mm	WW151

VENTING solution

Part H requires ventilation of a soil stack to prevent water seals being drawn.

Multikwik offers a number of unique and innovative solutions for ventilation of drainage systems.



WASHING MACHINE WASTETrap

WASHING MACHINE TRAP

With
500mm
Standpipe
and
retaining
clips



SIZE	CODE
40mm	PWM040

'P' SINGLE UTILITY COMPACT TEE



SIZE	CODE
40mm	PWM040T

'P' SINGLE UTILITY NOZZLE



A
Adjustable

SIZE	CODE
40mm	PMW040S

'P' DOUBLE UTILITY NOZZLE



A
Adjustable

SIZE	CODE
40mm	PMW040D

'S' SINGLE UTILITY NOZZLE



A
Adjustable

SIZE	CODE
40mm	SWM040S

'S' DOUBLE UTILITY NOZZLE



A
Adjustable

SIZE	CODE
40mm	SWM040D

SPACE SAVER WASTEtrap

TRAPS



PLUMBINGsolution

The ultimate in flexibility. If you are a regular installer of a variety of UK and European sinks, you will know how frustrating it is not to have the correct trap for the job.

Adjustable on both the risers, the tee section and between sink connections, the **DBKDS040** gets you out of trouble everytime!



The Space Saver design pushes the trap and pipework to the back of the kitchen cupboard maximising valuable under sink storage space
Trap supplied separately

SPACE SAVER

SIZE	CODE
40mm	SBSK040



Single Bowl - Double Nozzle

SPACE SAVER KIT

SIZE	CODE
40mm	SBK040D

BOWL KIT WASTEtrap

BOWL KIT



1 1/2 Bowl - Single Nozzle

SIZE	CODE
40mm	XSB040S


DOUBLE BOWL KIT



Double Bowl - Single Nozzle

SIZE	CODE
40mm	DBK040S


EXTENDED BOWL KIT



Double Bowl - Double Nozzle

SIZE	CODE
40mm	DBKDS040

TRIPLE BOWL KIT



Triple Bowl - Single Nozzle

SIZE	CODE
40mm	TBK040S

TRAPS



Simple connection for washing machines and dishwashers

Spigot suits 1" and ¾" hose connection

Blanking cap provided - must be removed when connecting appliance

Non return valve to prevent backflow

NOZZLE

SIZE	CODE
40mm	NK001



Use with 40mm Compression Waste for appliance hose connection

STRAIGHT NOZZLE

SIZE	CODE
40mm	NKT001

HEIGHT ADJUSTER

SIZE
40mm

CODE
WA040S



FLEXIBLE CONNECTOR

Length: 350mm
Not suitable for solvent weld

SIZE | **CODE**
32/40mm | WW170



HEIGHT ADJUSTER

SIZE
40mm

CODE
WA040D



1.5m W/MACHINE HOSE

Non kink hose with support rest supplied
Must be fitted in accordance with the appliance manufacturers guidelines

SIZE | **CODE**
40mm | WW171



TEE

Washing Machine Tee - Can be inserted between existing trap and waste outlet

SIZE | **CODE**
40mm | WMT001



OVERFLOW TUNDISH

Socket tail accepts 22mm solvent weld overflow pipe
Compact, visual reminder of cistern overflow

SIZE | **CODE**
22mm | W0275



TRAPS

COMBINED BATH WASTE AND OVERFLOW



SIZE
40mm

CODE
CWB01

COMBINED SINK WASTE AND OVERFLOW



SIZE
40mm

CODE
CWS01

ADDEDextra

High quality chrome plated overflow with integral 'Plug Tidy' feature for retaining the plug when the bath is not in use.



COMBINED SINK WASTE AND OVERFLOW



SIZE	CODE
40mm	W4070RF

COMBINED BATH WASTE AND OVERFLOW



SIZE	CODE
40mm	W040F

COMBINED BATH WASTE AND OVERFLOW



Includes pop up waste

SIZE	CODE
40mm	WPU040C

SLOTTED BASIN WASTE OUTLET



Includes Polyplug
and Chain

SIZE	CODE
32mm	SBW01

COMPRESSION WASTE



every to your door visit MyTub Ltd - www.mytub.co.uk - info@mytub.co.uk



Multikwik

Compression Waste

The Multikwik Compression Waste range has been created for security and reliability.

Our compression nuts have been designed to be easily hand tightened and the connection is compatible with most plumbing pipe size and materials including Polypropylene, ABS, MuPVC and Metric/Imperial Copper Tube.

Like our traps, the compression fittings are available in 32mm, 40mm & 50mm with coloured slip rings for easy identification.



Sleek Internal Design

Our fittings have smooth, clean, internal surfaces and have been designed so they do not require an internal pipe locating sleeve, this reduces the chance of blockages.



Problem Solving

We all need problem solvers every now and then so we offer 'Multiflex' – a range of adjustable compression waste fittings that help overcome some of the challenges that come with non uniform installations.



Condense Adaptor

The 40mm Easy Boss Adaptor is a simple solution to making the connection between a condense outlet pipe and waste system.

COMPRESSION WASTE



HOWto...

Make a perfect connection with Multikwik

- 1 Put the nut, backing ring and seal onto the pipe, ensuring the chamfered edge of the seal faces the fitting
- 2 Push the body of the fitting over the end of the pipe
- 3 Screw the nut onto the thread and hand tighten
- 4 Repeat steps 1 to 3 for the opposite end of the fitting

The Multifit seals on the 32mm, 40mm and 50mm waste fittings connect to all common waste pipe sizes including:

**BS EN
1451**
Polypropylene

**BS EN
1455**
ABS

**BS EN
1566**
MuPVC

**BS EN
1057**
Copper Tube

COMPRESSION WASTE

COMPRESSION waste

A
Adjustable

With a simple twist, Multiflex is instantly adjustable from 0 to 90° to meet the demands of almost any installation



MULTIFLEX BEND

SIZE	COLOUR	CODE
32mm	White	MFW32
40mm	White	MFW40
32mm	Grey	MFG32
40mm	Grey	MFG40

CONDENSE ADAPTOR

Adapts to
condense line
Fits most sizes of overflow
40 x 22mm Reducer



SIZE	CODE
40mm	EB40R

COMPRESSIONwaste



REDUCER

SIZE	CODE
40/32mm	WP124
50/40mm	WP225



STRAIGHT COUPLING

SIZE	CODE
32mm	WP114
40mm	WP115
50mm	WP216



90° BEND

SIZE	CODE
32mm	WP120
40mm	WP121
50mm	WP222



135° BEND

SIZE	CODE
32mm	WP126
40mm	WP127
50mm	WP218



92½° TEE

SIZE	CODE
32mm	WP128
40mm	WP129
50mm	WP230



STRAIGHT NOZZLE

Use with 40mm
Compression Waste
for appliance hose
connection

SIZE	CODE
40mm	NKT001

WC CONNECTORS

every to your door visit MyTub Ltd - www.mytub.co.uk - info@mytub.co.uk



Multikwik WC Connectors

With over 40 years experience, Multikwik have always been renowned globally for our innovative range of WC Connectors.

Our comprehensive range is one of the largest on the market and covers spigots of 74mm – 114mm, ensuring an accurate fit, regardless of the make and model of sanitary chinaware.

KEY

PRODUCT	size
	Suitability

- Size range in millimetres (mm)

- Suitable pan style or pipe material

Know your spigot

KEY	SIZE	PAN SUITABILITY	BRITISH STANDARD
MODERN	97-108 mm	Modern & New Pans	BS5503 & BS5504
OLD	108-114 mm	Old & Siphonic Pans	BS1213
STAINLESS STEEL	76-95 mm	Stainless Steel Pans	-

Know your pipe

KEY	SIZE	PIPE SUITABILITY	BRITISH STANDARD
STANDARD	99-105 mm	uPVC / Clay / Cast Iron	BS4514/BS4660/ BS65/BS416
CAST IRON	88-92 mm	Traditional Cast Iron	-
OLD	74-77 mm	Extremely Old Soil	-
COPPER	105-108 mm	Copper	-



Selecting Your WC Connector

Two measurements are required, the pipe and spigot dimensions.

- For the Pipe Size measure the INNER diameter
- For the Pan Spigot measure the OUTER diameter



Use the pipe and spigot symbols to select the suitable connectors.

Don't worry if the pipe or spigot are not true. Multikwik WC Connectors are manufactured using EVA and are designed to be flexible.



Offsets

If you require an offset, measure from the centre line of your pipe to the centre line of your pan spigot.

Remember, offset connectors should not be installed in an upwards position. Water should be able to run horizontally or down!

Used when the soil pipe and WC pan spigot are aligned

WC CONNECTORS

EXTENDED STRAIGHT



CODE
MKS4

PIPE SPIGOT
97-108
Modern

PIPE
99-105
Standard

EXTENDED STRAIGHT



CODE
MKS7

PIPE SPIGOT
97-108
Modern

PIPE
88-92
Cast Iron

EXTENDED STRAIGHT



CODE
MKS8

PIPE SPIGOT
76-95
Stainless Steel

PAN
99-105
Standard

STRAIGHTconnectors

STANDARD



SPIGOT 108-114
Old

PIPE 99-105
Standard

CODE
MKS1

STANDARD



SPIGOT 97-108
Modern

PIPE 99-105
Standard

CODE
MKS2

STRAIGHT



SPIGOT 108-114
Old

PIPE 88-92
Cast Iron

CODE
MKS3

STRAIGHT



SPIGOT 76-95
Stainless Steel

PIPE 99-105
Standard

CODE
MKS5

LONG ADJUSTABLE STRAIGHT



To be used with 'S' trap pans in 'wet room' environments

SPIGOT 97-108
Modern

PIPE 99-105
Standard

CODE
MKLAS1

STRAIGHT SIPHONIC



SPIGOT 108-114
Old

PIPE 99-105
Standard

CODE
MKS1A

Used when the soil pipe and WC pan spigot are misaligned

WC CONNECTORS

18mm OFFSET



BBA BRITISH BOARD OF AGREEMENT
CERTIFICATE No. 686-2107

SPIGOT	108-114 Old
PIPE	99-105 Standard

CODE
MKO1

18mm OFFSET



SPIGOT	97-108 Modern
PIPE	99-105 Standard

CODE
MKO2

18mm OFFSET



SPIGOT	108-114 Old
PAN	88-92 Cast Iron

CODE
MKO3

OFFSETconnectors

40mm OFFSET



CODE
MKO4

SPIGOT **97-108**
Modern

PIPE **99-105**
Standard

18mm OFFSET



CODE
MKO1S

SPIGOT **97-108**
Modern

PIPE **99-105**
Standard

18mm OFFSET



CODE
MKO5

SPIGOT **76-95**
Stainless Steel

PIPE **99-105**
Standard

100mm OFFSET



CODE
MKO100

SPIGOT **97-108**
Modern

PIPE **99-105**
Standard

18mm OFFSET



CODE
MKO7

SPIGOT **97-108**
Modern

PIPE **88-92**
Cast Iron



ADDEextra

All genuine MultiKwik WC connectors are supplied with a sachet of lubricant to ease the installation - with the exception of our adjustable and rigid connectors.

WC CONNECTORS

BENDconnectors

45° KNUCKLE BEND



CODE
MKB45

PIPE SPIGOT
97-108
Modern

PIPE
99-105
Standard

104° BEND



CODE
MKB21104



PIPE SPIGOT
97-108
Modern

PIPE
99-105
Standard

104° BEND



CODE
MKB21104S

PIPE SPIGOT
97-108
Modern

PAN
105-108
Copper

BENDconnectors

14° BEND



CODE
MKB114



SPIGOT 97-108
Modern

PIPE 99-105
Standard

14° BEND



CODE
MKB114S

SPIGOT 97-108
Modern

PIPE 105-108
Copper

14° BEND



CODE
MKB514

SPIGOT 76-95
Stainless Steel

PIPE 99-105
Standard

14° BEND



CODE
MKB614

SPIGOT 76-95
Stainless Steel

PIPE 88-92
Cast Iron

14° BEND



CODE
MKB714

SPIGOT 97-108
Modern

PIPE 88-92
Cast Iron



ADDEDinfo

All Multikwik Finns have been designed to be multi depth - to give tolerance on connection to pipe – ensuring a reliable connection to all pipe sizes and materials.

WC CONNECTORS



BSinfo

90° TIGHT KNUCKLE BEND



CODE

MKB21

SPIGOT 108-114
Old

PAN 99-105
Standard

90° SPACE SAVER BEND



CODE

MKBAR90

SPIGOT 97-108
Modern

PIPE 99-105
Standard

Used when installing a close coupled toilet into existing pipework or when space is limited.

Adjustable - Can be cut to suit, both horizontally and vertically

British Standard states that a solid ball of 80mm must pass through pipework unaided. All Multikwik Pan Connectors including those with boss upstands meet this requirement, reducing the risk of blockage and expensive remedial costs.

BENDconnectors

BENDconnectors

90° TIGHT KNUCKLE BEND



CODE
MKB21S

SPIGOT	108-114 Old
PIPE	105-108 Copper

90° BEND - TALL



CODE
MKB3190



SPIGOT	97-108 Modern
PIPE	99-105 Standard

90° TALL TIGHT KNUCKLE BEND



CODE
MKB22

SPIGOT	108-114 Old
PIPE	99-105 Standard

90° BEND



CODE
MKB2190S

SPIGOT	97-108 Modern
PIPE	105-108 Copper

90° BEND



CODE
MKB2190



SPIGOT	97-108 Modern
PIPE	99-105 Standard

90° BEND



CODE
MKB2590

SPIGOT	76-95 Stainless Steel
PIPE	99-105 Standard

WC CONNECTORS

BEND connectors

90° BEND



40mm
compression
boss

CODE
MKBB2190

SPIGOT
97-108
Modern

PIPE
99-105
Standard

90° BEND - TALL



With extended
tail and 40mm
compression
boss

CODE
MKBB3190

SPIGOT
97-108
Modern

PIPE
99-105
Standard

STRAIGHT WITH BOSS



40mm
compression
boss

CODE
MKS B4

SPIGOT
97-108
Modern

PIPE
99-105
Standard

EXTENSION & LINK connectors

SOIL PIPE EXTENSION



Used either as an extension to a Multikwik Connector and adaptor to 4" soil pipe



PIPE **99-105**
Standard

CODE
MKEA

FLEXIBLE CONNECTOR



Flexible connector for use in extremely difficult situations - 500mm o/a length

PIPE **SPIGOT** **97-108**
Modern

PIPE **99-105**
Standard

CODE
MKF330

SOIL PIPE EXTENSION



Used either as an extension to a Multikwik Connector and adaptor to 3½" soil pipe

PIPE **88-92**
Cast Iron

CODE
MKEB

FLUSH PIPE CONNECTOR



Connects outside diameter 38mm flush pipe to low level or BTW WC Pan

CODE
MKFPC1

SOIL PIPE EXTENSION



Used as an extension to a Multikwik Connector and adaptor to 3" soil pipe

PIPE **74-77**
Old

CODE
MKEG

MULTILINK



Unique fitting which sleeves the fins of all 99 - 105mm outlet Multikwik Pan Connectors to enable connection to be made to the inlet of another.

PIPE **99-105**
Standard

CODE
MKL1

WC CONNECTORS

MULTICLIK HOSEconnectors

FLEXIBLE STRAIGHT



Flexible ends for excellent joint quality
Robust and reliable integral soil sealing fins
High quality Multikwik seals
Extends from 225mm to 550mm
Retains its position what ever shape is required

CODE
MKC2

SPIGOT **97-108**
Modern

PIPE **99-105**
Standard

90° BEND & with 40mm BOSS



Extends from 375 to 710mm

CODE
MKC2B90



Extends from 405 to 740mm

CODE
MKC2BB90

Converts a 'P' trap pan into an 'S' trap pan with adjustment and flexibility for final connection

SPIGOT **97-108**
Modern

PIPE **99-105**
Standard

RIGIDconnectors

14° BEND



CODE
MKRB14

SPIGOT	97-108 Modern
PIPE	99-105 Standard

18mm OFFSET



CODE
MKRO2

SPIGOT	97-108 Modern
PIPE	99-105 Standard

90° BEND



CODE
MKRB90

SPIGOT	97-108 Modern
PIPE	99-105 Standard

STRAIGHT



CODE
MKRS2

SPIGOT	97-108 Modern
PIPE	99-105 Standard

SOIL PIPE EXTENSION



CODE
MKREXT

SPIGOT	97-108 Modern
PIPE	99-105 Standard

The benefits include:

- Hygienic, smooth one piece moulded bodies
- White seals for greater aesthetics
- Adjustable length – cut to suit

SANITARY SYSTEMS

every to your door visit MyTub Ltd - www.mytub.co.uk - info@mytub.co.uk



Multikwik Cisterns and Valves

A range of concealed cisterns designed for reliability and performance.

We have a cistern suitable for almost every application and understand what is important. We put all our effort into getting the design, mechanisms and functions right for you.



Complete

All Multikwik cisterns are supplied complete with high quality mechanisms for long life and easy installation. With selected cisterns pre-assembled ready to install.



Side and Bottom Fill

We offer the choice of a side fill cistern or a bottom fill cistern, allowing instant connection for your water supply and eliminating unsightly pipes.



Proteus Concealed Cistern

Proteus is the only cistern from Multikwik which is compatible with both, Pneumatic and Cable Flush Valves. Our most advanced concealed cistern is just 400mm wide and engineered to offer a unique space saving solution.

CISTERNS & VALVES

CONCEALED cisterns

500(W) x 317(H) x 160mm(D)



ECONOMY SIDE FILL

Supplied with Multiflush, Fill Valve and Flush Pipe

Suitable for 6 litre applications but also capable of replacing 9 litre applications

CODE

TRC1820

500(W) x 317(H) x 160mm(D)



ECONOMY BOTTOM FILL

Supplied with Multiflush, Fill Valve and Flush Pipe

Suitable for 6 litre applications but also capable of replacing 9 litre applications

CODE

TRC1821

381(W) x 315(H) x 158mm(D)



COMPACT

Ideal for bathroom furniture

Supplied fully assembled and ready to go

CODE

TRC1825

381(W) x 315(H) x 158mm(D)



COMPACT

Ideal for bathroom furniture
Supplied fully assembled and ready to go

Includes 15mm connection to accept 15mm plastic or copper pipe

CODE

TRC1825V

PROTEUS CONCEALED cisterns

PROTEUS -

The benefits include:

- Reduced noise level and condensation
- Installation options, including front and rear fixing
- Front and top maintenance access
- Increased flow rate and bowl cleaning
- Innovative WRAS approved components
- Up to 30% water saving with dual flush
- Tested to 200,000 flushes
- Supplied pre-set and ready to install

Available with Pneumatic or Cable operation with a wide range of compatible buttons and flush plates

CABLE OPERATION INC. MFVB6B BUTTON*

400(W) x 330(H) x 143mm(D)

Choice of 6/3 or 4/2 litre flush applications

Supplied with a 500mm cable



CODE

TRC1830

PNEUMATIC OPERATION INC. MFVP02 BUTTON*

400(W) x 330(H) x 143mm(D)

6/3 litre flush applications

Simple adjustment for single or dual flush

Supplied with 1 metre air tubes which can be cut to size



CODE

TRC1831

*PROTEUS cisterns also available without buttons

CISTERNS & VALVES

PROTEUScable

PEBBLE - PUSH BUTTON



PEBBLE EFFECT
MFVB5B

ROUND - PUSH BUTTON



CHROME
MFVB6B
CHROME/SATIN CHROME
MFVB7B

SATURN - FLUSH PLATE



CHROME
TRF0427A
SATIN CHROME
TRF0428A

EMOTION - FLUSH PLATE



CHROME
TRF0427M
SATIN CHROME
TRF0428M

ROUND - PUSH BUTTON



CHROME
MFVP02

MIMAS - FLUSH PLATE



Also available as single
buttons without the plate
Single Button MFVP04
Two Buttons MFVP05

CHROME
MFVP03

EUROPA - FLUSH PLATE



WHITE
MFVP06
CHROME
MFVP07

EUROPA DUAL - FLUSH PLATE



WHITE
MFVP08

CHROME
MFVP09


ECLIPSE - FLUSH PLATE



CHROME
TRFP0427E

SATIN CHROME
TRFP0428E

TITAN - FLUSH PLATE



CHROME
TRFP0427T

SATIN CHROME
TRFP0428T

CISTERNS & VALVES

BUTTONS

OVAL DUAL FLUSH

MFVB1B

OVAL SINGLE FLUSH

MFVB3B

ROUND SINGLE FLUSH

MFVB4B



Choice of 6/3 or 4/2 litre flush applications

Dual flush - up to 30% water saving

Tested to 200,000 flushes

Increased flow rate and bowl cleaning

Fully adjustable overflow

A range of compatible buttons and flush plates - see page 58 for details

MFV4C can be used as the direct replacement in Proteus Concealed Cisterns

STANDARD AND LARGE OUTLET

OUTLET SIZE	CABLE LENGTH	CODE
1½"	340mm	MFV1C
1½"	800mm	MFV2C
2"	340mm	MFV3C
2"	800mm	MFV4C

PNEUMATIC

STANDARD PNEUMATIC

- 6/3 litre flush capacity
- Simple adjustment for single and dual flush
- Up to 30% water saving with dual flush
- 1 metre air tubes - can be cut to size
- Tested to 200,000 flushes
- Increased flow rate and bowl cleaning
- A range of compatible buttons and flush plates - see page 59 for details



CABLE LENGTH

1 metre

CODE

MFVP01

Button not included

SIDE ENTRY FILL VALVE

WRAS
APPROVED
PRODUCT

- Compact design with simple telescopic height adjustment
- Brass ½ inch BSP inlet connection



CODE

TRS0029

Multikwik

Sanitary Frames

The Multikwik concealed Sanitary System range provides an excellent solution to modern bathroom design allowing the WC and basin to be wall hung with all plumbing elements hidden.

No need to compromise on design, our frames offer you cleaner lines and improved aesthetics creating the illusion of greater floor space.

Designed for a 25 year life span with the added benefit of being re-useable.

For full range details please visit our website or see our Multikwik Sanitary Systems Brochure.

APPLIANCE	820 MODULE (820mm high)	1200 MODULE (1185mm high)	SPECIAL NEEDS
WC	●	●	●
HAND BASIN	●	●	●
BIDET	●	●	
URINAL		●	
BATH / SHOWER FIXING	●	●	
SUPPORT RAILS		●	●

Each module is 525mm wide, will support up to 400kg and requires a minimum installation depth of 135mm.



Ease of Installation

Designed with plumbers to help improve the installation process, the features include:

- Unrivalled adjustability - In-built adjustable feet and extra long wall mounting brackets, coupled with a clear one meter marker to meet on site installation requirements.
- The cistern allows for back, side and bottom feed
- Colour coded flush cables ensure easy identification of the 3 and 6 litre function



Pre-Assembled

Each module is packaged in an easy to carry carton - the system is pre-assembled, eliminating the need to source and install other components.



Flush Plates

A wide choice of flush plate designs and finishes which allow adequate access for ongoing maintenance and servicing.

SANITARY FRAMES

SANITARYframes

WC FRAME



CODE
TRM1820

WC FRAME



CODE
TRM1200

VANDAL RESISTANT COVER PLATE



Robust cover-plate in stainless steel with tamperproof fixing grub-screw

CODE
TRC0135

SANITARYframes



ECLIPSE FLUSH PLATE

Removable / interchangeable

SATIN CHROME

TRF0428E

CHROME

TRF0427E

WHITE

TRF0400E



SOLAR FLUSH PLATE

Removable / interchangeable

SATIN CHROME

TRF0428S

CHROME

TRF0427S

WHITE

TRF0400S



CRESCENT FLUSH PLATE

Removable / interchangeable

SATIN CHROME

TRF0428C

CHROME

TRF0427C

WHITE

TRF0400C



URINAL COVER PLATE

Robust stainless steel cover.

No external power required

CODE

TRC0133



FLUSH PLATE KIT

Touch less infra-red activation, with manual flush option also available

Robust flush-plate in stainless steel with tamperproof fixing grub-screw

CODE

TRF0550



REMOTE CONTROL

For infra red wash rooms

Allows service and maintenance to be contact free, when adjusting pre-set functions for WC and Urinals

CODE

TRA0012

ANCILLARY PRODUCTS

every to your door visit MyTub Ltd - www.mytub.co.uk - info@mytub.co.uk



ANCILLARY PRODUCTS

CLEANER STATION



Plug and Chain
 Bucket Grid
 Supplied complete with wall fixings

CODE
 MKUS001

WASH STATION



Removable grid
 and drainer
 Soap dish
 Multi purpose hooks and rails
 Supplied complete with brackets,
 fixings and templates

CODE
 MKUS002

Practical Solutions

Our Utility Sinks offer a practical solution to the Health and Safety requirements of installing washing facilities near a workstation.

Designed to be installed in commercial or workshop areas, they are made from high tensile plastic and can simply be affixed to the wall.

High Quality

The sinks are toughened and are resistant to most chemicals, alkalis and are impervious to frost – so could be installed outside – ideal for Stables, Zoo's, Garden Centre and domestic garages (to name a few).

Designed to prevent cross contamination, both sinks have an integral splash panel, waste outlet and overflow.

ANCILLARY PRODUCTS

LODDON



Economical Toilet Seat
Toughened Plastic Hinges
Side Lifting Recess

SIZE	CODE
Standard	MKKN001

WEY



Robust Compression Moulded
Stainless Steel Hinges
Bevelled Back Style

SIZE	CODE
Standard	MKKN002

HAMBLE



Durable Composite Design
Long Life Stainless Steel Hinges
Bevelled/Contoured Front

SIZE	CODE
Standard	MKKN003

MOORS



High Quality Anti Bacterial Material
Long Life Stainless Steel Hinges
Heavy Weight Design

SIZE	CODE
Standard	MKKN004

Adaptability

Everyone's bathroom taste is different so we made sure our toilet seats are adaptable to most chinaware available on the market today, by incorporating multi-directional adjustment and a secure four point seat support.

Kwiknut

All Multikwik toilet seats have been designed with the 'Kwiknut' feature, this allows you to place the nut anywhere on the thread and tighten – saves up to 38 turns compared to traditional washer/nut assembly.

EASY BOSS



1 Drill 57mm hole



2 Ensure seal is in position



3 Insert Easy Boss into the hole



4 Twist in the Easy Boss connector



5 Use a strap wrench and hand tighten



6 Insert the pipe

HOWto...

Make a simple Boss Connection

We know that traditional boss connections can be expensive in both labour and product, sometimes proving challenging to fit in to the existing soil stack design, so we introduced the Easy Boss.

The Multikwik Easy Boss has been designed for simple connection from Push Fit and Solvent Waste pipe to a standard 110mm soil stack and can be installed anywhere in a run.

EASY BOSS CONNECTOR

Suitable for 32mm and 40mm pipe


No straps – ideal for limited access installations

No Solvent Cement required for Push Fit connection

Adaptor provided for easy Solvent Weld connection

Tested to 5m head of water

Not suitable for Cast Iron



COLOUR

Grey
Black

CODE

MKEB4032G
MKEB4032B



 Multikwik®

INDEX

every to your door visit MyTub Ltd - www.mytub.co.uk - info@mytub.co.uk

CODE	DESCRIPTION		PACK /BOX	PAGE
BOTTLEtrap				
B032	32mm Bottle Trap	Standard	10/50	10
B040	40mm Bottle Trap	Standard	10/40	10
B032R	32mm Bottle Trap	Resealing	10/50	10
B040R	40mm Bottle Trap	Resealing	10/40	10
B032A	32mm Bottle Trap	Adjustable	10/40	10
B040A	40mm Bottle Trap	Adjustable	10/40	10
B032RA	32mm Bottle Trap	Adjustable/Resealing	5/40	10
B040RA	40mm Bottle Trap	Adjustable/Resealing	5/30	10
B032V	32mm Bottle Trap	Anti Vac	10/50	11
B040V	40mm Bottle Trap	Anti Vac	10/40	11
B032S	32mm Bottle Trap	Compact	5/65	11
B040S	40mm Bottle Trap	Compact	5/50	11
BS032	32mm Bottle Trap	Slimline	5/40	11
ST032	32mm Bottle Trap	Straight Through Trap	10/40	11
B032ACR	32mm Bottle Trap	Adjustable	1/20	12
B032RACR	32mm Bottle Trap	Adjustable/Resealing	1/40	12
B040RACR	40mm Bottle Trap	Adjustable/Resealing	1/40	12
UNIVERSALtrap				
SP032	32mm Universal Trap	Universal All In One	10/50	13
SP040	40mm Universal Trap	Universal All In One	10/40	13
RUNNINGtrap				
SWM040A	40mm Running Trap	Tubular Swivel Trap	10/40	14
RP032	32mm Running Trap	P' Trap	5/50	14
RP040	40mm Running Trap	P' Trap	5/35	14
RP050X	50mm Running Trap	P' Trap	5/40	14
RS032	32mm Running Trap	S' Trap	5/50	14
RS040	40mm Running Trap	S' Trap	5/40	14
P032	32mm Running Trap	P' Trap	10/60	15
P040	40mm Running Trap	P' Trap	10/40	15
P050	50mm Running Trap	P' Trap	5/50	15
S032	32mm Running Trap	S' Trap	10/60	15
S040	40mm Running Trap	S' Trap	10/40	15
P032A	32mm Running Trap	Adjustable P' Trap	10/50	15
P040A	40mm Running Trap	Adjustable P' Trap	10/40	15

CODE	DESCRIPTION		PACK /BOX	PAGE
SHOWER WASTETrap				
S5040C	40mm Shower Waste	Compact - Chrome	10/40	16
S5040W	40mm Shower Waste	Compact - White	10/40	16
S5040G	40mm Shower Waste	Compact - Gold	10/40	16
S5040CR	40mm Shower Waste	Resealing - Chrome	5/40	17
S5040XCR	40mm Shower Waste	Resealing - Chrome	5/40	17
S8540CR	40mm Shower Waste	Resealing - Chrome	5/50	17
S8540XCR	40mm Shower Waste	Resealing - Chrome	5/50	17

BATH WASTETrap

P1940	40mm Bath Waste	Low Level	10/80	18
P5040	40mm Bath Waste	Low Level	10/40	18
P5040V	40mm Bath Waste	Low Level/Anti Vac	5/80	18
P040L	40mm Bath Waste	Low Level Swivel 'P'	5/40	19
P5040F	40mm Bath Waste	Low Level	1/20	19
P6040	40mm Bath Waste	Standard	5/35	19
P6040F	40mm Bath Waste	Standard	5/40	19
P7540	40mm Bath Waste	Standard	5/50	19
P7540F	40mm Bath Waste	Standard	5/40	19

VENTILATION

WV032	32mm Venting	Gurgle Master	10/150	20
WV040	40mm Venting	Gurgle Master	10/100	20
WW150	32mm Anti-Siphon Unit		10/-	20
WW151	40mm Anti-Siphon Unit		10/-	20

WASHING MACHINE WASTETrap

PWM040	40mm Washing Machine Trap	Adjustable	5/30	21
PWM040T	40mm 'P' Single Utility Compact Tee		10/60	21
PWM040S	40mm 'P' Single Utility Nozzle	Adjustable	10/30	21
PWM040D	40mm 'P' Double Utility Nozzle	Adjustable	10/40	21
SWM040S	40mm 'S' Single Utility Nozzle	Adjustable	10/30	21
SWM040D	40mm 'S' Double Utility Nozzle	Adjustable	5/25	21

SPACE SAVER WASTETrap

SBSK040	40mm Space Saver		5/30	22
SBK040D	40mm Space Saver Kit		1/35	22

BOWL KIT WASTETrap

XSB040S	40mm Bowl Kit 1½ Bowl - Single Nozzle		1/35	23
DBK040S	40mm Bowl Kit Double Bowl - Single Nozzle		1/30	23
DBKDS040	40mm Extended Bowl Double Bowl - Double Nozzle		1/25	23
TBK040S	40mm Triple Bowl Kit Triple Bowl - Single Nozzle		1/20	23

WASTEaccessories

NK001	40mm Nozzle		10/300	24
NKT001	40mm Straight Nozzle		10/180	24

CODE	DESCRIPTION		PACK /BOX	PAGE
WASTE accessories <i>continued . . .</i>				
WA040S	40mm Height Adjuster	Single	5/90	25
WA040D	40mm Height Adjuster	Double	5/50	25
WW170	32/40mm Flexible Connector		1/-	25
WW171	40mm 1.5m Washing Machine Hose		1/-	25
W0275	22mm Overflow Tundish		10/-	25
WMT001	40mm Tee		1/150	25
CWB01	40mm Combined Bath Waste and Overflow		1/-	26
CWS01	40mm Combined Sink Waste and Overflow		1/-	26
W4070RF	40mm Combined Sink Waste and Overflow		5/40	27
W040F	40mm Combined Bath Waste and Overflow		5/40	27
WPU040C	40mm Combined Bath Waste and Overflow		1/-	27
SBW01	40mm Slotted Basin Waste Outlet		1/40	27

COMPRESSIONwaste

MFW32	32mm Multiflex Bend	Adjustable	-/50	34
MFW40	40mm Multiflex Bend	Adjustable	-/50	34
MFG32	32mm Multiflex Bend	Adjustable	-/50	34
MFG40	40mm Multiflex Bend	Adjustable	-/50	34
EB40R	40mm Condense Adaptor		1/-	34
WP124	40/32mm Reducer		10/1	35
WP225	50/40mm Reducer		1/-	35
WP114	32mm Straight Coupling		10/1	35
WP115	40mm Straight Coupling		10/1	35
WP216	50mm Straight Coupling		1/-	35
WP120	32mm 90° Bend		10/1	35
WP121	40mm 90° Bend		10/1	35
WP222	50mm 90° Bend		10/1	35
WP126	32mm 135° Bend		10/1	35
WP127	40mm 135° Bend		10/1	35
WP218	50mm 135° Bend		1/-	35
WP128	32mm 92½° Bend		10/1	35
WP129	40mm 92½° Bend		10/1	35
WP230	50mm 92½° Bend		1/-	35
NKT001	40mm Straight Nozzle		10/180	35

STRAIGHTconnectors

MKS4	Extended Straight		1/30	40
MKS7	Extended Straight		1/30	40
MKS8	Extended Straight		1/30	40
MKS1	Standard		5/30	41
MKS2	Standard		3/36	41
MKS3	Straight		1/30	41
MKS5	Straight		1/40	41
MKLAS1	Long Adjustable Straight		1/10	41
MKS1A	Straight Siphonic		1/30	41

CODE	DESCRIPTION	PACK /BOX	PAGE
OFFSETconnectors			
MK01	18mm Offset	5/30	42
MK02	18mm Offset	1/30	42
MK03	18mm Offset	1/30	42
MK04	40mm Offset	1/30	43
MK05	18mm Offset	1/30	43
MK07	18mm Offset	1/30	43
MK01S	18mm Offset	1/30	43
MK0100	100mm Offset	1/20	43
BENDconnectors			
MKB45	45° Knuckle Bend	1/25	44
MKB21104	104° Bend	1/15	44
MKB21104S	104° Bend	1/15	44
MKB114	14° Bend	5/30	45
MKB114S	14° Bend	1/30	45
MKB514	14° Bend	1/30	45
MKB614	14° Bend	1/30	45
MKB714	14° Bend	1/30	45
MKBAR90	90° Space Saver Bend	1/12	46
MKB21	90° Tight Knuckle Bend	1/20	46
MKB21S	90° Tight Knuckle Bend	1/20	47
MKB22	90° Tall Tight Knuckle Bend	1/15	47
MKB2190	90° Bend	1/15	47
MKB2190S	90° Bend	1/15	47
MKB3190	90° Bend - Tall	1/15	47
MKB2590	90° Bend	1/15	47
MKBB2190	90° Bend	5/15	48
MKBB3190	90° Bend - Tall	3/15	48
MKSB4	Straight with Boss	1/30	48
EXTENSION&LINKconnectors			
MKEA	Soil Pipe Extension	5/20	49
MKEB	Soil Pipe Extension	1/20	49
MKEG	Soil Pipe Extension	1/20	49
MKF330	Flexible Connector	1/10	49
MKFPC1	Flush Pipe Connector	1/25	49
MKL1	Multilink	1/50	49
MULTICLIK HOSEconnectors			
MKC2	Flexible Straight	3/12	50
MKC2B90	90° Bend	1/8	50
MKC2BB90	90° Bend with 40mm Boss	1/8	50

CODE	DESCRIPTION	PACK /BOX	PAGE	
RIGIDconnectors				
MKRB14	14° Bend	1/30	51	
MKRB90	90° Bend	1/15	51	
MKREXT	Soil Pipe Extension	1/20	51	
MKRO2	18mm Offset	1/20	51	
MKRS2	Straight	1/30	51	
CONCEALEDcisterns				
TRC1820	Economy Side Fill	1	56	
TRC1821	Economy Bottom Fill	1	56	
TRC1825	Compact Cistern	1	56	
TRC1825V	Compact Cistern	1	56	
TRC1830	Cable Operation inc. MFVB6B button	1	57	
TRC1831	Pneumatic Operation inc. MFVP02 button	1	57	
PROTEUScable				
MFVB5B	Pebble - Push Fit	1	58	
MFVB6B	Round - Push Fit	Chrome	1	58
MFVB7B	Round - Push Fit	Chrome/Satin Chrome	1	58
TRF0427A	Saturn - Flush Plate	Chrome	1	58
TRF0428A	Saturn - Flush Plate	Satin Chrome	1	58
TRF0427M	Emotion - Flush Plate	Chrome	1	58
TRF0428M	Emotion - Flush Plate	Satin Chrome	1	58
MFVP02	Round - Push Button	Chrome	1	59
MFVP03	Mimas - Flush Plate	Chrome	1	59
MFVP06	Europa - Flush Plate	White	1	59
MFVP07	Europa - Flush Plate	Chrome	1	59
MFVP08	Europa Dual - Flush Plate	White	1	59
MFVP09	Europa Dual - Flush Plate	Chrome	1	59
TRFP0427E	Eclipse - Flush Plate	Chrome	1	59
TRFP0428E	Eclipse - Flush Plate	Satin Chrome	1	59
TRFP0427T	Titan - Flush Plate	Chrome	1	59
TRFP0428T	Titan - Flush Plate	Satin Chrome	1	59
MULTIFLUSH				
MFV1C	1½" Outlet 340mm cable	Standard	1	60
MFV2C	1½" Outlet 800mm cable	Standard	1	60
MFV3C	2" Outlet 340mm cable	Large	1	60
MFV4C	2" Outlet 800mm cable	Large	1	60
MFVB1B	Oval Dual Flush Button		1	60
MFVB3B	Oval Single Flush Button		1	60
MFVB4B	Round Single Flush Button		1	60

CODE	DESCRIPTION		PACK /BOX	PAGE
PNEUMATIC				
MFVP01	Pneumatic	Standard	1	61
TRS0029	Side Entry Fill Valve		1	61
SANITARYframes				
TRM1820	WC Frame		1	64
TRM1200	WC Frame		1	64
TRC0135	Vandal Resistant Cover Plate		1	64
TRF0428E	Eclipse Flush Plate	Satin Chrome	1	65
TRF0427E	Eclipse Flush Plate	Chrome	1	65
TRF0400E	Eclipse Flush Plate	White	1	65
TRF0428S	Solar Flush Plate	Satin Chrome	1	65
TRF0427S	Solar Flush Plate	Chrome	1	65
TRF0400S	Solar Flush Plate	White	1	65
TRF0428C	Crescent Flush Plate	Satin Chrome	1	65
TRF0427C	Crescent Flush Plate	Chrome	1	65
TRF0400C	Crescent Flush Plate	White	1	65
TRC0133	Urinal Cover Plate		1	65
TRF0550	Flush Plate Kit		1	65
TRA0012	Remote Control		1	65
UTILITYsinks				
MKUS001	Cleaner Station		1	68
MKUS002	Wash Station		1	68
TOILETseats				
MKKN001	Loddon		1	70
MKKN002	Wey		1	70
MKKN003	Hamble		1	70
MKKN004	Moors		1	70
EASY BOSSconnector				
MKEB4032G	Easy Boss Connector	Grey	50	73
MKEB4032B	Easy Boss Connector	Black	50	73

Due to our programme of continuous development, Hunter Plastics Ltd, reserve the right to revise or alter any of their products and related information without prior notice. Therefore the product images within this guide are for illustrative purposes only.

All goods are sold according to Hunter Plastics Ltd standard conditions of sale, which are available on request.

FABRICATIONS & SPECIALS SERVICE



Multikwik are able to assist in providing non-standard solutions to overcome difficult onsite installations



General Fabrications

Multikwik Fabrications department is well equipped to offer a full fabrication service, contact the Technical Support Team on **020 8855 9851** for advice or to discuss your requirements.

Non Standard WC Connectors

The Flexible design of Multikwik connectors enables Multikwik to offer a greater range of versions not listed in the catalogue.

For non standard soil pipes with an internal diameter of between 105-108mm simply order the WC Connector you require and add an 'S' Suffix for example **MKB114S**

Your Multikwik Stockist will be pleased to order any 'special' items for you.

Cisterns

Multikwik Cisterns and flush valves offer a wide range of options for concealed installations, unsure what to specify or request?

Call for technical assistance on **020 8855 9851** or fax a sketch to **020 8854 1382** and we will call you back to discuss your options.



 **Multikwik®**

Nathan Way,
London SE28 0AE

T: +44 (0)20 8855 9851

F: +44 (0)20 8317 7764

E: info@multikwik.com

an OAlaxis company



When you have finished with
this brochure please recycle it.

every to your door visit MyTub Ltd - www.mytub.co.uk - info@mytub.co.uk