

# Planar Range

Vertical



Designer

## 12 vertical models

Heights: 1800mm, 2000mm & 2200mm

Lengths: 400mm to 700mm

Outputs: 1476 to 2961 watts, 5036 to 10103 Btu/hr

Types: K2

BIM

5  
FIVE YEAR  
WARRANTY



@stelrad



facebook.com/stelradradiators



Call **0844 543 6200** visit **Stelrad.com**

For latest prices and delivery to your door visit MyTub Ltd - [www.mytub.co.uk](http://www.mytub.co.uk) - [info@mytub.co.uk](mailto:info@mytub.co.uk)

Leading the way

mytub

# Stelrad Planar Vertical



K2

50  $\Delta t$  (75/65/20°C)

Height	Length mm	Sections	Heat output		
			UIN	Watts	Btu/hr
1800	400	12	30182204	1476	5036
	500	15	30182205	1845	6295
	600	18	30182206	2214	7554
	700	21	30182207	2583	8813
2000	400	12	30202204	1584	5405
	500	15	30202205	1980	6756
	600	18	30202206	2376	8107
	700	21	30202207	2772	9458
2200	400	12	30222204	1692	5773
	500	15	30222205	2115	7216
	600	18	30222206	2538	8660
	700	21	30222207	2961	10103

$\Delta t50$  is the UK's industry standard for heating outputs, which has an operating temperature of 75/65/20°C if you have a low temperature heat source you may wish to consider  $\Delta t40$  or  $\Delta t30$  output (see your installer or system designer).



K2

40  $\Delta t$  (65/55/20°C)


30  $\Delta t$  (55/45/20°C)

Height	Length mm	Sections	Heat output			Heat output		
			UIN	Watts	Btu/hr	UIN	Watts	Btu/hr
1800	400	12	30182204	1104	3767	30182204	760	2594
	500	15	30182205	1380	4709	30182205	950	3242
	600	18	30182206	1656	5651	30182206	1140	3890
	700	21	30182207	1932	6592	30182207	1330	4539
2000	400	12	30202204	1185	4043	30202204	816	2783
	500	15	30202205	1481	5053	30202205	1020	3479
	600	18	30202206	1777	6064	30202206	1224	4175
	700	21	30202207	2073	7075	30202207	1428	4871
2200	400	12	30222204	1266	4318	30222204	871	2973
	500	15	30222205	1582	5398	30222205	1089	3716
	600	18	30222206	1898	6477	30222206	1307	4460
	700	21	30222207	2215	7557	30222207	1525	5203

## EN 442 Certification Data – CETIAT tested in accordance with BS EN 442


Type	K2		
	1800	2000	2200
Height	1800	2000	2200
W/m at 75/65/20	3690	3960	4230
n-coefficients	1.32	1.33	1.33
Heated Surface Area (m <sup>2</sup> /m)	29.90	37.74	38.66
Weight (kg/m)	105.30	116.40	126.60
Water Contents (l/m)	15.90	17.70	20.10
Wall to tap centre (mm)	77	77	77

## Planar Vertical mounting brackets




Height	H2		H3		H4		
	mm	in	mm	in	mm	in	
1800	70.87	70	2.75	830	43.89	1590	63.58
2000	78.74	70	2.75	930	47.83	1790	71.46
2200	86.61	70	2.75	1030	51.77	1900	79.33

## Planar piping options



## Planar Vertical wall mounting information

All dimensions in mm. Inches in brackets.




Comes complete with Stelrad's class leading safety bracket.

# colourful inspiration

A shade for every room, for every interior. Opt for warm elegance, baroque ambience or modern minimalism. With Stelrad, you can heat your home in colour. Choose from a full range of stylish radiator colours.

## Below colours for Planar Range















### Natural Colour

						
NT110 Papyrus white	NT120 Pearl white	NT130 Champagne	NT140 Beige	NT150 Beige grey	NT160 Pebble grey	NT170 Quartz grey
						
SN110 Cream white	SN120 Cream	SN130 Mocca	SN140 Bordeaux	SN150 Sepia	SN160 Pale blue	SN170 Black

### Metallic Colours

						
ML110 Dove grey	ML120 Titanium grey	ML130 Blue grey	ML140 Granite	ML150 Cappuccino	ML160 Terra brown	ML170 Graphite black

### RAL Colours

						
A1004 Golden yellow	A2003 Pastel orange	A3002 Carmine red	A3003 Robin red	A5002 Ultramarine blue	A6018 Yellow green	A7001 Silver grey
						
A7011 Iron grey	A7016 Anthracite grey	A7030 Stone grey	A7035 Light grey	A8017 Chocolate brown	A9003 Signal white	A9005 Jet black

**Please note: When a coloured radiator or radiators over 2 metres have been ordered they cannot be cancelled or returned. All colour radiators have a 6 week lead time.**

To request a colour chart and details of how to order please email [marketing@stelrad.com](mailto:marketing@stelrad.com)