

Polygroup

Product Price List

May 2011



Polytank



Polyoil



Polycontracts



Polyleisure



Polygroup
engineering in plastic



Polytank

PT2 Rectangular Polytank

COMES COMPLETE WITH PT2 PACKAGE

55 LITRES 12 GALLONS ORDER CODE 20-12-20



MAX. DIMENSIONS mm inches	
Before fixing	
Length	500 20
Width	300 12
Height	525 20

55 LITRES 12 GALLONS ORDER CODE 24-16-15



MAX. DIMENSIONS mm inches	
Before fixing	
Length	610 24
Width	410 16
Height	385 15

55 LITRES 12 GALLONS ORDER CODE 20-15-18



MAX. DIMENSIONS mm inches	
Before fixing	
Length	510 20
Width	390 15
Height	460 18

68 LITRES 15 GALLONS ORDER CODE 18-18-18



MAX. DIMENSIONS mm inches	
Before fixing	
Length	470 18
Width	470 18
Height	475 18

68 LITRES 15 GALLONS ORDER CODE 24-12-20



MAX. DIMENSIONS mm inches	
Before fixing	
Length	615 24
Width	305 12
Height	550 20

68 LITRES 15 GALLONS ORDER CODE 24-15-18



MAX. DIMENSIONS mm inches	
Before fixing	
Length	610 24
Width	385 15
Height	460 18

68 LITRES 15 GALLONS ORDER CODE 24-17-17



MAX. DIMENSIONS mm inches	
Before fixing	
Length	610 24
Width	435 17
Height	440 17

82 LITRES 18 GALLONS ORDER CODE 24-12-24



MAX. DIMENSIONS mm inches	
Before fixing	
Length	615 24
Width	310 12
Height	615 24

82 LITRES 18 GALLONS ORDER CODE 24-18-19



MAX. DIMENSIONS mm inches	
Before fixing	
Length	615 24
Width	460 18
Height	480 19

91 LITRES 20 GALLONS ORDER CODE 20-20-20



MAX. DIMENSIONS mm inches	
Before fixing	
Length	515 20
Width	515 20
Height	530 20

91 LITRES 20 GALLONS ORDER CODE 24-15-24



MAX. DIMENSIONS mm inches	
Before fixing	
Length	615 24
Width	380 15
Height	590 24

114 LITRES 25 GALLONS ORDER CODE 27-20-20



MAX. DIMENSIONS mm inches	
Before fixing	
Length	711 27
Width	515 20
Height	500 20

136 LITRES 30 GALLONS ORDER CODE 24-24-24



MAX. DIMENSIONS mm inches	
Before fixing	
Length	610 24
Width	590 24
Height	590 24

136 LITRES 30 GALLONS ORDER CODE 39-20-17



MAX. DIMENSIONS mm inches	
Before fixing	
Length	1000 39
Width	500 20
Height	440 17

159 LITRES 35 GALLONS ORDER CODE 29-22-22



MAX. DIMENSIONS mm inches	
Before fixing	
Length	750 29
Width	570 22
Height	570 22

159 LITRES 35 GALLONS ORDER CODE 30-24-23



MAX. DIMENSIONS mm inches	
Before fixing	
Length	750 30
Width	570 24
Height	570 23

190 LITRES 42 GALLONS ORDER CODE 39-20-21



MAX. DIMENSIONS mm inches	
Before fixing	
Length	1020 39
Width	500 20
Height	550 21

190 LITRES 42 GALLONS ORDER CODE 46-19-19



MAX. DIMENSIONS mm inches	
Before fixing	
Length	1185 46
Width	510 19
Height	490 19

227 LITRES 50 GALLONS ORDER CODE 46-24-19



MAX. DIMENSIONS mm inches	
Before fixing	
Length	1190 46
Width	610 24
Height	500 19

227 LITRES 50 GALLONS ORDER CODE 36-24-23



MAX. DIMENSIONS mm inches	
Before fixing	
Length	925 36
Width	600 24
Height	570 23

Polytank Fitting Kits

PT2 PACKAGE (Rectangular Polytanks)

- Snap on Polylid
- POLYTANK Byelaw 30 kit and fitting instructions
- 1/2" BS1212 Part 2 ball valve and 4 1/2" float
- Ball valve back plate
- 22mm compression tank connector
- 15mm x 1/2" angled service valve
- Insulation and ties

PT2/A PACKAGE (Primary Expansion Poly tanks)

- Snap on Polylid-2
- Ball valve back plate
- Screened wanning pipe elbow
- 1/2" BS1212 Part 2 ball valve and 4 1/2" float
- 15mm compression tank connector
- Sealing washer
- Insulation and ties

PT2/B PACKAGE (Circular Poly tanks)

- Snap on lid
- POLYTANK Byelaw 30 kit and fitting instructions
- Insulation and ties

PT2/C PACKAGE (Framed Combination Poly tanks)

- Snap on Polylid
- POLYTANK Byelaw 30 kit and fitting instructions
- 1/2" BS1212 Part 2 ball valve and 4 1/2" float
- 22mm compression tank connector
- Ball valve back plate
- 15mm x 1/2" angled service valve

water storage tanks

PT2 Polytank loft-tank "Coffin"

COMES COMPLETE WITH PT2 PACKAGE

114 LITRES 25 GALLONS ORDER CODE 55-20-12



MAX. DIMENSIONS mm inches	
Before fixing	
Length	1390 55
Width	500 20
Height	310 12

227 LITRES 50 GALLONS ORDER CODE 64-18-19



MAX. DIMENSIONS mm inches	
Before fixing	
Length	1650 64
Width	460 18
Height	475 19

318 LITRES 70 GALLONS ORDER CODE 64-24-19



MAX. DIMENSIONS mm inches	
Before fixing	
Length	1650 64
Width	610 24
Height	500 19

454 LITRES 100 GALLONS ORDER CODE 64-26-23



MAX. DIMENSIONS mm inches	
Before fixing	
Length	1680 66
Width	695 27
Height	580 23

PT2/B Circular Polytank

COMES COMPLETE WITH PT2/B PACKAGE

114 LITRES 25 GALLONS ORDER CODE 25gall circular



MAX. DIMENSIONS mm inches	
Before fixing	
Diameter	690 26
Height	575 23

227 LITRES 50 GALLONS ORDER CODE 50gall circular



MAX. DIMENSIONS mm inches	
Before fixing	
Diameter	840 34
Height	685 27

PT2/A Primary Expansion Polytank

COMES COMPLETE WITH PT2/A PACKAGE

18 LITRES 4 GALLONS ORDER CODE 18-12-12



MAX. DIMENSIONS mm inches	
Before fixing	
Length	480 18
Width	250 12
Height	320 12

PT2/C Framed Polytank

COMES COMPLETE WITH PT2/C PACKAGE

182 LITRES 40 GALLONS ORDER CODE 23-23-28



MAX. DIMENSIONS mm inches	
Before fixing	
Length	590 23
Width	590 23
Height	711 28

227 LITRES 50 GALLONS ORDER CODE 23-23-35



MAX. DIMENSIONS mm inches	
Before fixing	
Length	590 23
Width	590 23
Height	893 35

PT2/C Combination Polytank

COMES COMPLETE WITH PT2/C PACKAGE AND EXTRA BALL VALVE FLOAT BACKPLATE

204 LITRES 45 GALLONS ORDER CODE 23-23-34



MAX. DIMENSIONS mm inches	
Before fixing	
Length	590 23
Width	590 23
Height	870 34

Primary Expansion Cistern

18 LITRES 4 GALLONS ORDER CODE SEE BELOW



MAX. DIMENSIONS mm inches	
Before fixing	
Length	480 18
Width	250 12
Height	320 12

Tank order code **X10/4**

Lid order code **X10/4LID**

Insulation order code **J4**

Poly A30

COMES COMPLETE WITH EXTENDED BALL VALVE ARM, FIXING SCREWS, INSULATION, SEAL

Incorporating a type AB Air Gap ORDER CODE XPA30



MAX. DIMENSIONS mm inches	
Before fixing	
Length	375 15
Width	245 10
Height	230 9

PolyCistern

COMES COMPLETE WITH PT2/D PACKAGE

POLYCISTERN byelaw 30 kit and fitting instructions
POLYCISTERN click fit strap (s)
POLYCISTERN lid
POLYCISTERN insulation

68 LITRES 15 GALLONS ORDER CODE 30-19-15



MAX. DIMENSIONS mm inches	
Before fixing	
Length	860 30
Width	508 19
Height	380 15

114 LITRES 25 GALLONS ORDER CODE 30-19-19



MAX. DIMENSIONS mm inches	
Before fixing	
Length	855 30
Width	508 19
Height	515 19

181 LITRES 40 GALLONS ORDER CODE 46-24-17



MAX. DIMENSIONS mm inches	
Before fixing	
Length	1265 46
Width	670 24
Height	440 17

227 LITRES 50 GALLONS ORDER CODE 46-24-20



MAX. DIMENSIONS mm inches	
Before fixing	
Length	1265 46
Width	670 24
Height	525 20

Poly Red Primary Expansion Cistern

COMES FULLY ASSEMBLED

POLYRED byelaw 30 kit and fitting instructions
POLYRED lid
22mm push fit tank connector
15mm x 1/2" push fit service valve
POLYRED insulation
1/2" BS1212 Part 2 Ball Valve 4 1/2" float

18 LITRES 4 GALLONS ORDER CODE RED4



MAX. DIMENSIONS mm inches	
Before fixing	
Length	540 21
Width	320 13
Height	350 14
Weight (kg)	
Empty	6.4
Full	24.4





Polyoil

Polyoil 1200SB

New innovative eco-friendly design



The most practical and effective oil storage tank on the market - and the most aesthetically pleasing!

The new top and bottom outlet
Polyoil is the only complete
packaged oil tank on the market


This innovative product is supplied complete and fully preassembled - no extras required! Rotationally moulded from UV-stabilised medium density polyethylene, Polyoil measures just 1700mm x 850mm x 1620mm and is around 40kg lighter than similar products, making it easier to install.

Polyoil 1200SB has been tested and approved to OFTEC OFST100 (Ofcert licence no.0674110802) in accordance with CEN/TC266 prEN13341:2008 and prEN15724:2008 standards.

Oil Tank dimensions

Length	1700mm
Width	850mm
Height	1620mm
Weight	120kg

Choice of two colours



These colours are for illustration purposes only and are not intended to be a true representation of the colour of the product.

5
year
manufacturer's
guarantee

A Comprehensive and Ecologically Sound Guarantee

Like all Polyoil products, the 1200SB comes with a five year manufacturer's guarantee. Fittings are guaranteed for 12 months. It is recommended that the tank is replaced after 10 years and should not be used at all after 15 years of service. Oil will eventually leech through any plastic and this is reflected in the guarantee and Polygroup's commitment to ecological responsibilities.

Place your order with us now.

oil storage tanks

Features at a glance

Every Polyoil tank comes complete with

Loose Fittings

- Tiger Loop (De-aerator) and Tiger Loop Fittings Kit



(Top Outlet Only)

- Apollo Ultrasonic Receiver



- Fire Valve with Probe and Adaptors



- Filter Valve and Fittings Kit



(Bottom Outlet Only)

Pre-Fitted

- Atkinson Tank Top Incorporating Anti Syphon Valve and Filter




(Top Outlet Only)

- Visual Apollo Transmitter complete with Ultrasonic Bund Alarm



- Spillstop Fill Point with Automatic Cut Off



Bunded for extra protection

Tying in neatly with Polygroup's commitment to the environment and our five year guarantee on the Polyoil 1200SB, this product is bunded to ensure that the risk of oil loss is eliminated. It's not just good for the planet, it's good for your pocket.

Clean design fits in anywhere

All these great product features make the Polyoil 1200SB a highly practical solution to oil storage - but it is also an elegant one. Available in two subtle colours, the Polyoil 1200SB can blend harmoniously with any garden or setting - doing its job while being unobtrusive.

Order now!

Call us on 01772 632850



Polyleisure

Watch the profits flow with PolyButt

Harvesting rain to conserve water makes sense - environmentally and financially. Now you can earn profit from this growing market, with the PolyButt water butt.



Polybutt

PACKAGE INCLUDES BASE, TAP, LID AND RAIN DIVERTER

Polybutt 220



Polybutt 110



220 LITRES 50 GALLONS ORDER CODE POLYBUTT 220

MAX. DIMENSIONS mm inches	
Before fixing	
Diameter	520 21
Height	1320 52

110 LITRES 25 GALLONS ORDER CODE POLYBUTT 110

MAX. DIMENSIONS mm inches	
Before fixing	
Diameter	430 17
Height	1210 48



Split base shown top left comes inside the 110ltr Polybutt for ease of distribution. 220ltr base is standard. Split base available on request.

Polybutt Replacements

PLEASE ASK FOR DETAILS

RAIN SAVER (Pictured right)
TAP ONLY
LID



- FULLY UV STABILISED POLYMERS GUARANTEE LONG LIFE
- SUPER-STRENGTH STAND DESIGNED TO SUPPORT THE WEIGHT OF WATER
- SECURE LID FOR SAFETY
- LID DESIGNED TO TAKE PLANT FOR DECORATIVE PURPOSES
- PRE-DRILLED FOR RAIN SAVER



AVAILABLE IN VARIOUS COLOURS

These colours are for illustration purposes only and are not intended to be a true representation of the colour of the product

Available in:
recycled black, standard green, oak, pine, washed terracotta.
Polybutt comes complete with: matching stand, tap, lid, rain saver



The rust-free moulded PolyBarrow - the workhorse barrow that understands the way you work.

Uncompromisingly constructed, this heavy duty wheelbarrow is designed for the toughest jobs and the most demanding daily tasks. When you need to rely on a barrow that will take the strain of the day's work, carry impressive weights and still come back for more, PolyBarrow is the only choice.

Polybarrow

- ONE-PIECE EXTRA STRONG LLDPE POLYETHYLENE MOULDING
- NO BOLT OR RIVET STRESS POINTS SECURING THE BUCKET LIKE OTHER BARROWS
- 400MM 4-PLY PNEUMATIC WHEEL FOR MANOEUVRABLE LIGHTWEIGHT STRENGTH
- FRONT AXLE ATTACHED WITH 25MM NYLON ROD FOR STRENGTH
- NON-CORROSIVE STAINLESS STEEL WASHERS, BUSHES AND SPLIT PINS
- FULL SIZE 90 LITRE BUCKET
- HANDY RUGGED GRIP HANDLES
- STRONG, LONG HANDLES FOR EASY MANOEUVRABILITY
- NO MORE BASHED KNEES
- STURDY FEET



90 LITRES 20 GALLONS ORDER CODE BARROW

MAX. DIMENSIONS mm inches	
Length	1540 60
Width	615 24
Height	620 25
Weight (kg)	
Empty	12
Full	90

PolySkip

COMES COMPLETE WITH TWO GALVANISED HANDLES AND A LID



CAPACITY 1.6 CU.FT. ORDER CODE TIDY OR TIDY-COL

MAX. DIMENSIONS mm inches	
Diameter	465 18
Height	315 13

BLACK

COLOUR

BLACK, BLUE, GREEN, RED OR YELLOW

PolyBin

COMES COMPLETE WITH TWO GALVANISED HANDLES AND A LID



CAPACITY 3.25 CU.FT. ORDER CODE BIN OR BIN-COL

MAX. DIMENSIONS mm inches	
Diameter	465 18
Height	635 25

BLACK

COLOUR

BLACK, BLUE, GREEN, RED OR YELLOW

PolyBath

ORDER CODE POLYBATH OR POLYBATH COL



MAX. DIMENSIONS mm inches	
Diameter	700 28
Height	120 5

BLACK

COLOUR

MOTTLED GREY, BLACK, BLUE, GREEN, RED OR YELLOW

PolyAir

3 IN 1 AIR ADMITTANCE VALVES ORDER CODE 2W



1.25" SOLVENT WELD
1.5" SOLVENT WELD
2" SOLVENT WELD

2 IN 1 AIR ADMITTANCE VALVES ORDER CODE 4G OR 4W OR 4B



4" PUSH FIT
3" SOLVENT WELD
WHITE = 4W/ GREY = 4G
BLACK = 4B

quality engineering in plastic

A company synonymous with quality and innovation in plastic, Polygroup is a market leader in rotational moulding technology and offers a level of customer service and support that is second to none.

ordering

Ordering your products from Polygroup has always been easy.

We hope you have found us to be extremely responsive, with a real commitment to customer service. We strive to continue in setting those standards ever higher.

Whatever you need from Polygroup your contact points are listed below.



Delivery

The **Polygroup** has earned a reputation for its responsiveness in meeting its customers' needs for prompt delivery and we are determined this is maintained and improved. All stock orders will be delivered using **Polygroup** transport on a maximum 10 day delivery schedule.

Single product orders can be taken and will be delivered within approximately 72 hours, using contract transport, where a carriage charge will apply.

For further information on **Polygroup** products or any aspect of the **Polygroup** please look at our website.

www.polytank.co.uk



Polytank Group Limited, Naze Lane East, Freckleton, Preston, Lancs. PR4 1UN

Telephone 01772 632850

Facsimile 01772 679615 www.polytank.co.uk sales@polytank.co.uk

Due to the company's policy of continuous improvement, we reserve the right to change specifications and pricing without notice

Polygroup is a trading name of Polytank Group Limited