



ORDERLINE
01905 823299

GENERAL ENQUIRIES
01905 823298

FAX
01905 823297

EMAIL
sales@akw-medicare.co.uk
www.akwmedicare.co.uk

ADDRESS
AKW Medi-Care Limited
Pointon Way
Hampton Lovett
Droitwich Spa
WR9 0LR

INTERNATIONAL ENQUIRIES
+32 (0)68 334899

FAX
+32 (0)68 331658

EMAIL
ism@akw-medicare.com

NATIONWIDE 24 HOUR DESPATCH SERVICE

UK mainland only. AKW stock most showering and bathing items featured in this catalogue.
Orders placed before 2pm for stocked items will be despatched on the same day.
The Independence Kitchen range is manufactured to order.



BS EN ISO 9001:2000 Cert No. 7878
Shower and bathroom equipment



Fax: +44 (0)1905 823297

Email: sales@akw-medicare.co.uk

Website: www.akwmedicare.co.uk

Printed in England

© 2010 AKW Medi-Care Limited

Designed by rabm.co.uk

Uniclass L72107/9+L4422+L831+N5352	EPIC H123+D42+Q31:Y31107
CI/SIB (74,26)+(73)	x (U35)
January 2010	

2010 A RANGE OF BATHROOM PRODUCTS, SHOWERING ACCESSORIES, DAILY LIVING PRODUCTS AND KITCHEN PRODUCTS FROM AKW



PRODUCT CATALOGUE

TWENTY 10

SHOWER SCREENS & ACCESSORIES



CONTENTS	
INTRODUCTION1 CONTENTS.....2-3 PRODUCT DESIGN.....4-5 WARRANTIES.....5 NATIONAL SURVEYING6 SPECIFYING / ORDERING PROCEDURE7 SPECIFIERS GUIDE8-9	ERIN TRAY108 GLEN TRAY109 RAMSEY TRAY109 INSET ENCLOSURE110 TOPLINE ENCLOSURE110 PENTACUBE ENCLOSURE111 STAY-DRY TRAY111 TRIM FLO TRAY112 EASY FLO TRAY112 COMPACT TRAY113 OPTIMA TRAY113 TYNE TRAY114 TUK-A-WAY TRAY114 MAXIM CORNER ENCLOSURE115 MULTI STABLE DOOR ENCLOSURE115 DECKSTER 700 TRAY116 DECKSTER 850 TRAY116 DECKSTER 900 TRAY117
AKW SHOWER TRAYS10-101 BRADDAN RANGE10-25 MULLEN® RANGE26-37 SULBY RANGE38-49 LOW PROFILE RANGE50-57 MULTI SPEC RANGE58-65 KEPPEL RANGE66-71 DALBY® RANGE72-77 TUFF FORM® RANGE78-87 SCREEDMASTER® RANGE88-93 LEVEL BEST RANGE94-101	CUBICLES.....118-121 STANDALONE SHOWER CUBICLES118-119 SHOWERLOO SHOWER CUBICLES120-121
AKW TRADITIONAL TRAYS102-117 CUT-TO-LENGTH 700 TRAY102 CUT-TO-LENGTH 760 TRAY102 WALKER TRAY103 WHEELER TRAY103 PENTA TRAY104 SOLIHULL TRAY104 AQUADUCT 1800 TRAY105 HI-MED & HI-LO TRAY105 STAINLESS STEEL SUPPORT KITS.....106 UNIVERSAL ENCLOSURE107 STANDARD 900 TRAY107 DOUGLAS TRAY108	SHOWER SCREENS & ACCESSORIES ..122-167 STANDARD SCREENS124-141 WET FLOOR SCREENS142-151 LEVEL BEST SCREENS152-153 SLIDING SCREENS.....154-160 OPTIONAL EXTRAS.....161 HANDLES & LATCHES162 CURTAIN RAILS163 MADE-TO-MEASURE SCREENS164-167

CONTENTS	
WASTE SYSTEMS168-175 DIGITAL PUMPS168-169 MANUAL PUMPS170-171 PUMPED WASTES172-173 GRAVITY WASTES174 SHOWERS.....175	BATHROOM PRODUCTS202-213 TOILETS & CISTERNS204-206 TOILET SEATS207 ALARM SYSTEM207 WASH BASINS.....208-209 TAPS209 BATHROOM ACCESSORIES210-213
DAILY LIVING PRODUCTS176-201 1900 SERIES HEAVY DUTY GRAB RAIL.....178-179 1600 SERIES NATURAL GRIP GRAB RAIL.....180-181 1400 SERIES LARGE FLUTED GRAB RAIL182-183 1200 SERIES STAINLESS STEEL GRAB RAIL184 1000 SERIES MILD STEEL FLAT END GRAB RAIL185 1700 SERIES SPECIAL PURPOSE GRAB RAIL186-187 1800 SERIES FOLD UP GRAB RAIL.....188 FREESTANDING SHOWER SEATS189 4000 SERIES - SHOWER SEATS190-194 POLISHED STAINLESS STEEL SHOWER SEATS195 2000 SERIES SHOWER SEATS196-197 ABBEY MOULDED BATHSEAT198 TROMODE SLATTED BATH BOARDS.....199 BARIATRIC PRODUCT RANGE200-201	DOC M214-221 PACK OPTIONS 1-4218-221
	KITCHENS222-245 WORCESTER KITCHEN224-229 INDEPENDENCE KITCHEN230-239 KITCHEN ACCESSORIES240 SINKTOPS & TAPS241 KITCHEN APPLIANCES242-243 RISE AND FALL UNITS244 WORKTOP AND DOOR OPTIONS245
	MOBILITY RAMPS.....226-249 STANDARD RAMPS.....247 FOLDING ACCESS RAMPS.....248 THRESHOLD RAMPS249 ADJUSTABLE PLATFORMS249
	EXTRAS250-253 ORDER FORM250 GENERAL INFORMATION251 LOCATION / DIRECTIONS252 LEGAL INFORMATION.....253



SHOWER SCREENS

DESIGN INNOVATION

- Aesthetically pleasing design
- Manufactured especially for the special needs market
- Half height screens provide water retention and allow convenient access for a carer
- New improved smooth modern latches and D-handles
- All screens with a 45° corner now feature a stronger magnetic strip to increase water retention
- Quality 1800x1800mm long shower curtains are provided as standard

BOTTOM AND VERTICAL SEALS

- A seal on the bottom edge of the screen provides continuous water barrier
- All rubber seals are coaxial, therefore seals are locked in place and will not roll or peel out

HINGES

- All hinges and caps are made from hardwearing Nylon 6
- Unique rising butt two-way hinge
- All hinge systems open at a full 180 degrees

GASKETS

- Elastomeric gaskets provide high integrity, watertight seal between screen framework and panels

FRAME CONSTRUCTION

- Frames are mechanically fixed with screws
- Extremely robust design
- Made from shatterproof PETG glazing

EASY INSTALLATION


- All screens are designed for easy installation
- Comprehensive fitting instructions are always provided

QUALITY CONTROL

- All screens are checked at each stage of production
- Final inspection prior to packing
- Bubble wrapped and boxed to reach the customer in perfect condition
- The fitting of non AKW screens to our trays and formers is not recommended. This can adversely effect the integrity of the water seal.

Please note: Screens are not guaranteed water tight. Any 760mm screen is achieved with an extra wide compensator. The use of power showers is not recommended with AKW screens.





OPTION A SCREEN, HANDED.


Bi-fold door to 'A/B' side opening in and out. Single door to 'C' side opening in and out. L-shaped curtain rail supplied.

Please Note: Handles are included with Option A screens

Overall Tray Dimension	A	B	C	D	E	F	G	
							900mm	750mm
1000 x 700mm	416mm	461mm	570mm	1880mm	1000mm	700mm	91002L/R	91001L/R*
1200 x 700mm	516mm	561mm	570mm	1880mm	1200mm	700mm	91004L/R	91003L/R
1200 x 760mm	516mm	561mm	570mm	1880mm	1200mm	760mm	91189L/R	91188L/R
1250 x 750mm	516mm	561mm	570mm	1880mm	1250mm	750mm	91191L/R	91190L/R
1300 x 700mm	566mm	611mm	570mm	1880mm	1300mm	700mm	91006L/R	91005L/R*
1350 x 750mm	566mm	611mm	570mm	1880mm	1350mm	750mm	91193L/R	91192L/R

* Please Note: 760mm tray is achieved with extra wide compensator
Compensators are set at mid point giving 14.5mm in and out adjustment on both sides
Drop rod is 600mm

Denotes Multi Spec Screens ☐



OPTION B SCREEN, HANDED.

Side panel with single door to 'F' side opening in and out. Bi-fold doors to 'G' side opening in and out. L-shaped curtain rail supplied.

Please Note: Handles are included with Option B screens


Overall Tray Dimension	A	B	C	D	E	F	G	H	
								900mm	750mm
1200 x 700mm	408mm	746mm	311mm	266mm	1880mm	1200mm	700mm	91009L/R	91007L/R*
1200 x 760mm	408mm	746mm	311mm	266mm	1880mm	1200mm	760mm	91195L/R	91194L/R
1200 x 820mm	408mm	746mm	371mm	326mm	1880mm	1200mm	820mm	91010L/R	91008L/R
1250 x 750mm	408mm	746mm	311mm	266mm	1880mm	1250mm	750mm	91197L/R	91196L/R
1300 x 700mm	724mm	562mm	311mm	266mm	1880mm	1300mm	700mm	91169L/R	91168L/R
1420 x 700mm	692mm	682mm	371mm	266mm	1880mm	1420mm	700mm	91015L/R	91013L/R
1420 x 820mm	692mm	682mm	371mm	326mm	1880mm	1420mm	820mm	91016L/R	91014L/R
1470 x 750mm	742mm	682mm	371mm	326mm	1880mm	1470mm	750mm	91199L/R	91198L/R
1500 x 700mm	792mm	690mm	311mm	266mm	1880mm	1500mm	700mm	91019L/R	91017L/R*
1700 x 700mm	810mm	844mm	311mm	266mm	1880mm	1700mm	700mm	91022L/R	91021L/R*

* Please Note: 760mm tray is achieved with extra wide compensator
Compensators are set at mid point giving 14.5mm in and out adjustment on both sides

Denotes Multi Spec Screens ☐

SCREEN DIAGRAMS

NON HANDED



OPTION BF SCREEN, HANDED.

Bi-parting doors to 'F' and 'G' sides, opening in and out. L-shaped curtain rail supplied.

Please Note: Handles are included with Option BF screens


Overall Tray Dimension	A	B	C	D	E	F	G	900mm ^H	750mm
1000 x 1000mm	377mm	577mm	577mm	377mm	1880mm	1000mm	1000mm	91024N	91023N
1050 x 1050mm	377mm	577mm	577mm	377mm	1880mm	1050mm	1050mm	91201N	91200N

*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides


Denotes Multi Spec Screens ☐

SCREEN DIAGRAMS

LEFT HAND



RIGHT HAND



OPTION C SCREEN, HANDED.


Bi-parting doors to 'D' side opening in and out with fixed panel to 'E' side. L-shaped curtain rail supplied.

Please Note: Handles are an optional extra

Overall Tray Dimension	A	B	C	D	E	900mm ^F	750mm
1000 x 700mm	435mm	435mm	1880mm	1000mm	700mm	91027L/R	91025L/R*
1000 x 1000mm	435mm	435mm	1880mm	1000mm	1000mm	91028L/R	91026L/R
1050 x 1050mm	435mm	435mm	1880mm	1050mm	1050mm	91203L/R	91202L/R
1200 x 650mm	535mm	535mm	1880mm	1200mm	650mm	91032L/R	91029L/R
1200 x 700mm	535mm	535mm	1880mm	1200mm	700mm	91033L/R	91030L/R
1200 x 760mm	535mm	535mm	1880mm	1200mm	760mm	91205L/R	91204L/R
1200 x 820mm	535mm	535mm	1880mm	1200mm	820mm	91034L/R	91031L/R
1250 x 750mm	535mm	535mm	1880mm	1250mm	750mm	91207L/R	91206L/R
1300 x 700mm	585mm	585mm	1880mm	1300mm	700mm	91037L/R	91035L/R
1300 x 820mm	585mm	585mm	1880mm	1300mm	820mm	91038L/R	91036L/R*
1350 x 750mm	585mm	585mm	1880mm	1300mm	750mm	91209L/R	91208L/R

*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides

Denotes Multi Spec Screens ☐



OPTION D SCREEN, HANDED.

Bi-parting doors and fixed panel to 'F' side and fixed panel 'G' side. L-shaped curtain rail supplied.


Please Note: Handles are included with Option D screens

Overall Tray Dimension	A	B	C	D	E	F	G	H 900mm 750mm	
1200 x 700mm	365mm	330mm	398mm	700mm	1880mm	1200mm	700mm	91040L/R	91039L/R*
1200 x 760mm	365mm	330mm	398mm	760mm	1880mm	1200mm	760mm	91211L/R	91210L/R*
1250 X 750mm	365mm	330mm	398mm	750mm	1880mm	1250mm	750mm	91213L/R	91212L/R*

*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides

Extra wide compensators are required when purchasing Multi Spec screens separately.

Denotes Multi Spec Screens ☐



OPTION E SCREEN, HANDED.


Bi-fold doors to 'F' and 'G' sides, opening in and out. L-shaped curtain rail supplied.

Please Note: Handles are included with Option E screens

Overall Tray Dimension	A	B	C	D	E	F	G	H 900mm 750mm	
800 x 800mm	316mm	361mm	361mm	316mm	1880mm	800mm	800mm	91044N	91043N
820 x 820mm	326mm	371mm	371mm	326mm	1880mm	820mm	820mm	91044N	91043N
900 x 900mm	366mm	411mm	411mm	366mm	1880mm	900mm	900mm	91046N	91045N
1000 x 700mm	416mm	461mm	461mm	266mm	1880mm	1000mm	700mm	91049L/R	91047L/R
1000 x 1000mm	416mm	461mm	461mm	416mm	1880mm	1000mm	1000mm	91050N	91048N
1050 x 1050mm	416mm	461mm	461mm	416mm	1880mm	1050mm	1050mm	91215N	91214N
1200 x 700mm	516mm	561mm	311mm	266mm	1880mm	1200mm	700mm	91057L/R	91053L/R
1200 x 760mm	516mm	561mm	311mm	266mm	1880mm	1200mm	760mm	91217L/R	91216L/R
1200 x 820mm	516mm	561mm	371mm	326mm	1880mm	1200mm	820mm	91058L/R	91054L/R
1200 x 900mm	516mm	561mm	411mm	366mm	1880mm	1200mm	900mm	91060L/R	91056L/R
1250 x 750mm	516mm	561mm	311mm	266mm	1880mm	1250mm	750mm	91219L/R	91218L/R
1300 x 700mm	566mm	611mm	311mm	266mm	1880mm	1300mm	700mm	91063L/R	91061L/R
1300 x 820mm	566mm	566mm	371mm	326mm	1880mm	1300mm	820mm	91064L/R	91062L/R
1350 x 750mm	566mm	611mm	311mm	266mm	1880mm	1350mm	750mm	91221L/R	91220L/R

*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides

Denotes Multi Spec Screens ☐



OPTION H SCREEN, NON HANDED.
Fits all tray sizes LH and RH. No curtain rail supplied.


Please Note: Curtain rail size needs to be stated on order

Overall Tray Dimension	A	B	C	D	900mm	750mm
FITS MOST TRAYS SIZES*	600mm	1880mm	FITS MOST TRAYS SIZES*	FITS MOST TRAYS SIZES*	91069N	91074N
	650mm	1880mm			91222N	91223N
	700mm	1880mm			91070N	91075N
	750mm	1880mm			91224N	91225N
	800mm	1880mm			91071N	91076N
	850mm	1880mm			91226N	91227N
	900mm	1880mm			91072N	91077N
	950mm	1880mm			91228N	91229N
	1000mm	1880mm			91073N	91078N
	1050mm	1880mm			91030N	91231N

Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides
* Please Note: Screen width needs to be less than the length of the tray and provide adequate access for user
** Extra wide compensators are required when purchasing Multi Spec screens separately.

Denotes Multi Spec Screens ☐

SCREEN DIAGRAMS




OPTION HF SCREEN, NON HANDED.
Fits all tray sizes LH and RH. No curtain rail supplied.

Please Note: Curtain rail size needs to be stated on order

Overall Tray Dimension	A	B	C	D	E	Code
FITS MOST TRAYS SIZES*	600mm	1880mm	FITS MOST TRAYS SIZES*	FITS MOST TRAYS SIZES*	1880mm	91079N
	650mm	1880mm			1880mm	91242N
	700mm	1880mm			1880mm	91080N
	750mm	1880mm			1880mm	91243N
	800mm	1880mm			1880mm	91081N
	850mm	1880mm			1880mm	91244N
	900mm	1880mm			1880mm	91082N
	950mm	1880mm			1880mm	91245N
	1000mm	1880mm			1880mm	91083N
	1050mm	1880mm			1880mm	91246N

Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides
* Please Note: Screen width needs to be less than the length of the tray and provide adequate access for user
** Extra wide compensators are required when purchasing Multi Spec screens separately.

Denotes Multi Spec Screens ☐



OPTION J SCREEN, HANDED.

Fixed panel with single door opening out only. Curtain rail L-shaped, can be cut to fit straight.


Please Note: Handles are included with Option J screens

Overall Tray Dimension	A	B	C	D	E	F	
						900mm	750mm
1300 x 700mm	417mm	764mm	1880mm	1300mm	700mm	91085L/R	91084L/R
1300 x 820mm	417mm	764mm	1880mm	1300mm	820mm	91085L/R	91084L/R
1350 x 750mm	467mm	764mm	1880mm	1350mm	750mm	91253L/R	91252L/R
1420 x 700mm	537mm	764mm	1880mm	1420mm	700mm	91087L/R	91086L/R
1420 x 820mm	537mm	764mm	1880mm	1420mm	820mm	91087L/R	91086L/R
1470 x 750mm	587mm	764mm	1880mm	1470mm	750mm	91255L/R	91254L/R
1700 x 700mm	775mm	826mm	1880mm	1700mm	700mm	91089L/R	91088L/R

*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides

Extra wide compensators are required when purchasing Multi Spec screens separately.

Denotes Multi Spec Screens ☐



OPTION K SCREEN, HANDED.


Double bi-fold doors to 'G' side opening in and out. Fixed side panel to 'H'. L-shaped curtain rail supplied.

Overall Tray Dimension	A	B	C	D	E	F	G	H	
								900mm	750mm
1200 x 650mm	287mm	252mm	252mm	287mm	650mm	1880mm	1200mm	91092L/R	91090L/R
1200 x 700mm	287mm	252mm	252mm	287mm	700mm	1880mm	1200mm	91093L/R	91091L/R
1200 x 760mm	287mm	252mm	252mm	287mm	760mm	1880mm	1200mm	91257L/R	91256L/R
1250 x 750mm	287mm	252mm	252mm	287mm	750mm	1880mm	1250mm	91259L/R	91258L/R
1420 x 700mm	342mm	307mm	307mm	342mm	700mm	1880mm	1420mm	91096L/R	91094L/R*
1420 x 820mm	342mm	307mm	307mm	342mm	820mm	1880mm	1420mm	91097L/R	91095L/R
1470 x 750mm	342mm	307mm	307mm	342mm	750mm	1880mm	1470mm	91261L/R	91260L/R*
1700 x 700mm	412mm	377mm	377mm	412mm	700mm	1880mm	1700mm	91099L/R	91098L/R*

*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides

Extra wide compensators are required when purchasing Multi Spec screens separately.

Denotes Multi Spec Screens ☐




OPTION M SCREEN, NON HANDED.

Bi-parting doors opening in and out. Curtain rail L-shaped, can be cut to fit straight.

Overall Tray Dimension	A	B	C	D	E	
					900mm	750mm
800 x 800mm	324mm	324mm	1880mm	800mm	91109N	91104N
900 x 900mm	364mm	364mm	1880mm	900mm	91105N	91100N*
1000 x 700mm	364mm	364mm	1880mm	1000mm	91106N	91101N
1000 x 1000mm	364mm	364mm	1880mm	1000mm	91106N	91101N
1050 x 1050mm	364mm	364mm	1880mm	1050mm	91263N	91262N
1200 x 650mm	514mm	514mm	1880mm	1200mm	91107N	91102N
1200 x 700mm	514mm	514mm	1880mm	1200mm	91107N	91102N
1200 x 760mm	514mm	514mm	1880mm	1200mm	91107N	91102N
1200 x 820mm	514mm	514mm	1880mm	1200mm	91107N	91102N
1250 x 750mm	514mm	514mm	1880mm	1250mm	91265N	91264N
1300 x 700mm	564mm	564mm	1880mm	1300mm	91108N	91103N*
1300 x 820mm	564mm	564mm	1880mm	1300mm	91108N	91103N*
1350 x 750mm	564mm	564mm	1880mm	1350mm	91267N	91266N*

*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides
Extra wide compensators are required when purchasing Multi Spec screens separately.

Denotes Multi Spec Screens ☐




OPTION N SCREEN, NON HANDED.

Twin bi-folding doors, opening in and out. Curtain rail L-shaped, can be cut to fit straight.

Overall Tray Dimension	A	B	C	D	E	F	G	
							900mm	750mm
1200 x 650mm	277mm	242mm	242mm	277mm	1880mm	1200mm	91118N	91110N
1200 x 700mm	277mm	242mm	242mm	277mm	1880mm	1200mm	91118N	91110N
1200 x 760mm	277mm	242mm	242mm	277mm	1880mm	1200mm	91118N	91110N
1200 x 820mm	277mm	242mm	242mm	277mm	1880mm	1200mm	91118N	91110N
1250 x 750mm	277mm	242mm	242mm	277mm	1880mm	1250mm	91269N	91268N
1300 x 700mm	302mm	267mm	267mm	302mm	1880mm	1300mm	91119N	91111N
1300 x 820mm	302mm	267mm	267mm	302mm	1880mm	1300mm	91119N	91111N
1350 x 750mm	302mm	267mm	267mm	302mm	1880mm	1350mm	91271N	91270N
1420 x 700mm	332mm	297mm	297mm	332mm	1880mm	1420mm	91121N	91113N
1420 x 820mm	332mm	297mm	297mm	332mm	1880mm	1420mm	91121N	91113N
1470 x 750mm	332mm	297mm	297mm	332mm	1880mm	1470mm	91273N	91272N
1500 x 700mm	352mm	317mm	317mm	352mm	1880mm	1500mm	91122N	91114N
1524 x 762mm	358mm	323mm	323mm	358mm	1880mm	1524mm	91116N	91115N
1524 x 915mm	358mm	323mm	323mm	358mm	1880mm	1524mm	91116N	91115N
1700 x 700mm	402mm	367mm	367mm	402mm	1880mm	1700mm	91124N	91117N

*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides
Extra wide compensators are required when purchasing Multi Spec screens separately.

Denotes Multi Spec Screens ☐



OPTION P SCREEN, HANDED.

Fixed panel with bi-parting overlapping doors, opening in and out. Straight curtain rail.

Please Note: Handles are included with Option P screens


Overall Tray Dimension	A	B	C	D	E	F	
						900mm	750mm
1800 x 700mm	570mm	620mm	638mm	1880mm	1500 - 1800mm	91126L/R	91125L/R
1800 x 820mm	570mm	620mm	638mm	1880mm	1500 - 1800mm	91126L/R	91125L/R
1850 x 750mm	620mm	620mm	638mm	1880mm	1550 - 1850mm	91275L/R	91274L/R

Column E - measurements account for adjustment with overlapping doors

*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides


Extra wide compensators are required when purchasing Multi Spec screens separately.

Overlapping doors enable the Option P screen set to be adjusted on site to accommodate different alcove widths. This avoids the need for accurate pre-measurement and specially made screens



In-Line Magnetic Door Closers

Denotes Multi Spec Screens ☐



OPTION TT SCREEN, HANDED.

Trimmable panel with bi-parting doors, opening in and out. Straight curtain rail.

Please Note: Handles are an optional extra

Overall Tray Dimension	A	B	C	D	E	F	
						900mm	750mm
1500 x 700mm	385mm	524mm	524mm	1880mm	1500 - 1800mm	91128L/R	91127L/R
1700 x 700mm	585mm	524mm	524mm	1880mm	1500 - 1800mm	91128L/R	91127L/R
1800 x 700mm	685mm	524mm	524mm	1880mm	1500 - 1800mm	91128L/R	91127L/R
1800 x 820mm	685mm	524mm	524mm	1880mm	1500 - 1800mm	91128L/R	91127L/R

Column A - maximum size of trimmable panel

Column E - measurements account for adjustment (on door side only) with trimmable panel


Option TT screens not available for Multi Spec trays or Pipe Ducted trays

All options Patented GB 2429030

*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides

Option TT screen, handed, with bi-parting doors to give 900mm clear entry path, opening in and out. Fixed panel is trimmable on-site to suit alcove situations. Straight curtain rail can be cut to fit.

Denotes Multi Spec Screens ☐



OPTION U SCREEN, HANDED.


Fixed panel with bi-parting doors, opening in and out. L-shaped curtain rail can be cut to fit straight.

Please Note: Handles are an optional extra.

Overall Tray Dimension	A	B	C	D	E	F	
						900mm	750mm
1300 x 700mm	485mm	393mm	393mm	1880mm	1300mm	91131L/R	91129L/R
1300 x 820mm	485mm	393mm	393mm	1880mm	1300mm	91131L/R	91129L/R
1350 x 750mm	535mm	393mm	393mm	1880mm	1350mm	91277L/R	91276L/R
1420 x 700mm	485mm	422mm	422mm	1880mm	1420mm	91132L/R	91130L/R
1420 x 820mm	485mm	422mm	422mm	1880mm	1420mm	91132L/R	91130L/R
1470 x 750mm	535mm	422mm	422mm	1880mm	1470mm	91279L/R	91278L/R

*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides
Extra wide compensators are required when purchasing Multi Spec screens separately.

Denotes Multi Spec Screens ☐



OPTION X SCREEN, HANDED.


Bi-folding doors on 'G' and 'H' side panels, opening in and out. L-shaped curtain rail supplied.

Please Note: Handles are included with Option X screens

Overall Tray Dimension	A	B	C	D	E	F	G	H	I	
									900mm	750mm
1420 x 700mm	690mm	367mm	332mm	311mm	276mm	1880mm	1420mm	700mm	91139L/R	91137L/R
1420 x 820mm	690mm	367mm	332mm	371mm	336mm	1880mm	1420mm	820mm	91140L/R	91138L/R*
1470 x 750mm	740mm	367mm	332mm	311mm	276mm	1880mm	1470mm	750mm	91281L/R	91280L/R
1500 x 700mm	792mm	407mm	372mm	311mm	276mm	1880mm	1500mm	700mm	91143L/R	91141L/R*

*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides
Extra wide compensators are required when purchasing Multi Spec screens separately.

Denotes Multi Spec Screens ☐



OPTION Y SCREEN, HANDED.


Fixed side panel and bi-parting doors to 'F' side. Fixed side panel to 'G' side. L-shaped curtain rail supplied.

Please Note: Handles are an optional extra.

Overall Tray Dimension	A	B	C	D	E	F	G	
							900mm	750mm
1300 x 700mm	381mm	433mm	433mm	700mm	1880mm	1300mm	91147L/R	91145L/R
1300 x 820mm	381mm	433mm	433mm	820mm	1880mm	1300mm	91148L/R	91146L/R
1350 x 750mm	431mm	433mm	433mm	750mm	1880mm	1350mm	91283L/R	91282L/R
1420 x 700mm	500mm	434mm	434mm	700mm	1880mm	1420mm	91151L/R	91149L/R
1420 x 820mm	500mm	434mm	434mm	820mm	1880mm	1420mm	91152L/R	91150L/R
1470 x 750mm	550mm	434mm	434mm	750mm	1880mm	1470mm	91285L/R	91284L/R
1700 x 700mm	702mm	473mm	473mm	700mm	1880mm	1700mm	91154L/R	91153L/R*

*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides
Extra wide compensators are required when purchasing Multi Spec screens separately.

Denotes Multi Spec Screens



OPTION Z SCREEN, HANDED.

Bi-folding doors to give 900mm clear entry path, opening in and out. Fixed panel is trimmable on site to suit alcove situations. Straight curtain rail can be cut to fit.

Please Note: Handles are included with Option Z screens.

Overall Tray Dimension	A	B	C	D	E	F	
						900mm	750mm
1500 x 700mm	410mm	486mm	521mm	1880mm	1500mm	91156L/R	91155L/R
1700 x 700mm	710mm	486mm	521mm	1880mm	1500 - 1800mm	91156L/R	91155L/R
1800 x 700mm	810mm	486mm	521mm	1880mm	1500 - 1800mm	91156L/R	91155L/R
1800 x 820mm	810mm	486mm	521mm	1880mm	1500 - 1800mm	91156L/R	91155L/R
1850 x 750mm	810mm	486mm	521mm	1880mm	1500 - 1800mm	91287L/R	91286L/R



Column A - maximum size of trimmable panel
Column E - measurements account for adjustment (on door side only) with trimmable panel
Option Z screens not available for Multi Spec trays or Pipe Ducted trays

*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides



Denotes Multi Spec Screens

SCREEN DIAGRAMS

LEFT HAND



RIGHT HAND



OPTION BW SCREEN, HANDED.

Fixed panel with single door to 'F' side opening in and out. Bi-fold door to 'G' side opening in and out. L-shaped curtain rail supplied. Supplied with special corner blocks designed to be trimmed on site to accommodate any radius to covered slip resistant flooring.



Please Note: Handles are included with Option BW screens.

Overall Tray Dimension	A	B	C	D	E	F	G	H	
								900mm	750mm
1400 x 900mm	692mm	662mm	411mm	366mm	1880mm	1400mm	900mm	91012L/R	91011L/R
1500 x 820mm	764mm	688mm	371mm	326mm	1880mm	1500mm	820mm	91020L/R	91018L/R



*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides

SCREEN DIAGRAMS

LEFT HAND



RIGHT HAND



OPTION EW SCREEN.


Bi-fold doors to both 'F' and 'G' sides, opening in and out. L-shaped curtain rail supplied. Supplied with special corner blocks designed to be trimmed on site to accommodate any radius to covered slip resistant flooring.

Please Note: Handles are included with Option EW screens

Overall Tray Dimension	A	B	C	D	E	F	G	H	
								900mm	750mm
900 x 900mm	381mm	428mm	428mm	381mm	1880mm	900mm	900mm	91170N	91171N
1000 x 1000mm	431mm	478mm	478mm	431mm	1880mm	1000mm	1000mm	91172N	91173N
1135 x 770mm*	484mm	529mm	346mm	301mm	1880mm	1135mm	770mm	91052L/R	91051L/R
1200 x 1200mm	531mm	578mm	578mm	531mm	1880mm	1200mm	1200mm	91059N	91055N
1300 x 820mm*	581mm	628mm	388mm	341mm	1880mm	1300mm	820mm	91174L/R	91175L/R
1400 x 900mm*	616mm	661mm	411mm	366mm	1880mm	1400mm	900mm	91066L/R	91065L/R
1500 x 820mm*	666mm	711mm	371mm	326mm	1880mm	1500mm	820mm	91068L/R	91067L/R

*Sizes marked with * are handed.

*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides. Drop rod is 600mm




OPTION HW SCREEN, NON HANDED.

Fits LH and RH. Supplied with special corner blocks designed to be trimmed on site to accommodate any radius to covered slip resistant flooring. Trimmable curtain rail.

Overall Tray Dimension	A	B	C	D	E	Code	
						900mm	750mm
FITS MOST TRAYS SIZES*	600mm	900 or 750mm	FITS MOST TRAYS SIZES*	FITS MOST TRAYS SIZES*	1880mm	91233N	91232N
	700mm	900 or 750mm			1880mm	91235N	91234N
	800mm	900 or 750mm			1880mm	91237N	91236N
	900mm	900 or 750mm			1880mm	91239N	91238N
	1000mm	900 or 750mm			1880mm	91241N	91240N

* Please Note: Screen width needs to be less than the length of the tray and provide adequate access for user
Compensators are set at mid point giving 14.5mm in and out adjustment on both sides




OPTION HFW SCREEN, NON HANDED.

Fits LH and RH. Supplied with special corner blocks designed to be trimmed on site to accommodate any radius to covered slip resistant flooring. Trimmable curtain rail.

Overall Tray Dimension	A	B	C	D	E	Code	
						900mm	750mm
FITS MOST TRAYS SIZES*	600mm	1880mm	FITS MOST TRAYS SIZES*	FITS MOST TRAYS SIZES*	1880mm	91247N	
	700mm	1880mm			1880mm	91248N	
	800mm	1880mm			1880mm	91249N	
	900mm	1880mm			1880mm	91250N	
	1000mm	1880mm			1880mm	91251N	

*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides




OPTION MW SCREEN, NON HANDED.

Bi-parting doors opening in and out. Curtain rail L-shaped, can be cut to fit straight. Supplied with special corner blocks designed to be trimmed on site to accommodate any radius to covered slip resistant flooring.

Please Note: Handles are an optional extra

Overall Tray Dimension	A	B	C	D	900mm	E	750mm
1200 x 1200mm	514mm	514mm	1880mm	1200mm	91176N		91177N

*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides



OPTION NW SCREEN, NON HANDED.

Bi-parting doors opening in and out. Curtain rail L-shaped, can be cut to fit straight. Supplied with special corner blocks designed to be trimmed on site to accommodate any radius to covered slip resistant flooring.


Please Note: Handles are an optional extra

Overall Tray Dimension	A	B	C	D	E	F	900mm	G	750mm
1300 x 820mm	316mm	278mm	278mm	316mm	1880mm	1300mm	91178N		91179N
1400 x 900mm	327mm	292mm	292mm	327mm	1880mm	1400mm	91120N		91112N
1500 x 820mm	352mm	317mm	317mm	352mm	1880mm	1500mm	91180N		91181N
1500 x 1200mm	352mm	317mm	317mm	352mm	1880mm	1500mm	91180N		91181N
1600mm	377mm	342mm	342mm	377mm	1880mm	1600mm	91123N		N/A



*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides

SCREEN DIAGRAMS

LEFT HAND



RIGHT HAND



OPTION PW SCREEN, HANDED.

Fixed panel with bi-parting, overlapping doors, opening in and out. Straight curtain rail can be cut to fit. Supplied with special corner blocks designed to be trimmed on site to accommodate any radius to coved slip resistant flooring.

Please Note: Handles are included with Option PW

Overall Tray Dimension	A	B	C	D	E	900mm	F	750mm
1800 x 820mm	570mm	620mm	638mm	1880mm	1500 - 1800mm	91182L/R		91183L/R


Column E - measurements account for adjustment with overlapping doors.

*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides



Overlapping doors enable the Option P screen set to be adjusted on site to accommodate different alcove widths. This avoids the need for accurate pre-measurement and specially made screens.

SCREEN DIAGRAMS

LEFT HAND



RIGHT HAND



OPTION TTW SCREEN, HANDED.

Trimmable panel with bi-parting doors, opening in and out. Straight curtain rail.

Please Note: Handles are an optional extra


Overall Tray Dimension	A	B	C	D	E	900mm	F	750mm
1800 x 820mm	685mm	524mm	524mm	1880mm	1500 - 1800mm	91184L/R		91185L/R

Column A - maximum size of trimmable panel

Column E - measurements account for adjustment (on door side only) with trimmable panel

Option TTW screens not available for Multi Spec trays or Pipe Ducted trays

*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides




OPTION XW SCREEN, HANDED.

Fixed panel with bi-fold doors to 'F' side opening in and out. Bi-fold door to 'G' side opening in and out. L-shaped curtain rail. Supplied with special corner blocks designed to be trimmed on site to accommodate any radius to covered slip resistant flooring.

Please Note: Handles are included on Option XW screens.

Overall Tray Dimension	A	B	C	D	E	F	G	H	900mm	I	750mm
1300 x 820mm	520mm	390mm	347mm	371mm	326mm	1880mm	1300mm	820mm	91136L/R	91134L/R	
1500 x 820mm	690mm	405mm	362mm	371mm	326mm	1880mm	1500mm	820mm	91144L/R	91142L/R	

*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides



OPTION ZW SCREEN, HANDED.


Bi-folding doors to give a 900mm clear entry path, opening in and out. Fixed panel is trimmable on-site to suit alcove situations. Straight curtain rail can be cut to fit. Supplied with special corner blocks designed to be trimmed on site to accommodate any radius to covered slip resistant flooring.

Please Note: Handles are included on Option ZW screens.

Overall Tray Dimension	A	B	C	D	E	900mm	F	750mm
1800 x 820mm	710mm	456mm	517mm	1880mm	1500 - 1800mm	91186L/R	91187L/R	

Column A - maximum size of trimmable panel
Column E - measurements account for adjustment (on door side only) with trimmable panel
Option ZW screens not available for Multi Spec trays or Pipe Ducted trays


*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides



OPTION GA SCREEN, HANDED.
Single wall mounted glass screen supported by wall brace.

Screen Sizes	A	B	CODE
700 x 1950mm	700mm	1950mm	LB00105
800 x 1950mm	800mm	1950mm	LB00106
900 x 1950mm	900mm	1950mm	LB00107
1000 x 1950mm	1000mm	1950mm	LB00108


LEVEL BEST SCREEN SEAL
Seal supplied with all Level Best screens to close the gap between the glass screen and a tray / floor surface if required.



OPTION GB SCREEN, NON HANDED.
Single Freestanding glass screen supported by wall brace.

Screen Sizes	A	B	CODE
900 x 1950mm	900mm	1950mm	LB00111
1000 x 1950mm	1000mm	1950mm	LB00112

LEVEL BEST SCREEN SEAL
Seal supplied with all Level Best screens to close the gap between the glass screen and a tray / floor surface if required.




OPTION SE SCREEN, HANDED.

Mostly handed screens suitable for all trays and wet floors. L-Shape curtain rail can be cut to fit. Supplied with special corner blocks designed to be trimmed on site to accommodate any radius to covered slip resistant flooring.

To Fit Tray Sizes	A	B	C	D	E	F	G	H	CODE
900 - 1000mm	558mm	510mm	510mm	558mm	900 - 1000mm	900 - 1000mm	750mm	1880mm	15500
1200 - 1300mm x 700 - 820mm	708mm	660mm	420mm	468mm	1200 - 1300mm	700 - 820mm	750mm	1880mm	15501L/R
1420 - 1500mm x 700 - 820mm	808mm	760mm	420mm	468mm	1420 - 1500mm	700 - 820mm	750mm	1880mm	15502L/R

Please Note: Sliding screen compensators give 14.5mm adjustment inwards and outwards on both sides.




OPTION SJ SCREEN, HANDED.

Handed screens suitable for all trays and wet floors. L-Shape curtain rail can be cut to fit. Supplied with special corner blocks designed to be trimmed on site to accommodate any radius to covered slip resistant flooring.

To Fit Tray Sizes	A	B	C	D	E	F	CODE
1200 - 1300mm x 700 - 820mm	450mm	430mm	475mm	750mm	1200 - 1300mm	1880mm	15506L/R
1420 - 1500mm x 700 - 820mm	600mm	455mm	500mm	750mm	1420 - 1500mm	1880mm	15507L/R

Please Note: Sliding screen compensators give 14.5mm adjustment inwards and outwards




OPTION SM SCREEN, HANDED.

Handed screens suitable for all trays and wet floors. L-Shape curtain rail can be cut to fit. Supplied with special corner blocks designed to be trimmed on site to accommodate any radius to covered slip resistant flooring.

To Fit Tray Sizes	A	B	C	D	E	CODE
900 - 1000mm	538mm	493mm	900 - 1000mm	750mm	1880mm	15503L/R
1200 - 1300mm x 700 - 820mm	688mm	643mm	1200 - 1300mm	750mm	1880mm	15504L/R
1420 - 1500mm x 700 - 820mm	788mm	743mm	1420 - 1500mm	750mm	1880mm	15505L/R

Please Note: Sliding screen compensators give 14.5mm adjustment inwards and outwards



OPTION SN SCREEN, NON-HANDED.



Non-handed screens suitable for all trays and wet floors. Straight curtain rail can be cut to fit. Supplied with special corner blocks designed to be trimmed on site to accommodate any radius to covered slip resistant flooring.

To Fit Tray Sizes	A	B	C	D	E	F	G	CODE
1200 - 1300mm x 700 - 820mm	402mm	325mm	325mm	402mm	1200 - 1300mm	750mm	1880mm	15508
1420 - 1500mm x 700 - 820mm	452mm	402mm	402mm	452mm	1420 - 1500mm	750mm	1880mm	15509
1700 - 1800mm x 700 - 820mm	527mm	477mm	477mm	527mm	1700 - 1800mm	750mm	1880mm	15510



Please Note: Sliding screen compensators give 14.5mm adjustment inwards and outwards

SCREEN DIAGRAMS

LEFT HAND



RIGHT HAND



OPTION SU SCREEN, HANDED.

Handed screens suitable for all trays and wet floors. Fixed panel can be trimmed on-site to suit alcove situations. L-shape curtain rail can be cut to fit. Supplied with special corner blocks designed to be trimmed on site to accommodate any radius to coved slip resistant flooring.

To Fit Tray Sizes	A	B	C	D	E	F	CODE
1200 - 1300mm x 700 - 820mm	450mm	500mm	455mm	1200 - 1300mm	750mm	1880mm	15511L/R
1420 - 1500mm x 700 - 820mm	600mm	525mm	480mm	1420 - 1500mm	750mm	1880mm	15512L/R
1700 - 1800mm x 700 - 820mm	800mm	575mm	528mm	1700 - 1800mm	750mm	1880mm	15513L/R

Column A - maximum size of trimmable panel



Column E - measurements account for adjustment (on door side only) with trimmable panel

Option SU screens not available for Multi Spec trays or Pipe Ducted trays



*Please Note: Compensators are set at mid point giving 14.5mm in and out adjustment on both sides

SCREEN DIAGRAMS

LEFT HAND



RIGHT HAND



OPTION SX SCREEN, HANDED.



Handed screens suitable for all trays and wet floors. Fixed panel can be trimmed on-site to suit alcove situations. L-shape curtain rail can be cut to fit. Supplied with special corner blocks designed to be trimmed on site to accommodate any radius to coved slip resistant flooring.

To Fit Tray Sizes	A	B	C	D	E	F	G	H	I	CODE
1200 - 1300mm x 700 - 820mm	450mm	513mm	465mm	420mm	468mm	1200 - 1300mm	700 - 820mm	750mm	1880mm	15514L/R
1420 - 1500mm x 700 - 820mm	600mm	538mm	490mm	420mm	468mm	1420 - 1500mm	700 - 820mm	750mm	1880mm	15515L/R
1700 - 1800mm x 700 - 820mm	800mm	581mm	543mm	420mm	468mm	1700 - 1800mm	700 - 820mm	750mm	1880mm	15516L/R



Please Note: Sliding screen compensators give 14.5mm adjustment inwards and outwards

SCREEN DIAGRAMS

LEFT HAND



RIGHT HAND



OPTION SY SCREEN, HANDED.

Handed screens suitable for all trays and wet floors. L-Shape curtain rail can be cut to fit. Supplied with special corner blocks designed to be trimmed on site to accommodate any radius to coved slip resistant flooring.

To Fit Tray Sizes	A	B	C	D	E	F	G	H	CODE
1200 - 1300mm x 700mm	450mm	500mm	455mm	700mm	750mm	1200 - 1300mm	700mm	1880mm	15517L/R
1200 - 1300mm x 820mm	450mm	500mm	455mm	820mm	750mm	1200 - 1300mm	820mm	1880mm	15518L/R
1420 - 1500mm x 700mm	600mm	525mm	481mm	700mm	750mm	1420 - 1500mm	700mm	1880mm	15519L/R
1420 - 1500mm x 820mm	600mm	525mm	481mm	820mm	750mm	1420 - 1500mm	820mm	1880mm	15520L/R

Please Note: Sliding screen compensators give 14.5mm adjustment inwards and outwards

SCREEN ACCESSORIES

SUPPORT POLES



1 Upright pole extension kit

Designed to give additional strength and rigidity to any screen options with a post. The upright pole extension is 940mm long and can be cut to length as required.

Product Code: 24212

2 Back support pole

Suitable for vertical poles where upright support posts may need additional support. The back support pole is 870mm and can be cut to suit tray width.

Product Code: 24211

EXTRA WIDE COMPENSATOR

Designed to give approximately 50mm additional width to a standard shower screen enclosure area. Also for use with a pipe duct kit or where pipes have been boxed in.

WIDTH: 141mm
HEIGHT: 750mm, 900mm or 1880mm



Description	Standard	Wet Floor
750mm Non Handed	24150	24159
750mm Left (short)*	24151	24160
750mm Right (short)*	24152	24161
900mm Non Handed	24153	24162
900mm Left (short)*	24154	24163
900mm Right (short)*	24155	24164
1880mm Non Handed	24156	24165
1880mm Left (short)*	24157	24166
1880mm Right (short)*	24158	24167

* For use with Pipe Duct kits

PORTABLE SHOWER SCREENS

At 750mm and 900mm high, Freeway screens are ideal for use as a splash protector for a carer and can be used on designated trays or wet floors. D handles fitted as standard for ease of lifting and placement.



Product Code: 15165



Product Code: 15136



Product Code: 15135

Freeway 2 Panels (650x650mm)	750mm code: 15166	900mm code: 15342
Freeway 2 Panels (750x750mm)	750mm code: 15165	900mm code: 15343
Freeway 2 Panels (1000x1000mm)	750mm code: 15137	900mm code: 15344
Freeway 3 Panels (350x700x350mm)	750mm code: 15136	900mm code: 15301
Freeway 4 Panels (400x225x225x400mm))	750mm code: 15135	900mm code: 15345

HANDLES & LATCHES

D-HANDLES

Supplied as standard on most corner bi-parting doors but can be supplied on other doors if required. D-handles are also available in Blue (RAL5005) for the partially sighted.


White D-handle: **24105WH**
Blue D-handle: **24105BU**



DOOR LATCHES

supplied as standard on all bi-fold and bi-parting doors. Door latches are also available in Blue (RAL5005) for the partially sighted.

White Door Latch: **24106WH**
Blue Door Latch: **24106BU**



WINDOW SPANNING KIT

Robust and easy to fit, AKW's Window spanning kit provides a simple solution to difficult curtain rail installations.

Consisting of 2 brackets and 1 length of trim to fit curtain track (1.5m long) it is robust and easy to fit.


Kit includes:

- Special Wall brackets
- Hooks and Gliders
- Single Curtain - 1400mm long

Product Code: **24210**

Window Spanning Kit

Track arrangement on a typical cubicle.








WHITE PANELS & COLOURED TRAYS

White polypropylene panels can be specified in place of translucent panels. Coloured trays are also available as special orders on specific trays only please call 01905 823299 for details.

HEAVY DUTY CURTAINS


Width	Drop	Product Code
1800mm	2000mm	24082
2400mm	2000mm	24083
2400mm	1800mm	24084
1800mm	1800mm	24085

NON-HANDED CURTAIN TRACK SYSTEMS

Rail Type & Dimensions	Size (4oz weight)	To be used with Tray / Former size:	Product Code
STRAIGHT 	1900mm		24018
"L" SHAPED 	1000 x 1000mm		24043
	1500 x 1200mm		24126
	1800 x 820mm		24039
"U" SHAPED 	700 x 920 x 700mm	700 x 1000mm	24002
	820 x 1120 x 820mm	820 x 1200mm	24045
	820 x 1220 x 820mm	820 x 1300mm	24095
	820 x 1340 x 820mm	820 x 1420mm	24091
	700 x 1620 x 700mm	700 x 1700mm	24046
	820 x 1720 x 820mm	820 x 1800mm	24026
	1000 x 920 x 1000mm	1000 x 1000mm	24217
	750 x 1170 x 750mm	750 x 1250mm	24017
	750 x 1270 x 750mm	750 x 1350mm	24218
	750 x 1390 x 750mm	750 x 1470mm	24014
	750 x 1770 x 750mm	750 x 1850mm	24021
	1050 x 970 x 1050mm	1050 x 1050mm	24010
	900 x 820 x 900mm	900 x 900mm	24219
	770 x 1050 x 770mm	770 x 1135mm	24220
	1200 x 1120 x 1200mm	1200 x 1200mm	24009
820 x 1420 x 820mm	820 x 1500mm	24047	
 BENDY RAILS	Length 2000mm		24033
	Length 2500mm		24034
	Length 3000mm		24035
 CURTAIN RAIL CONNECTOR	Length 100mm		24036
DROP ROD KIT			07229

INDIVIDUAL WHITE CURTAINS

Curtain lengths of your choice can be selected from the panel below and ordered separately. 1800x1800mm curtains are supplied as standard with all enclosures. Curtain material 100% woven polyester.


Rail Type & Dimensions	Width	Drop	Product Code
	900mm	2000mm	24074
	1800mm	1400mm	24075
	1800mm	1800mm	24076
	1800mm	1900mm	24077
	1800mm	2000mm	24078
	1800mm	2100mm	24079
	1800mm	2400mm	24080
	2135mm	2135mm	24073
	Additional Hooks & Gliders (12 pack)		24092
	Pack of 12 Curtain Rings		24081

MADE TO MEASURE


In addition to standard screens, AKW offer a made to measure screen service and can manufacture any screen combination to your requirements. Below are illustrations of some of the more typical requirements. Made to measure screens are normally despatched 2 working days from agreed specification. All handed screens are shown left handed. Non-handed screens are marked 'non handed'. For quotations please fax us your drawing or phone for template form to be sent to you.

Note: MM screens are non-returnable and non-refundable

MM1/ MM1F MADE-TO-MEASURE SCREEN



Product Code:
91160




Product Code:
91161

Various sizes & configurations available. Fixed Panel




1 Panel

MM2/ MM2F MADE-TO-MEASURE SCREEN




Product Code:
91162




Product Code:
91163

Various sizes & configurations available. Fixed Panel
Single door opening out only




2 Panels

MM3/ MM3F MADE-TO-MEASURE SCREEN




Product Code:
91164



Product Code:
91165

Various sizes & configurations available. Fixed Panel
2 x bi-parting doors




3 Panels

MADE TO MEASURE

AKW can make special screens to fit alto floors for any of our trays. Alternatively if you require a different screen configuration and can provide us with an accurate drawing, we will be able to quote for individual requirements.

Note: MM screens are non-returnable and non-refundable


MM4 MADE-TO-MEASURE SCREEN



Product Code:
91166


Various sizes & configurations available.

Twin bi-folding doors opening in and out (illustrated)
Smallest size 1160mm wide.
Bi-fold not available full height.



4 Panels


MM5 MADE-TO-MEASURE SCREEN



Product Code:
91167


Various sizes & configurations available. Fixed Panel

Twin bi-folding doors opening in and out



5 Panels

SPECIFYING MADE-TO-MEASURE SCREENS



Note: Standard Compensators have an overall adjustment of 29mm.

For AKW trays please state:

- Tray type
- Tray size
- Tray handing (if any)
- Accurate drawing (giving measurements for panel and post sizes or door entry width)

For Wet Floor areas please consider:

- Rise and fall hinges to clear the floor.
- Corner blocks trim to fit on site to fit the corner radius on safety flooring
- Accurate drawing required

For wall to wall made-to-measure screens please state:

- Dimensions A, B and C (after completion of wall tiling)

PHOTOCOPY THIS PAGE AND SEND OR FAX US YOUR REQUEST

COMPANY DETAILS _____ DATE _____

REQUESTED BY _____ ORDER No _____

PLEASE TICK THE BOXES FOR YOUR REQUIREMENTS

IS THIS SCREEN FOR WET FLOOR i.e Tuff Form ☐

IS THE SCREEN FOR A SHOWER TRAY ☐ NAME OF TRAY _____

If the tray is not an AKW / TD tray then you will need to provide dimensions of tray on your drawing

HEIGHT OF SCREEN SET 750 ☐ 900 ☐ 1800 ☐ 1880 ☐ Other ☐

WIDTH / SIZE OF SCREEN REQUIRED _____

If cubicle is to go under a window ledge please give height of ledge _____

Mixing AKW and other manufacturers products to create an enclosure will invalidate your warranty

CURTAIN RAIL Straight ☐ L-rail ☐ U rail ☐ Size _____

CURTAINS 1400 drop ☐ 1800 (standard) ☐ 1900 ☐ 2000 ☐

2100 ☐ 2135 ☐ 2400 ☐

HEAVY DUTY CURTAINS 1800 drop ☐ 2000 ☐

OTHER REQUIREMENTS

CURVE CORNER RADIUS BLOCKS ☐ EXTRA WIDE COMPENSATORS ☐

POST EXTENSIONS: POST / CEILING ☐ POST / WALL ☐

HANDLES / LATCHES: WHITE ☐ BLUE ☐

RAMPS: 18mm high ☐ 38mm high ☐ Straight ☐ Left Hand ☐ Right Hand ☐

FAILURE TO SUPPLY US WITH THE RELEVANT DETAILS AT TIME OF ORDER MAY CAUSE
A DELAY IN YOUR ORDER BEING MADE

PHOTOCOPY THIS PAGE AND SEND OR FAX US YOUR REQUEST

DETAILED DRAWING

DECLARATION

I, THE CUSTOMER CONFIRM THAT I HAVE CHECKED ALL OF THE ABOVE DETAILS AND AGREE THAT THE INFORMATION PROVIDED ON THIS FORM IS CORRECT. I CONFIRM THAT I WOULD LIKE TO PROCEED WITH THE MANUFACTURING OF THIS SCREEN. I ACCEPT RESPONSIBILITY FOR PAYMENT IF I HAVE GIVEN ANY WRONG INFORMATION. I AM AWARE THAT MM SCREENS ARE NON-REFUNDABLE & NON-RETURNABLE.

SIGNED _____ PRINT NAME _____ DATE _____

AKW MEDI-CARE LTD OFFICE USE ONLY

PURCHASE ORDER NUMBER

OPTION _____ AUTHORISED FOR PROCESSING _____ DATE _____

OPTION _____ AUTHORISED FOR PROCESSING _____ DATE _____



DIGITAL PUMPS

AKW offer a comprehensive range of digital shower waste pumps to suit any installation. All pumps illustrated are designed and manufactured by AKW Medi-Care Limited. Additional flow sensors are available for use with dual feed showers.

DIGIPUMP® M1, M2 & M3 INSTALLATION

The unit must be mounted in a vertical position with the inlet and outlet connections at the bottom, ensure the plumbing connections correspond to the arrow of flow indicated on the pump.

The pump is fitted with two sets of flow sensor wires, either can be used for single flow sensor use (mixer type showers require an additional flow sensor fitted to the hot water supply. Flow sensors must be mounted in the water feed to the shower.

The pump allows for precise pump control of the shower water by calculating the amount of water the shower is producing. It may be necessary to adjust the pump once installation is complete. The DigiPump range consists of pump, flow sensor with 3m flex, water filter and surface fixing kit.


(See opposite page for diagrams)

WASTE OPTIONS

WASTE OPTIONS			
<p>Patent Pending Reg Des. 3016631</p>	<p>Patent Pending Reg Des. 3023907</p>	<p>Patent Pending Reg Des. 3016631</p>	<p>Patent Pending Reg Des. EU000717541-001/2/3</p>
AKW DIGIPUMP® M1 WASTE WATER PUMP <ul style="list-style-type: none"> For use with single supply or mixer showers Pump and controller enclosed in one unit Max flow rate: 19 litres / min Non-handed unit (To fit left or right inlet) 22mm inlet <p>Product Code: 25190</p>	AKW DIGIPUMP® M2 WASTE WATER PUMP KIT <ul style="list-style-type: none"> For use with high performance showers or low pressure mixer types Pump and controller enclosed in one unit Non-handed unit (To fit left or right inlet) Works at low voltage to comply with BS 7671 Max flow rate: 18-23 litres / min 32/22mm inlet <p>Product Code: 25192</p>	AKW DIGIPUMP® M3 WASTE WATER PUMP <ul style="list-style-type: none"> For use with electric mixer showers Pump and controller enclosed in one unit Max flow rate: 16 litres / min Non-handed unit (To fit left or right inlet) 22mm inlet <p>Product Code: 25193</p>	AKW DIGIPUMP® 4 HIGH PERFORMANCE WASTE WATER PUMP <ul style="list-style-type: none"> Quiet in operation For use with single supply, electric or mixer showers Pump and controller enclosed in one unit Max flow rate: 11 litres / min Non-handed unit (To fit left or right inlet) 15mm inlet IP45 <p>Product Code: 25255</p>

PUMP DIAGRAMS


MIXER SHOWER INSTALLATION



Electrical Key 230v AC
Neutral ———
Line ———

Electrical Key 24v DC
Neutral ———
Line ———

ELECTRIC SHOWER INSTALLATION



WASTE OPTIONS




MANUAL PUMPS

AKW offer a range of manual shower waste pumps to accommodate individual needs. All pumps illustrated are designed and manufactured by AKW Medi-Care Limited. Additional flow sensors are available for use with dual feed showers.

PUMP DIAGRAM

ELECTRIC SHOWER INSTALLATION

The pump is automatically activated on via a flow switch installed in the cold water feed to the shower heater. When the shower is switched off the pump continues to run due to an easily adjusted run-on timer, which allows the shower tray to drain completely before the pump switches off automatically.



Electrical Key 230v AC		Electrical Key 24v DC	
Neutral	-----	Neutral	-----
Line	-----	Line	-----

WASTE OPTIONS



ARCHIMEDES 4

ADJUSTABLE WASTE WATER PUMP UNIT

- For use with single supply, electric or mixer showers
- Pump and controller enclosed in two units
- Non-handed unit (To fit left or right inlet)
- 15mm inlet
- Max Flow rate: (adjustable up to 11 litres per min)

Product Code: **25174**



ARCHIMEDES 4F

FIXED SPEED WASTE WATER PUMP UNIT

- For use with electric or mixer showers
- Pump and controller enclosed in two units
- Non-handed unit (To fit left or right inlet)
- 15mm inlet
- Max Flow rate: 11 litres/ min (Fixed)


Product Code: **25179**



PUMP DIAGRAMS

MIXER VALVE SHOWER INSTALLATION

The pump is automatically activated on via two flow switches installed in the cold and hot water feeds. Either one can turn the pump on but both flow switches need to be off before the pump will switch off. When the shower is switched off the pump continues to run due to an easily adjusted run-on timer, which allows the shower tray to drain completely before the pump switches off automatically.



Electrical Key 230v AC		Electrical Key 24v DC	
Neutral	-----	Neutral	-----
Line	-----	Line	-----

WASTE OPTIONS


All pumped waste outlets illustrated are exclusive to AKW Medi-Care Limited. Wastes are usually supplied with trays and enclosures but are also available separately to customers who buy pumps.

PW50 50MM STANDARD PUMPED WASTE

Issued as standard with both automatic and automatic mixer valve pump kits.

- Good seals and location
- Quieter running
- Built-in filter
- Opens for easy cleaning and rodding
- 38mm deep below mounting surface
- 15mm & 22mm John Guest Speedfit outlets available

Patent GB2375479



15mm Product Code: **25122**

22mm Product Code: **25405**

PW90 90MM DIAMETER PUMPED WASTE

Specially designed shallow pump gulley (for Dalby, Mullen & Keppel) with two baffle features that help to reduce the noise during showering cycles.

- Good seals & location
- Built-in filter
- Quieter running
- 36mm deep below mounting surface
- Opens for easy cleaning and rodding
- 15mm & 22mm John Guest Speedfit outlets available

Patent GB2375479



15mm Product Code: **25105**


22mm Product Code: **25406**

PGTF TUFF-FORM PUMPED GULLEY (15mm or 22mm)

Can be specified with any Tuff Form former with vinyl floor covering.

- 15mm or 22mm outlet pipe versions available
- 15mm waste has integral outlet
- Opens for easy cleaning and rodding (standard 15mm)
- 15mm depth below tray = 35mm
- 22mm depth below tray = 44mm
- 122mm John Guest Speedfit outlets available

Patent GB 2373515



15mm Product Code: **25101**

22mm Product Code: **25123**

WASTE OPTIONS


All pumped waste outlets illustrated are exclusive to AKW Medi-Care Limited. Wastes are usually supplied with trays and enclosures but are also available separately to customers who buy pumps.

SCREEDMASTER® PUMPED GULLEY

For use with graded floor installations with vinyl floor covering.

- Opens for easy cleaning and rodding
- 15mm JG Speedfit outlet
- 15 or 22mm outlet
- 32mm deep

Patent GB2374876



15mm Product Code: **25100**

22mm Product Code: **25407**

UPWARD DISCHARGE (FACTORY FITTED)

Can be specified for Braddan and Multi-Spec trays for unbreachable floors where a standard pump waste is not suitable.

- Opens for easy cleaning and rodding
- Nothing below tray level
- 15mm JG Speedfit outlet

Reg Des. EU000627146-0001
Patent Pending




SS-PGTF PUMPED GULLEY

(15mm or 22mm)

Can be specified with any Tuff Form former with vinyl floor covering.

- 15mm or 22mm outlet pipe versions available
- Opens for easy cleaning and rodding (standard 15mm)
- 15mm depth below tray = 35mm
- 22mm depth below tray = 44mm
- 15 or 22mm JG Speedfit outlet
- Stainless steel plate dimensions = 120x120mm.
- Stainless steel plate height is adjustable to max of 18mm with adhesive




Product Code: **LB00104**

SS-TFWA WASTE ADAPTOR INCLUDES GW50 50MM STANDARD WASTE

This adaptor ring allows a typical top clearing waste to be fitted into a Tuff Form® wet floor former.

- Opens from above for easy installation
- 50mm or 19mm trap versions available
- Stainless steel plate dimensions = 120x120mm.
- Stainless steel plate height is adjustable.
- Stainless steel plate height is adjustable to max of 18mm with adhesive

EU Reg Des. 000135702-0009



Depths include GW50 attached

Product Code: **LB00171**

WASTE OPTIONS

All gravity waste outlets illustrated are exclusive to AKW Medi-Care Limited. Wastes usually supplied with trays and enclosures but are also available separately.

STANDARD GRAVITY WASTE WITH 19MM OR 50MM WATER TRAP

AKW Standard gravity waste with 19mm or 50mm water trap for Braddan and Multi Spec.


- Good seals and location
- Built in filter
- 124mm deep below mounting surface
- 50mm or 19mm water trap depth (seal)
- 50mm threaded waste fitting



GW90 90MM DIAMETER GRAVITY WASTES

90mm diameter waste with 50mm water trap for Low Profile, Mullen, Dalby and Keppel

- Built in filter
- 90mm deep below mounting surface
- Opens for easy cleaning and rodding
- 50mm water trap depth (seal)
- 90mm threaded waste fitting




TF75 TUFF FORM® GRAVITY WASTES

Can be specified with any Tuff Form® wet floor former and for any screeded floor installation in a breachable floor

- Opens for easy cleaning and rodding
- 125mm deep below mounting surface
- 75mm water trap depth (seal)
- Adjustable elbow for waste pipe exit

Patented



TFWA TUFF FORM® WASTE ADAPTOR


INCLUDES GW50 50MM STANDARD WASTE

This adaptor ring allows a typical top clearing waste to be fitted into a Tuff Form® wet floor former.

- Opens from above for easy installation
- 50mm or 19mm trap versions available

EU Reg Des. 000135702-0009

* when tested to conditions of BS EN 274 Part2: 2002



SS-TF75 GRAVITY WASTE

Can be specified with any Tuff Form® wet floor former and for any screeded floor installation in a breachable floor

- Opens for easy cleaning and rodding
- 125mm deep below mounting surface
- 75mm water trap depth (seal)
- Adjustable elbow for waste pipe exit
- Stainless steel plate dimensions = 120x120mm.
- Stainless steel plate height is adjustable to max of 18mm with adhesive



MIRA SHOWER

THE MIRA ADVANCE ATL FLEX SHOWER HEATER

- INDEPENDENT SHOWERING FOR ALL.

The Mira Advance ATL Flex 9.0kW offers safe thermostatic control for precise and regulated temperature selection. With adjustable temperature safeguards and extended lever control it is safe and easy to use, making it the ideal choice for people with special needs.

- Independent temperature and flow selection mean that there is no need to reset the temperature each time the shower is used.
- Thermostatic control to +/- 1°C with adjustable maximum temperature limit for extra safety.
- Adjustable handset features four different spray patterns.
- Extended 2m hose, 1m slide bar and additional handset holder to accommodate seated or standing showering position.
- Raised areas to aid navigation.
- Colour contrasting panel.
- Audible bleeps on control buttons.
- RNIB Endorsement.
- Flow rate 11 litres max

Product Code: **25104**



TRITON SHOWER

TRITON SAFEGUARD PUMPED CARE - THERMOSTATIC ELECTRIC SHOWER

- Pumped electric for low or negligible water pressures
- Unique three stage thermostatic performance
- Timed shower function
- Large start/stop button
- Minimum temperature set at 35°C
- Push button start/stop with phased shutdown
- Power and low flow indicators
- Extended 1m riser rail

Product Code: **25300**



TRITON SAFEGUARD T100 CARE - THERMOSTATIC ELECTRIC SHOWER

- Unique three stage thermostatic performance
- Adjustable maximum temperature stop
- Minimum temperature set at 35°C
- Operates even when the site has low pressure
- Earth bonding within unit
- Level access waste pump connectivity
- Timed shower function
- Raised features and contrasting moving parts
- Large start/stop button
- Power and low flow indicators
- Phased shutdown
- Extended 1m riser rail

Product Code: **25336**

