
# marefield epron Ita



## **Quality Plumbing Products Manufacturers**

## marefield. epson Itd

Masefield-Epson Limited was founded over 40 years ago and was originally located in Dudley, West Midlands. First registered in 1961 as 'Masefield Plastimetals Limited', its primary purpose was to serve the sanitaryware manufacturing industry, supplying plastic products in place of metal equivalents.

In the early years the claim was that it took the lead in the manufacture of a great number of plastic plumbing fittings previously only manufactured in metal, which are now in everyday use in the trade.

The manufacturing policy of this company from its inception has always been to serve the Builders Merchants, Sanitaryware and Cistern manufacturers with quality plumbing products and spares. This professional service has continually been reinforced by a highly trained workforce and led by directors with many years experience in most aspects of the industry.

During the first few years following the establishment of the company, **Epson Products Limited** was acquired, leading to the merger of the metal and plastic manufacturers. The new company quickly expanded and moved the manufacturing to larger premises.

Masefield-Epson Limited carried on with steady growth until the retirement of the original directors in 1989. In January of that year the company was purchased by the **Thomas Dudley Group Limited**. Masefield-Epson Limited was further developed with extended product ranges, new premises in Tipton and improved machinery.

In 1997 the manufacturing base was further increased with the acquisition of Automatic Syphon manufacturers, **BBS Autosyphons**, quickly followed in 1998 with the purchase of **Holdtite Products Limited**. **Holdtite Products** have been manufacturing tap washers and seals since their establishment in 1908, and are well known in the industry for the quality of their products.

With a strong manufacturing base capable of producing a wide range of plumbing spares, **Masefield-Epson Limited** is well placed to fulfil the requirements of Plumbers Merchants, Distributors and high volume manufacturing of components to the Plumbing and Sanitaryware manufacturing industry.

We have endeavoured to incorporate every product we manufacture into this catalogue. However, if there is anything you cannot find, please do not hesitate to call us, we may be able to fulfil your requirement.



### **Quality Plumbing Products Manufacturers**

Information given in this Catalogue must not be reproduced in whole or in part without the permission of the Company. No warranty is given or implied in respect of the information provided and the Company reserves the right to amend this specification without prior notice.

## marefield. @pron Itd


## **Contents**

	roduction
PV	C Flushpipes & Accessories
PV	C Flushbends
PV	C Flushbends – Specialist
Me	tal Flushpipes, Flushbends & Accessories
Flu	shpipe & Flushbend Accessories
Syl	phons
Syl	ohon Accessories & Flushing Valves
Sia	mp Flushing Valves & Accessories
Du	dley Plastic Cisterns
Cis	tern Lever Handles
Ba	th Grips
Flo	ats
Inl	et Valves
Eu	ropean Float Valves
Ov	erflows
Cis	tern Pulls
Sin	k, Bath & Basin Chains
Br	ackets
Pla	stic Drain Grid
Ce	Imac Range of Fittings for Plastic Toilet Seats
Hi	nges for W.C. Wood Seats & Covers
Toi	let Roll Holders and Accessories
Br	aided Hoses
Sic	ux Chief Water Hammer Arresters
W	aterfoil 'Central Heating Protector'
ВВ	S Automatic Syphons
SP	HINX/WISA
Op	ella Traps
Но	ldtite Products
PΙι	imbers Boxes
Bli	ster Pack Range
Tit	e-Tub Range

## PVC Flushpipes & Accessories

Backwall - High level backwall two-piece flushpipe manufactured from top quality PVC. 32mm bore,

114mm wall to centre top offset, 203mm return bend. Supplied with fitted 45mm flange.




CODE: DESCRIPTION COLOUR
A0260FAA 1525mm (5'0") Pan to Cistern height White
A0266FAA 1657mm (5'6") Pan to Cistern height White

Different top offsets manufactured to order

**Sidewall -** High level sidewall three-piece flushpipe manufactured from top quality PVC. 32mm bore.

406mm wall to centre top offset, 457mm back to centre bottom offset. 203mm return bend.



CODE: DESCRIPTION COLOUR
A0360FAA 1525mm (5'0") Pan to Cistern height White
A0366FAA 1657mm (5'6") Pan to Cistern height White

Flushpipe Clip - Decorative style flushpipe clips to secure 32mm high level flushpipes to the wall.

Moulded in tough polypropylene.



CODE: DESCRIPTION COLOUR
A30BFAA 32mm (1.1/4") Buffer Flushpipe Clip White
A30PLAA 32mm (1.1/4") Plain Flushpipe Clip White

Other colours available on request

Flushpipe Flange - Polythene flushpipe flanges to suit all 32mm flushpipes, available with 38mm and

42mm flange. Used to secure connection between flushpipe and syphon.



CODE: DESCRIPTION COLOUR
A15FLG02 38mm (1.1/2") Flange to suit Flushpipe Natural
A15FLG03 42mm (1.3/4") Flange to suit Flushpipe Natural

Flow Reducer - Flushpipe flow reducer to suit 32mm flushpipes.

CODE: DESCRIPTION COLOUR
A15FLG05 Flow Reducer for Flushpipe Black

Tel: 0121 557 3433 sales@masefield-epson.co.uk

Fax: 0121 520 6369 www.masefield-epson.co.uk

### **PVC Flushbends**

**COLOUR** 

Flushbends - Low level and extended Flushbends are manufactured from high quality PVC. They are



a one-piece 90° swept bend, 38mm outside diameter. Available in a range of sizes and can also be manufactured to suit special requirements. All flushbends are supplied with a tapered sealing ring.

CODE:	DESCRIPTION	COLOUR
A101407AA	356 x 178mm (14 x 7") Flushbend	White
A101409AA	356 x 229mm (14 x 9") Flushbend	White
A101212AA	305 x 305mm (12 x 12") Flushbend	White
A101610AA	406 x 254mm (16 x 10") Flushbend	White
A101614AA	406 x 356mm (16 x 14") Flushbend	White
A101616AA	406 x 406mm (16 x 16") Flushbend	White
A101818AA	457 x 457mm (18 x 18") Flushbend	White
A102020AA	508 x 508mm (20 x 20") Flushbend	White
A102418AA	610 x 457mm (24 x 18") Flushbend	White
A102424AA	610 x 610mm (24 x 24") Flushbend	White
A103018AA	763 X 457mm (30 x 18") Flushbend	White

All of the above flushpipes are available in the following colours: Avocado, Bayberry, Black, Burgundy, Champagne, Fawn Beige, Grey, Indian Ivory, Melba, Misty Peach, Pampas, Peach, Pink, Sepia, Sky Blue, Soft Cream and Turquoise.

Tight Radius Flushbend - 90° tight radius Flushbend manufactured from high quality PVC, 38mm

outside diameter. Designed to suit concealed, low profile and back to wall installations.

CODE: DESCRIPTION
A101812AA-TR 457 x 305mm (18 x 12")

Tight Radius Flushbend White

**Swan Neck -** Swan Neck one-piece Flushbend 89mm (3.1/2") offset manufactured from high quality PVC. Designed to suit the installation of a low level cistern from a previous high level installation. 38mm outside diameter.

CODE: DESCRIPTION COLOUR

A111407AA  $356 \times 178 \text{mm} (14 \times 7^{\circ})$ 

Swan Neck Flushbend White

Flushpipes can also be used for water and electrical pipe ducting.

## PVC Flushbends - Specialist

**Europipe** - Over the last decade the trend for installation of European and European-style sanitaryware in the UK has,

and continues, to grow substantially.

The main difference between traditional UK installations and the current European styles is the syphon/valve outlet sizing.

In the UK this has always been traditionally 1.1/2" (38mm), whereas the European standard is 2" (50mm). To fit a European style cistern to a standard pan requires a flushpipe capable of reducing from 2" at the outlet, to 1.5/8" where it is attached to the pan.

Quite often, even where a suitable flushpipe has been supplied with the original cistern fittings pack, it is found that they are not always of an adequate length to cover all situations, particularly when it comes to concealed or frame fitted installations. The Europipe is designed to overcome these types of installation problems.

• Manufactured from one piece, rigid white PVC, it has high strength and rigidity, allowing for a good seal to be made at either end.

• With it's standard size being 18" x 18" this allows the installer to cut the pipe horizontally or vertically to size, allowing greater flexibility in cistern height installation, and wall to pan distance.

• If however you should be presented with a more irregular installation problem, on request this flushpipe can be manufactured to a maximum height of 20" and a maximum wall to pan length of 36".

CODE: DESCRIPTION COLOUR

A141818AA Europipe 457mm x 457mm (18" x 18").

2" dia (50mm) to 1.5/8" (41mm) dia Flushpipe. White

50mm (2") Flushbend - Low level Flushbend manufactured from polypropylene. 50mm (2") outside



diameter on longest length, reduced down to 38mm (1.1/2") on shortest length. Designed to suit 50mm (2") outlet valves being fitted to standard 38mm (1.1/2") W.C. pans.

CODE: DESCRIPTION COLOUR

A141512AA 382 x 292mm (15 x 11.1/2")

50mm (2") to 38mm (1.1/2") Flushbend White

#### Standard European Flushpipe



CODE: DESCRIPTION COLOUR

Standard European Flushpipe 50mm (2") to

41mm (1.5/8") dia 230 x 210mm. White



Please contact our Technical Sales Office for further details.

Flushpipes can also be used for water and electrical pipe ducting.

### Metal Flushpipes, Flushbends & Accessories

**Backwall** - Metal high level two-piece Flushpipes manufactured from high quality seamless brass tube.

32mm bore, I I4mm wall to centre top offset, 203mm return bend. Available in three finishes.


CODE: **DESCRIPTION FINISH** A0266MPB 1657mm Pan to Cistern height Brass A0266MCP 1657mm Pan to Cistern height Chrome A0266MGP 1657mm Pan to Cistern height Gold

Buffer Clips - Decorative styled Flushpipe Clips to suit 32mm high level flushpipes. Complete with a black rubber buffer insert. Available in three different finishes.



CODE: **DESCRIPTION FINISH** 32mm (I.I/4") Flushpipe Clip A30BFPB Brass A30BFCP 32mm (I.I/4") Flushpipe Clip Chrome A30BFGP 32mm (1.1/4") Flushpipe Clip Gold

Syphon Tail Shrouds - Bell shaped 35mm spun brass Syphon Tail Shrouds, to suit 32mm high level



and the syphon tail. Available in three finishes. CODE: **DESCRIPTION FINISH** A35SPB 35mm (1.1/2") Shroud Brass

A35SCP 35mm (1.1/2") Shroud Chrome A35SGP 35mm (1.1/2") Shroud Gold

Flushpipes - Metal low level Flushpipes are manufactured from high quality seamless brass tube.



CODE: **DESCRIPTION FINISH** A081610PB 406 x 254mm (16 x 10") Metal Flushpipe **Brass** 

A081610CP 406 x 254mm (16 x 10") Metal Flushpipe Chrome A081610GP 406 x 254mm (16 x 10") Metal Flushpipe Gold

Extended metal flushbends available to special order.

**Syphon Tail Shrouds -** Bell shaped 38mm spun brass Tail Shrouds, to suit 38mm low level flushbend.



Designed to neatly conceal the connection between the flushpipe and the syphon tail. Available in three finishes.

CODE: **DESCRIPTION FINISH** A38SPB 38mm (1.1/2") Shroud Brass A38SCP 38mm (1.1/2") Shroud Chrome A38SGP 38mm (1.1/2") Shroud Gold

### Metal Flushpipes, Flushbends & Accessories



#### Antique H/L Chrome Plated Metal Flushpipe Pack

CODE: DESCRIPTION

A0266MACP-P Antique H/L Flushpipe complete pack, consisting of:

2-piece High Level Flushpipe

Shroud

Buffer Pipe Clip

Antique High Level Lever & Fulcrum Bracket

Antique Ceramic Cistern Pull Pair of 'Antique' Cistern Brackets

#### Metal High Level Levers - Manufactured in brass.



**DESCRIPTION** CODE: H/L Lever c/w Fulcrum Bracket ESP07CP ESP07PB H/L Lever c/w Fulcrum Bracket

**FINISH** Chrome Polished Brass

#### Classic Style Light & Cistern Pulls



CODE: EC27M110-RL EC27M110-RF

**DESCRIPTION** 'Richmond' Light Pull Ceramic CP

'Richmond' Cistern Pull Ceramic Handle CP

Chrome

Chrome

**FINISH** 

#### **Antique Ceramic Cistern Pull**



CODE: **DESCRIPTION** 

EC27M110-VP Antique Ceramic Cistern Pull, 30" Oval Link Chrome Plated

Chain - 'Pull' motif

## Flushpipe & Flushbend Accessories

#### Flushpipe Connectors - Connection of Flushpipe to Pan



CODE: DESCRIPTION COLOUR

A2002TR Natural EVA/Polythene Internal Connector to fit 38mm (1.1/2") outside diameter Flushpipes Natural (fig i)

A2001AA PVC Internal Connector to fit 38mm (1.1/2")

PVC Internal Connector to fit 38mm (1.1/2") outside diameter Flushpipes

A2001AB-HD Solid Rubber Heavy Duty Internal Connector to

fit 38mm (1.1/2") outside diameter Flushpipes Black (fig iii)
A2003AA 'Universal' External Connector, flexible PVC

accommodates both 32mm (1.1/4") and 38mm

(1.1/2") outside diameter Flushpipes
A2004AA Single Flush Connector flexible PVC, very pliable

Single Flush Connector flexible PVC, very pliable to fit almost any Flushpipe and Toilet Pan

A2200AA European Standard Flushpipe Connector to

suit 1.5/8" Pipe

White (fig iv)

White (fig ii)

White (fig v)

White (fig vi)

Black

Black

White

## **Tapered Sealing Ring -** Flexible Tapered PVC Sealing Rings for sealing flushpipes or flushbends to syphon.



CODE: DESCRIPTION COLOUR

LO2006S 45mm (1.3/4") o.d. 32mm (1.1/4") i.d to suit High Level Flushpipes

LO2007S 45mm (1.3/4") o.d. 38mm (1.1/2") i.d

to suit Low Level Flushpipes
LO2008S 55mm (2.1/4") o.d. 50mm (2") i.d

to suit Low Level Flushpipes Black

#### Flexible WC Pan Connector

A2005AA



CODE: DESCRIPTION COLOUR

Flexible WC Pan Connector for standard soil pipe. Extendible from 208mm to 570mm.

Complies to BS5627

## Syphons

#### Turbo '88' Syphon - Dudley two part Syphon, suitable for both high and low level applications.



To suit flat bottom cisterns complete with 35mm (1.1/2") outlet. All 6, 7 and 9 litre convertible and dual flush capability, in compliance with new water authority regulations. Two part Syphons are designed to be easily maintained without the necessity of turning off the water supply.

CODE:	DESCRIPTION	COLOUR
BS88070D	178mm (7") 6, 7 & 9L Two Part Syphon	Blue
BS88075D	191mm (7.1/2") 6, 7 & 9L Two Part Syphon	Blue
BS88080D	203mm (8") 6, 7 & 9L Two Part Syphon	Blue
BS88085D	216mm (8.1/2") 6, 7 & 9L Two Part Syphon	Blue
BS88090D	229mm (9") 6, 7 & 9L Two Part Syphon	Blue
BS88095D	241mm (9.1/2") 6,7 & 9L Two Part Syphon	Blue
BS88100D	254mm (10") 6, 7 & 9L Two Part Syphon	Blue
BS88105D	267mm (10.5") 6, 7 & 9L Two Part Syphon	Blue
BS88999S	Spares Pack, including Diaphragm, 'O' Ring & Piston \	<b>V</b> ashers

Turbo 'I I' Syphon - Designed for wellbottom cisterns.



Two part plastic Syphon complete with brass outlet 35mm (1.1/2") and nuts.

CODE: DESCRIPTION COLOUR

BS11095DB To suit Dauntless Wellbottom

'Rubberline' Cistern Green

Two part plastic Syphon complete with plastic outlet 35mm (1.1/2") and nuts.

CODE: DESCRIPTION COLOUR

BS11095D To suit Dauntless Wellbottom

'Rubberwell' Cistern Green

BS11999S Spares Pack, including Diaphragm, 'O' Ring & Piston Washers





Two part plastic Syphon suitable for both high and low level applications.

CODE:	DESCRIPTION	COLOUR
BS44080D	203mm (8") 6, 7 & 9L Two Part Syphon	Orange
BS44090D	229mm (9") 6, 7 & 9L Two Part Syphon	Orange
BS44095D	241mm (9.1/2") 6, 7 & 9L Two Part Syphon	Orange
BS44100D	254mm (10") 6, 7 & 9L Two Part Syphon	Orange
BS44105D	267mm (10.1/2") 6, 7 & 9L Two Part Syphon	Orange
BS44110D	279mm (11") 6, 7 & 9L Two Part Syphon	Orange
BS44120D	305mm (12") 6, 7 & 9L Two Part Syphon	Orange
BS44999S	Spares Pack, including Diaphragm, 'O' Ring & Pisto	on Washers

BS11095D

## Syphons

**Cascade Syphon S7 -** Low level plastic Syphon for flat bottom cisterns. 35mm (1.1/2") outlet, all sizes 6, 7 & 9L convertible.



CODE:	DESCRIPTION	COLOUR
BS07075D	191mm (7.1/2") 6, 7 & 9L Syphon	Red
BS07080D	203mm (8") 6, 7 & 9L Syphon	Red
BS07085D	216mm (8.1/2") 6, 7 & 9L Syphon	Red
BS07090D	229mm (9") 6, 7 & 9L Syphon	Red
BS07095D	241mm (9.1/2") 6,7 & 9L Syphon	Red

**S9 Hi-Flo Syphon -** High and low level plastic Syphon to suit flat bottom cisterns. Available with either 32mm (1.1/4") or 35mm (1.1/2") outlet. All 6, 7 & 9L convertible.



CODE:	DESCRIPTION	COLOUR
BS09075D-C	191mm (7.1/2") 6, 7 & 9L x 35mm Syphon	Natural
BS09090D	229mm (9") 6, 7 & 9L x 35mm Syphon	Natural
BS09090C	229mm (9") 6, 7 & 9L x 32mm Syphon	Natural

## Syphon Accessories & Flushing Valves

Syvac Aspirator - For use in syphonic type wc installations. Inserted into the downleg of a Dudley

syphon, suitable for S7 Cascade and T-88 syphons only.

CODE: DESCRIPTION
BS9900 'Syvac' Syphonic

BS9900 'Syvac' Syphonic Aspirator
BS9901 'Syvac' Washer, Replacement Washer

for Aspirator



Close Coupling Kits - For easy connection of plastic or ceramic cisterns to most types of close

coupled wc pans.

CODE: DESCRIPTION

AE599CC Close Coupling Kit (Plate, 2 Bolts & 'Doughnut'

Type Washer)

AE560CC Close Coupling Kit (Plate, 2 Bolts & Flat Washer)

AE552CC Nut, Bolt & Washer (pair to suit CC Kit)
AE600CC Cistern to Pan Close Coupling Bolt Set (2 Bolts,

2 Conical Sealing Washers, Washers & Nuts)

AE700CC 2" Flat Plate CC Kit c/w Bolts and 2" Ideal

Standard Ring





#### **Syphon Accessories**

AE599CC

AE700CC



CODE: DESCRIPTION COLOUR BS99/10 38 - 32mm (1.1/2" - 1.1/4") Syphon

Outlet Reducer White
BS99/11 25mm (1") Syphon Extension Piece Natural
BS99/15 35mm (1.1/2") Syphon Extension Piece Natural
BS99/20 50mm (2") Syphon Extension Piece Natural

For Syphon spares, see 'Holdtite'

## Siamp Flushing Valves & Accessories

#### Siamp Optima 50 Push Button - Dual flush outlet valve for cisterns.



CODE: DESCRIPTION

BFVS0150 Siamp Optima 50 Dual Flush Valve suitable for Syphon

replacement in standard WC Cisterns.

38mm (1.1/2") Outlet & Chrome Push Button

BFVS0150C As above with longer cable 475mm

BFVS0200 Dual Flush Valve suitable for European style WC

Cisterns. 50mm (2") Outlet and Chrome Push Button

BFVS0200C As above with longer cable 475mm

BFVSRBCP Replacement Push Button to suit Optima 50
BFVSRBGP Replacement Push Button to suit Optima 50
BFVSRSEAL Replacement Seal to suit Siamp Optima Range





#### Siamp 49 Valve - Top flushing dual flush valve, 2" outlet.



CODE: DESCRIPTION

BFVS0049 Siamp 'Optima 49' Dual Flush Valve 50mm (2")

Outlet, suitable to replace the majority of

'European' style top flush cisterns

BFVSRBCP-49 Replacement Push Button to suit Optima 49,

Chrome



#### **Siamp Skipper Fittings Pack –** Suitable as a complete direct replacement pack for many



sanitaryware cisterns, including those which have been extensively supplied by the leading UK DIY superstores.

CODE: DESCRIPTION

BFVSKIPPER Siamp 'Skipper' Fittings Pack, (Valencia/Urban)

consisting: Skipper 45 Dual Flush Outlet Valve 50mm (2") Outlet and Compact 99B Bottom

Inlet Valve

BFVSRBCP-SK Replacement Push Button to suit Skipper Valve,

Chrome



#### Siamp Storm Fittings Pack - Suitable as a complete direct replacement pack for many sanitaryware



cisterns, including those which have been extensively supplied by the leading UK DIY superstores.

CODE: DESCRIPTION

BFVSTORM Siamp 'Storm' Fittings Pack, (Madrid)

consisting: Storm 33A Single Flush Outlet Valve 50mm (2") Outlet and Compact 99B Bottom

Inlet Valve

BFVSRBCP-ST Replacement Push Button to suit Storm Valve,

. Chrome



For Syphon spares, see 'Holdtite'

For Siamp Inlet Valves, see pages 22 and 23

## Siamp Flushing Valves & Accessories

#### Multiflush - Push Button - Dual Flush - Outlet Valve for Cisterns.



CODE: DESCRIPTION
BFVMF150 Dual Flush Valve

Dual Flush Valve suitable for Syphon replacement 38mm (1.1/2") Outlet

complete with 340mm Cable & Chrome

Push Button


BFVMF150-G As above with Gold Effect Push Button
BFVMF150C Dual Flush Valve suitable for Syphon

Dual Flush Valve suitable for Syphon replacement 38mm (1.1/2") in concealed applications 800mm cable

Chrome Push Button

BFVMF150C-G As above with Gold Effect Push Button BFVRBUCP Chrome Replacement Push Button

BFVRBUGP Gold Replacement Push Button



#### Niagara - Push Button - Dual Flush - Outlet Valve for Cisterns.

BFVREI50



CODE: DESCRIPTION BFVN 1200 'Dudley' Niagar

'Dudley' Niagara Dual Flush Valves, CP operating Buttons. To suit Cistern heights

from 330mm to 408mm, 50mm (2") outlet

Outlet Reducer to suit Niagara Valve to reduce 50mm (2") Outlet to 38mm (1 1/2")

outlet



## Siamp Flushing Valves & Accessories

#### Torbeck Variflush - Dual Flush Outlet Valves for Cisterns



CODE: **DESCRIPTION COLOUR** BFVT235-I Dual Flush Valve 38mm (1.1/2") Outlet, 350mm Chrome Push Button BFVT252-I Dual Flush Valve 38mm (1.1/2") Outlet, 520mm

Cable for concealed situations Chrome Push Button

BFVT235-2 Dual Flush Valve 50mm (2") Outlet, 350mm Chrome Push Button

BFVT252-2 Dual Flush Valve 50mm (2") Outlet, 520mm

Cable for concealed situations

Chrome Replacement Dual Flush Button **BFVTBUCP** Chrome Gold **BFVTBUGP** Gold Replacement Dual Flush Button

#### Flapper Valves - 'American' style Evacuating Valves



CODE: **DESCRIPTION** BFFV5B604 'Delchem' Flapper Valve, c/w Internal Overflow,

supplied with 38mm (1.1/2") outlet and operating lever BFFV507UK073 'Fluidmaster' Flapper Valve, c/w Internal Overflow,

supplied with 38mm (1.1/2") outlet and push button

operating system



Chrome Push Button

Fluidmaster

For Syphon spares, see 'Holdtite'

## **Dudley Plastic Cisterns**

Thomas Dudley plastic cisterns are available ex-stock in small quantities. For product specifications and further details, please refer to the Thomas Dudley Product Range Catalogue.



#### **Concealed Cisterns**

The Dudley Vantage and Pushflo are operated by pneumatic pushbuttons while the Phantom and Mirage offer lever activated alternatives. The revolutionary Vantage comes with front and top access and is factory assembled for quick and easy installation. The compact Pushflo is ideal for most ducted specifications. The Phantom and Mirage can be supplied with a range of lever kits to fit partition/wall thicknesses from 12-495mm.



#### **Traditional Cisterns**

The Dudley Acclaim, Diplomat, Elite and Slimline light-duty cisterns have been widely used in the domestic, commercial and public sectors for many years. The Tri-Shell heavy-duty cistern is constructed using a unique sandwich foam moulding process that gives unsurpassed strength and durability.



#### **High Level Cisterns**

The vandal-resistant Tri-Shell is also available in a high level version. The new well bottom Tri-Well is made from the same hard-wearing material and is available in a glossy white finish to match other bathroom sanitaryware. Both the Tri-Shell and Tri-Well can also be supplied in traditional black.



#### **Automatic Cisterns for urinal flushing**

Automatic Cisterns for urinal flushing: The Dudley Acclaim Auto, D Auto, Tri-Shell Auto and Mirage Auto are light duty, heavy duty and concealed automatic cisterns for the flushing of urinals.

A full range of spares for Dudley Cisterns is also available - please enquire.

Tel: 0121 557 3433 sales@masefield-epson.co.uk

Fax: 0121 520 6369 www.masefield-epson.co.uk

#### Standard Levers - Chrome Plate on Metal - Various styles of standard front fitting cistern levers.



CODE: DESCRIPTION

EC05M88-EF Metal E-Type finger tip control Lever Assembly, plastic multi-purpose adjustable Lift Arm,

88mm spindle

EC05M110-EF Metal E-Type finger tip control Lever Assembly,

plastic multi-purpose adjustable Lift Arm,

110mm spindle

EC02M110-DF Metal D-Type front Lever Assembly, plastic

multi-purpose adjustable Lift Arm,

I I 0mm spindle

EC02J110-DF Metal D-Type front Lever Assembly, brass

adjustable Lift Arm, I 10mm spindle

EC06M110-SF Metal S-Type front Lever Assembly 10mm (3/8")

plastic multi-purpose Lift Arm

EC06M110-XF Metal X-Type 'Universal' front Lever Assembly,

supplied to fit either 10mm (3/8") or 13mm (1/2") cistern lever holes, c/w multi-purpose

Lift Arm





#### Standard Levers - Gold Effect on Metal



S Lever

CODE: EG05M88-EF EG02M110-DF EG06M110-SF EG06M110-XF DESCRIPTION
Metal E-Type Lever, Gold Effect
Metal D-Type Lever, Gold Effect
Metal S-Type Lever, Gold Effect
Metal X-Type Lever, Gold Effect

FINISH Gold Gold Gold Gold

**Standard Side Lever -** Replacement lever for installations where lever handle is located on the side of the cistern.



CODE: DESCRIPTION EC05M160-ES Metal Side Leve

Metal Side Lever Assembly CP, plastic multi-purpose

Lift Arm, 160mm spindle

FINISH

Chrome

#### Levers for Concealed Cisterns - Chrome on Metal - Long levers for use where cistern is located

behind a panel or wall.



CODE: **DESCRIPTION FINISH** EC02M160-DC Metal D-Type front Lever Assembly, plastic multi-purpose Lift Arm, 160mm (6") spindle CP Chrome

EC02|160-DC Metal D-Type front Lever Assembly, brass adjustable Lift Arm, 160mm

> (6") spindle CP Chrome

EC02M225-DC Metal D-Type front Lever Assembly, plastic multi-purpose Lift Arm,

225mm (9") spindle CP

EC02J225-DC Metal D-Type front Lever Assembly, brass adjustable Lift Arm, 225mm


(9") spindle CP

EC02M305-DC Metal D-Type front Lever Assembly,

plastic multi-purpose Lift Arm, 305mm (12") spindle CP Chrome

EC02|305-DC Metal D-Type front Lever Assembly, brass adjustable Lift

Arm, 305mm (12") spindle CP



Chrome

#### **Levers for Concealed Cisterns - Gold Effect on Metal**



CODE: **DESCRIPTION FINISH** EG02J160-DC Metal D-Type front Lever Assembly,

brass adjustable Lift Arm, 160mm

EG02J225-DC Metal D-Type front Lever Assembly,

brass adjustable Lift Arm, 225mm (9") spindle

EG02|305-DC Metal D-Type front Lever Assembly,

brass adjustable Lift Arm, 305mm (12") spindle

Gold

Gold

Gold

Chrome

Chrome

#### Special Length Concealed Levers - Chrome on Metal - For remote cistern installations.



**DESCRIPTION FINISH** EC02M357-DC Metal D-Type front Lever Assembly,

plastic multi-purpose Lift Arm, 357mm (14") spindle CP

EC02M408-DC Metal D-Type front Lever Assembly, plastic multi-purpose Lift Arm,

408mm (16") spindle CP

EC02M460-DC Metal D-Type front Lever Assembly,

plastic multi-purpose Lift Arm, 460mm (18") spindle CP

EC02M600-DC Metal D-Type front Lever Assembly,

plastic multi-purpose Lift Arm, 600mm (24") spindle CP

Chrome Chrome Chrome Chrome

Longer lengths in excess of 600mm can be made to order.

#### Classic Levers - Chrome - Edwardian style antique levers to enhance modern cisterns.



CODE: **DESCRIPTION FINISH** EC25M110-RF 'Richmond' Ceramic Handle, I 10mm spindle CP Chrome EC26M110-RF As above with 10mm (3/8") bush for small lever hole Cisterns Chrome EC25M110P-RF 'Richmond' Pine Handle, 110mm spindle CP Chrome EC26M110P-RF As above with 10mm (3/8") bush for small lever hole Cisterns Chrome EC25M110L-RF 'Richmond' Light Oak Handle, I 10mm spindle CP Chrome EC26M110L-RF As above with 10mm (3/8") bush for small lever hole Cisterns Chrome EC25M110M-RF 'Richmond' Mahogany Handle, I 10mm spindle CP Chrome EC26M110M-RF As above with 10mm (3/8") bush for small lever hole Cisterns Chrome

#### Classic Levers - Gold Effect - Edwardian style antique levers to enhance modern cisterns.



CODE: **DESCRIPTION FINISH** EG25M110-RF 'Richmond' Ceramic Handle, I 10mm Gold EG26M110-RF As above with 10mm (3/8") bush for small lever hole Cisterns Gold EG25M110P-RF 'Richmond' Pine Handle, I 10mm spindle Gold EG26M110P-RF As above with 10mm (3/8") bush for Gold small lever hole Cisterns EG25M110L-RF 'Richmond' Light Oak Handle, I 10mm spindle Gold EG26M110L-RF As above with 10mm (3/8") bush for Gold small lever hole Cisterns EG25M110M-RF 'Richmond' Mahogany Handle, I 10mm spindle Gold EG26M110M-RF As above with 10mm (3/8") bush for small lever hole Cisterns Gold

#### Classic Levers - Side Fixing - Replacement lever for installations where lever handle is located on the side of the cistern.



**DESCRIPTION FINISH** CODE: EC25J160-RF 'Richmond' Ceramic Handle, 160mm Chrome spindle, side fix CP EG25J160-RF 'Richmond' Ceramic Handle, 160mm

> spindle, side fix Gold

#### Classic Levers for Concealed Cisterns - Chrome on Metal



CODE: **DESCRIPTION** EC25J161-RF 'Richmond' Ceramic Handle, 160mm **FINISH** 

EC25J225-RF

spindle CP 'Richmond' Ceramic Handle, 225mm Chrome

spindle CP

'Richmond' Ceramic Handle, 305mm

Chrome

spindle CP

Chrome

#### **Classic Levers for Concealed Cisterns - Gold Effect on Metal**

EC28M110-BF



**DESCRIPTION FINISH** CODE: EG25J161-RF

'Richmond' Ceramic Handle, 160mm

EG25J225-RF 'Richmond' Ceramic Handle, 225mm

spindle

EG25J305-RF 'Richmond' Ceramic Handle, 305mm

spindle

Gold Gold

Gold

#### Budget Range of Antique Style Levers - Chrome - All supplied with ceramic look insert and plastic multi-purpose lift arm.



**FINISH** CODE: **DESCRIPTION** 

Budget Antique Lever, I 10mm spindle

1/2" BSP bush. CP

EC29M110-BF As above with 10mm (3/8") bush for

small lever hole cisterns

Chrome

Chrome

Budget Range of Antique Style Levers - Gold Effect - All supplied with ceramic look insert and

plastic multi-purpose lift arm.

CODE: DESCRIPTION FINISH

EG28M110-BF Budget Antique Lever, 110mm spindle 1/2" BSP bush. CP G

I/2" BSP bush. CP Gold EG29M110-BF As above with 10mm (3/8") bush for

small lever hole cisterns Gold

**Epson 'Enabler' Cistern Lever -** Replaces most low level lever assemblies. Easy operation by elderly, less able or small children.

CODE: DESCRIPTION FINISH EC15C120-ENF Epson 'Enabler' Lever Chrome

Dudley 'Dimple' Cistern Lever - Replaces most low level lever assemblies. Easy operation by

elderly, less able or small children

CODE: DESCRIPTION FINISH EC15C120-DIF 'Dimple' Lever Chrome

#### **Lever Accessories**



(cont'd overleaf)

**FINISH** 

Natural (fig iii)

Brass (fig vi)

Blue (fig ii)


Red (fig iv)

Natural (fig i)

Natural (fig v)

ESP07WB

#### High Level Levers - For Dudley cisterns.



CODE: DESCRIPTION
ESP07DI Diplomat H/L Lever c/w Fulcrum

Bracket & Screw

ESP07DO Domino H/L Lever c/w Fulcrum

**Bracket & Screw** 

ESP07TS Trishell H/L Metal Lever c/w

Fulcrum Bracket & Screw

Rubberwell H/L Metal Lever c/w

Bracket & Screw

ESP07CP H/L Lever c/w Fulcrum Bracket ESP07PB H/L Lever c/w Fulcrum Bracket **COLOUR** 

White (fig iii)

Black (fig i)

Grey (fig ii) Fulcrum

Grey (fig iv) Chrome Plated (fig v) Polished Brass (fig vi)





CODE: DESCRIPTION
BS997CL-2 Small 'C' Link 2"
BS997CL-3 Medium 'C' Link 3"
BS997CL-4 Large 'C' Link 4"

Intermediate and larger sizes available on request

COLOUR

(v)

S/steel S/steel S/steel

(vi)

## Bath Grips

#### Various Bath Grips - to suit most replacement and new installation applications.



CODE: DESCRIPTION

BGSC190BCP 190mm Standard Chrome Plated Bath Grip,

BGSC190CP Bottom Fixing (pair)
BGSC190CP 190mm Standard Chrome Plated Bath Grip,

Top Fixing (pair)

BGSC206BCP 206mm Standard Chrome Plated Bath Grip,

Bottom Fixing (pair)

BGSC206CP 206mm Standard Chrome Plated Bath Grip,

Top Fixing (pair)

BGSC190CP-E 190mm 'Euro' Chrome Plated Bath Grip,

Bottom Fixing (pair)

BGSC254CP 254mm 'Euro' Chrome Plated Bath Grip,

Top Fixing (pair)



### **Floats**

#### Plastic Ball Floats to BS 2456 - For use in hot or cold water

D80BTOR

D910BTOR

D912BTOR



CODE: DESCRIPTION **COLOUR** D45PTBL 114mm (4.1/2") dia. Epson Cold Water Cistern/Tank Float D30BTOR 76mm (3") dia, for export market only, 8mm (5/16") brass thread Orange D45PTOR-Q 114mm (4.1/2") dia, Qualifloat, 8mm (5/16") plastic thread Red D45BTOR 114mm (4.1/2") dia, 8mm (5/16") brass thread Red D45PTOR-EL 114mm (4.1/2") dia, elongated, 8mm (5/16") Red brass thread D50BTOR Red 127mm (5") dia, 8mm (5/16") brass thread D60BTOR Red 153mm (6") dia, 8mm (5/16") brass thread D60BTOR/38 153mm (6") dia, 9.5mm (3/8") brass thread Orange

203mm (8") dia, I Imm (7/16") brass thread

254mm (10") dia, 14mm (9/16") brass thread

305mm (12") dia, 16mm (5/8") brass thread

### **Inlet Valves**

Orange

Orange

Orange

Delchem Cistern Valves - All Delchem Valves supplied with 15mm (1/2") inlet tail and 'adjustable'



arm (6"-9"). They are fitted with 3mm (1/8") high pressure seat with an interchangeable 6mm (1/4") low pressure seat attached to the arm.

CODE: DESCRIPTION

DC01625PS-T Delchem Side Inlet, Adjustable Plastic Arm

DC02875PB-T Delchem Bottom Inlet 223mm (8.3/4") height, Adjustable Plastic Arm DC02900PB-T Delchem Bottom Inlet 229mm (9") height, Adjustable Plastic Arm,

Offset Pedestal

DC02950PB/OS-T Delchem Bottom Inlet 242mm (9.1/2") height, Adjustable Plastic Arm,

Offset Pedestal

DC01625A-T Adjustable Delchem Arm only

#### 'Torbeck' Equilibrium 'Quiet-Filling' Float Valves



CODE: DESCRIPTION

DT01000S Side Inlet

DT02661B Adjustable height, Bottom Inlet

Fixed height versions are available upon request.

### **Inlet Valves**

#### Dudley Hydroflo Equilibrium Float Valves - to BS1212 Part 4. A compact and quiet range of Float

Valves including both Side and Bottom Inlet versions. All versions supplied with a 1/2" BSP inlet tail, lay flat silence tubes for exceptionally quiet filling and a useful key that enables easy removal of the filter without any risk of damage.

CODE: DHF100S DHF2800B DHF2850B DHF2090B DHF2095B DHF2100B DHF2105B DHF2110B	DESCRIPTION Side Inlet 203mm (8") Bottom Inlet 216mm (8.1/2") Bottom Inlet 229mm (9") Bottom Inlet 2241mm (9.1/2") Bottom Inlet 254mm (10") Bottom Inlet 267mm (10.1/2") Bottom Inlet 279mm (11") Bottom Inlet	COLOUR Blue Blue Blue Blue Blue Blue Blue Blue
	267mm (10.1/2") Bottom Inlet 279mm (11") Bottom Inlet 292mm (11.1/2") Bottom Inlet Adjustable Height, Bottom Inlet	



#### **Siamp Compact Float Valves**



CODE:
DSC95LGB

DSC99BGB

DSC99BTGB

DESCRIPTION
Side Inlet Compact 95L
Standard Bottom Inlet Compact 99B
254mm (10")
Telescopic Bottom Inlet Compact 99BT -

adjustable height 225 - 355mm



#### Fluidmaster Float Valves



CODE: DF707UK DF400UK DESCRIPTION
Side Inlet
Bottom Inlet - adjustable
height 225mm - 355mm

COLOUR Black

Black



For Ball Valve spares see 'Holdtite'

### **Inlet Valves**

#### **Torbeck 'Compact' Valves**



CODE: DTC670 DTCB671 DTC670/38 DTC671-3/8.9.5 DESCRIPTION
Side Inlet 1/2' connection
Bottom Inlet adjustable height, 1/2" connection
Side Inlet 3/8" connection
Bottom Inlet 9.1/2" height, 3/8" connection





#### **WISA Compact Float Valves**

CODE: DESCRIPTION

DW185473 Telescopic Bottom Inlet Float Valve, adjustable

height 225 - 355mm

## **European Float Valves**

#### Siamp Float Valves - 3/8" Inlet



CODE: DSC95LEU/38 DSC99TEU/38 DESCRIPTION
Side Inlet Compact 951 (3/8" End Feed)
Telescopic Bottom Inlet Compact 99bt adjustable height 225 - 355mm (3/8" End Feed)



#### **Torbeck Float Valves - 3/8" Inlet**



CODE: DT01000S/38 DT01850B/38 DT01850B/38 DT01950B/38 DT02105B/38 DT02115B/38

DESCRIPTION
Side Inlet (3/8" End Feed)
216mm (8.1/2") Bottom Inlet (3/8" End Feed)
216mm (8.1/2") Bottom Inlet (3/8" End Feed)
241mm (9.1/2") Bottom Inlet (3/8" End Feed)
267mm (10.1/2") Bottom Inlet (3/8" End Feed)
293mm (11.1/2") Bottom Inlet (3/8" End Feed)



Tel: 0121 557 3433 sales@masefield-epson.co.uk

Fax: 0121 520 6369 www.masefield-epson.co.uk

## **Overflows**

#### Overflows - For replacements in existing cisterns.



**DESCRIPTION COLOUR** CODE: H0101999ST 19mm (3/4") Vertical Cistern Overflow one-piece straight Natural H0101999OF 19mm (3/4") Vertical Cistern Overflow Natural one-piece offset H0190TR Natural 19mm (3/4") Tank Connector/Cistern Overflow H0102999ST 19mm (3/4") Vertical Cistern Overflow White two-piece straight H010299OF 19mm (3/4") Vertical Cistern Overflow White two-piece offset A102322AA 19mm (3/4") White Polypropylene Overflow White tube 3m length

### **Cistern Pulls**

Cistern Pulls - All assembled H/L Cistern Pulls supplied with handle one end and 38mm (1.1/2") 'S'

hook at the other. Overall length 762mm (30").



CODE: DESCRIPTION
H02CP01 Rubber Handle, CP Chain, 762mm (30") long
H02CP03 Stirrup Handle, Galvanised Chain, 762mm

(30") long

H02CP05 Wooden Handle, CP Chain, 762mm (30") long EC27M110-RF Antique Cistern Pull CP Oval Link Chain,

available Ceramic, Pine, Mahogany or Light Oak EC27M110-VP 'Antique' Ceramic Pull Oval Link Chain, 'Pull'

Motif

EC27M110-RL 'Richmond' Light Pull Ceramic CP



## Sink, Bath, Basin Chains

### Sink, Bath, Basin Chains



aiiis		
CODE:	DESCRIPTION	FINISH
F0301B	305mm (12") x No 6 Ball Chain CP with	
	Stay and Hook	Chrome
F0302B	305mm (12") x No 6 Ball Chain CP Hook	
	both ends	Chrome
F0303B	305mm (12") x No 6 Ball Chain CP with	
	38mm (1.1/2") Plug	Chrome
F0304L	305mm (12") x Oval Link CP with Stay and	
	Hook	Chrome
F0305L	305mm (12") x Oval Link CP with Hook	
	both ends	Chrome
F0306L	305mm (12") x Oval Link CP with Hook	
	and Plug	Chrome
F0307B	457mm (18") x No 6 Ball Chain CP with	
	Stay and Hook	Chrome
F0308B	457mm (18") x No 6 Ball Chain CP Hook	
	both ends	Chrome
F0309B	457mm (18") x No 6 Ball Chain CP	
	44mm (1.3/4") Plug	Chrome
F0310L	457mm (18") x Oval Link CP Hook with	
	Stay and Hook	Chrome
F0311L	457mm (18") x Oval Link CP Hook	
	both ends	Chrome
F0312L	457mm (18") x Oval Link CP Hook with	
	44mm (1.3/4") Plug	Chrome

### **Brackets**

#### **Brackets -** For basin and cistern supports.



CODE: DESCRIPTION COLOUR

KA1/C 102mm (4") x 102mm (4") Cistern

Support Bracket (pairs) Steel

KA1/G Basin Hanger Bracket, Pressed Steel (pairs) Steel

KAI/HD Heavy Duty Basin/Urinal Bracket (pairs) Steel

### Plastic Drain Grid

#### **Plastic Drain Grid**



CODE: DESCRIPTION COLOUR R04/150 150mm (6") x 150mm (6") Plastic Drain Grid Black

### Celmac Range of Fittings for Plastic Toilet Seats

#### Celmac Range of Fittings for Plastic Toilet Seats - Each set comprises 2 hinges, 2 bolts, 2 gaskets,

2 wing nuts, packed in individual polybag.

To fit most makes of seat.



CODE: **DESCRIPTION** KDPP/AA White plastic, double position KDPP/AB Black plastic, double position KDPP/CH Champagne plastic, double position KDPP/CP Chrome-plated plastic, double position KDPP/II Indian Ivory plastic, double position KDPP/WG Whisper Grey plastic, double position KDPP/WP Whisper Pink plastic, double position

KDPP/WH Whisper Peach plastic, double position
KDPP/SC Whisper Cream plastic, double position

KDPR/AA White Celmac Rods 194mm (7.5/8") long, plastic KDPR/AB Black Celmac Rods 194mm (7.5/8") long, plastic



#### Hinges for W.C. Wood Seats and Covers



CODE: DESCRIPTION FINISH
KAL22CP 'L' Shaped Hinges Chrome
KAB22CP Chrome Plated Bar Hinge, fully adjustable
seat/cover fixing and pan hole centres

complete with fixing kit

KAB22GP Gold Finish Bar Hinge, fully adjustable seat/cover fixing and pan hole centres

complete with fixing kit

KAB22SS/D Detachable Toilet Seat Bar Hinge, Stainless Steel
KAP22CP Chrome Plated Pillar Hinges complete with fixing kit
KAP22AG Gold Finish Pillar Hinges complete with fixing kit
KCSFI Universal Seat Fixing Kit comprising 8cm (3")

Universal Seat Fixing Kit comprising 8cm (3") screws, washers and wing nuts, to fit almost all seats

Natural

### **Toilet Roll Holders and Accessories**

#### **Toilet Roll Holders and Accessories**



CODE: KL30TRH

KL30TRH-AA KL30TRH-AB DESCRIPTION

Self-load White Plastic Toilet Roll Holder, unique, easy, fast-loading mechanism Toilet Roll Holder Insert Toilet Roll Holder Insert



Chrome

Gold

Gold

Chrome

Chrome

### **Braided Hoses**

#### Flexible Tap Connectors - EPDM rubber hoses covered with stainless steel reinforcing braid.

Supplied with a nickel plated brass swivel nut and washer for connection to taps at one end, and a nickel plated brass compression fitting the other.

	CODE:	DESCRIPTION	COLOUR
N.S.	SBH1550	15mm Compression Fitting with 1/2" swivel nut,	
		10mm bore. 300mm long	Stainless steel
	SBH1550/13	15mm Compression Fitting with 1/2" swivel nut,	
		13mm bore. 300mm long	Stainless steel
_	SBH1550-500	15mm Compression Fitting with 1/2" swivel nut,	
		10mm bore. 500mm long	Stainless steel
	SBH1515	15mm Compression Fitting each end, 10mm bore.	
		300mm long	Stainless steel
	SBH1575	15mm Compression Fitting with 3/4" swivel nut,	
		10mm bore. 300mm long	Stainless steel
	SBH1575/13	15mm Compression Fitting with 3/4" swivel nut,	
		13mm bore. 300mm long	Stainless steel
	SBH2275	22mm Compression Fitting with 3/4" swivel nut,	
		13mm bore. 300mm long	Stainless steel
	SBH1538	15mm Compression Fitting with 3/8" Swivel Nut,	
		10mm Bore, 300mm long	

#### Valved Flexible Tap Connectors - Braided Hose with an isolation valve fitted at compression end



CODE: DESCRIPTION

SCRIPTION COLOUR

SBH1550-IS 15mm Isolation Valve with 1/2" swivel nut, 10mm bore. 300mm long

SBH2275-IS 22mm Isolation Valve with 3/4" swivel nut,

13mm bore. 300mm long Stainless steel

#### JG Speedfit Flexible Tap Connectors - Braided Hose with a Speedfit connection one end and a

swivel nut the other.

of fitting.



CODE: DESCRIPTION COLOUR

SBH1550-SF 15mm Speedfit Connection with 1/2" swivel nut,

10mm bore. 300mm long

SBH1515-SF 15mm Speedfit Connection each end, 13mm bore.

300mm long

SBH2275-SF 22mm Speedfit Connection with 3/4" swivel nut,

13mm bore. 300mm long Stainless steel

## **Flexible Tap Tail Connectors -** Tap Tails for easy connection of monobloc mixer taps. Supplied in pairs, one short, one long.



CODE: DESCRIPTION COLOUR

SBH1510-TT 15mm Compression Fitting with 10mm threaded

tap connector. 300mm long

SBH1512-TT 15mm Compression Fitting with 12mm threaded

tap connector. 300mm long Stainless steel

Stainless steel

Stainless steel

Stainless steel

Stainless steel

## Sioux Chief Water Hammer Arresters

#### Mini-Rester - For single appliance installation.



When a solenoid or quick shut-off valve closes a reverberating high pressure spike is generated from water slamming into the valve, resulting in a 'banging' or 'thudding' in the pipework. There is an effective solution, the water hammer arrester range

There is an effective solution, the water hammer arrester range which employs a sealed, specified quantity of gas to provide water hammer control. The ultimate protection against water hammer damage.




CODE: DESCRIPTION COLOUR
DW660-2J 13mm (1/2") BSP Threaded Fitting, packaged Copper
DW660-H Washing Machine/Dishwasher Fitting, packaged Copper

#### Hydra-Rester - For multi appliance installation.



When a solenoid or quick shut-off valve closes a reverberating high pressure spike is generated from water slamming into the valve, resulting in a 'banging' or 'thudding' in the pipework. There is an effective solution, the water hammer arrester range

There is an effective solution, the water hammer arrester range which employs a sealed, specified quantity of gas to provide water hammer control. The ultimate protection against water hammer damage.



All Sioux Chief Arresters are guaranteed to control water hammer for the lifetime of the plumbing system.

## Waterfoil 'Central Heating Protector'

#### **Waterfoil**

Waterfoil is a WRAS approved product which can be simply fitted into a central heating system header tank, and is designed to prevent serious damage arising from major leaks and bursts within domestic open vented central heating systems.

Supplied complete with both 15mm and 22mm (3/4") connections.

Not suitable for use with solid fuel fired systems, systems containing solid fuel fired appliances or systems with drip feed vaporising oil burners.

CODE: DESCRIPTION
DWF100C Waterfoil





## **BBS Automatic Syphons**

The BBS Automatic Syphon has been available for over 30 years, building an enviable reputation for quality and reliability, resulting in their specification by many large OEM's for use in their cisterns.

Originally the syphons were manufactured from mainly copper and brass, but with major advancements in the availability of the raw materials and injection moulding techniques, the manufacture of the BBS Automatic Syphon was moved over to plastics.

Whilst there is competition from electronic products for controlling the flushing of urinals, the BBS Automatic Syphon is still the most inexpensive, trouble-free and simple to install product on the market. It requires no electricity supply and with no moving parts it requires virtually no maintenance.

Whilst available from most UK merchants, they are known to be fitted as far afield as Australia and New Zealand.

For fitting instructions and trouble-shooting guide, please visit our website: www.masefield-epson.co.uk

BBS Automatic Syphons - designed to cater for the varied flushing requirements of large and small

urinal w.c. installations - all types conform to BS 1876.

Auto syphons are available in either of two outlet sizes: 25mm (1") and 32mm (1.1/4") BSPT.

All automatic syphons are supplied complete with two rubber washers and back nut.

Each automatic syphon is fully tested before leaving the factory.



CODE:	DESCRIPTION	COLOUR
C0550A	140mm (5.1/2") - 4.5 litre (1 gall) 3/4" BSPT	White
C0550B	140mm (5.1/2") - 4.5 litre (1 gall) 1" BSPT	White
C0550C	140mm (5.1/2") - 4.5 litre (1 gall) 1.1/4" BSPT	White
C0625B	159mm (6.1/4") - 9 litre (2 gall) 1" BSPT	White
C0625C	159mm (6.1/4") - 9 litre (2 gall) 1.1/4" BSPT	White
C0750B	191mm (7.1/2") - 13.5 litre (3 gall) 1" BSPT	White
C0750C	191mm (7.1/2") - 13.5 litre (3 gall) 1.1/4" BSPT	White
C0825B	210mm (8.1/4") - 18 litre (4 gall) 1" BSPT	White
C0825C	210mm (8.1/4") - 18 litre (4 gall) 1.1/4" BSPT	White
C0925B	235mm (9.1/4") - 22.5 litre (5 gall) I" BSPT	White
C0925C	235mm (9.1/4") - 22.5 litre (5 gall) 1.1/4" BSPT	White

#### **Petcocks -** Adjustable flow control petcock. Suitable for use in cisterns with the automatic syphon.



CODE: DESCRIPTION COLOUR CPC05AB 13mm (1/2") BSPT Plastic Petcock Black

For spare Washers and Nuts see 'Holdtite'

### SPHINX/WISA



#### WISA Side Entry Hydraulic Float Valve and Spares.

CODE: **DESCRIPTION** 

DW132571/38 Side Entry Valve 3/8" Inlet

SPHINX/WISA code: 8035432571 SWIV0311 Diaphragm Washer SPHINX/WISA code: 8050800311



#### WISA Bottom Entry Hydraulic Float Valve, telescopic height adjustment and Spares.



CODE: **DESCRIPTION** DW185473 Bottom Entry Valve SPHINX/WISA code: 1409985473

#### WISA Control Panel 2100.



CODE: DESCRIPTION **COLOUR** White SWIP0800 Control Panel SPHINX/WISA code: 8050420800 SWCP0829 Control Panel Chrome






#### WISA 2100 Single Flush Outlet Valve for top control built-in cisterns.

DESCRIPTION CODE: SWOV0511 Outlet Valve SPHINX/WISA code: 805080511

SWVW8440 Washer to suit Outlet Valve

SPHINX/WISA code: 1411988440



### SPHINX/WISA



## WISA Excellent 2136 Dual Flush Outlet Valve for front control built-in cisterns.

CODE: DESCRIPTION
SWOV1523 Dual Flush Outlet Valve

SPHINX/WISA code: 8050801523

#### **Pneumatic Push Button.**



CODE: DESCRIPTION COLOUR
SWVB3751 Push Button White
SPHINX/WISA code: 1418983751
SWVB3752 Push Button Chrome
SPHINX/WISA code: 1418983752



#### WISA Pneumatic Control Outlet Valve for built-in cisterns and Spares.



CODE: DESCRIPTION
SWOV0522 Pneumatic Outlet Valve
SPHINX/WISA code: 8050800522



## WISA Universal Dual Flush Outlet Valve for use with SPHINX CC toilets.

CODE: DESCRIPTION

SWOV2016 Universal Dual Flush Outlet Valve Identified as DFI and DF2 for SPHINX products

SWVW5920 WISA Washer for Universal Outlet Valve



### SPHINX/WISA

#### WISA Single Flush Push Button for use with SPHINX single flush outlet valves - Chrome.



CODE: DESCRIPTION
SWVB0100 Single Flush Button
SPHINX/WISA code: 8035800100

COLOUR Chrome



## WISA Single Flush Outlet Valves, complete with washers and nuts.

CODE: DESCRIPTION

SWOV0128 Outlet Valve M59 Long 215 (SPHINX Code 15S)
SWOV0140 Outlet Valve M59 Short 215 (SPHINX Code 18S)
SWOV0107 Outlet Valve M65 Long (SPHINX Code 16S)\*
SWOV0114 Outlet Valve M65 Short 215 (SPHINX Code 14S)\*
SWOV8481 WISA Outlet Valve Washer for M59 and M65 Valves



\*Button and ceramic connection kit not included

#### **WISA Rubber Flushpipe Connector.**



CODE: DESCRIPTION

A2200AA Rubber Flushpipe Connector - 50 x 44mm

SPHINX/WISA code: 8050985530

#### WISA Standard European Flushpipe.



CODE: DESCRIPTION

A149585AA Standard European Flushpipe - 230 x 210mm

SPHINX/WISA code: 8050882700

## Opella Traps to BS EN274

#### **Tubular Two Piece Traps**



CODE: COLOUR SIZE/DESCRIPTION
MT1000AA White 32 X 38mm Seal "P" Trap
MT1004AA White 38 X 38mm Seal "P" Trap
MT1001AA White 32 X 38mm Seal "S" Trap
MT1005AA White 38 X 38mm Seal "S" Trap





CODE: COLOUR SIZE/DESCRIPTION
MT1002AA White 32 X 75mm Seal "P" Trap
MT1006AA White 38 X 75mm Seal "P" Trap
MT1003AA White 32 X 75mm Seal "S" Trap
MT1007AA White 38 X 75mm Seal "S" Trap





CODE: COLOUR SIZE/DESCRIPTION
MT6002AA White 50mm "P" Trap w/o
Overflow with C/Eye
MT8006AA White 38 x 75mm Seal Running Trap





CODE: COLOUR SIZE/DESCRIPTION
MT1008AA White 38mm x 38mm Seal, Deep Seal
Trap with C/Eye
MT1010AA White 38mm x 75mm Seal "P" Trap



#### **One Piece Traps for Baths and Showers**



CODE: COLOUR SIZE/DESCRIPTION

MT6007AA White 38 x 20mm Seal "P" Trap (No C/Eye)

MT6009AA White 38 x 20mm Seal "P" Trap (I C/Eye)



#### **Combined Sink and Washing Machine Traps**



CODE: COLOUR SIZE/DESCRIPTION

MT5066AA White 38 x 75mm Seal Single Inlet W/Machine

MT5068AA White 38 x 75mm Inlet Tee W/Machine Trap

MT5067AA White 38 x 75mm Double Inlet W/Machine





## Opella Traps to BS EN274



#### **Traps for Washing Machines**

CODE: COLOUR SIZE/DESCRIPTION

MT3056AA White 38 x 75mm Seal (600mm Stand Pipe)



#### Straight Through Pedestal Trap

CODE: COLOUR SIZE/DESCRIPTION MT2000AA White 32 x 75mm Seal



#### Two Piece Traps with Telescopic Inlets (180mm Tube)

CODE: COLOUR SIZE/DESCRIPTION
MT3036AA White 38 x 75mm Seal "P" Trap
MT3034AA White 38 x 38mm Seal "P" Trap





CODE: COLOUR SIZE/DESCRIPTION

MT7050AA White 32 x 38mm Seal "Unifix" "P" Outlet

MT7052AA White 32 x 75mm Seal "Unifix" "P" Outlet

MT7054AA White 38 x 38mm Seal "Unifix" "P" Outlet

MT7056AA White 38 x 75mm Seal "Unifix" "P" Outlet



#### **Bottle Traps - Anti Vac**



CODE: COLOUR SIZE/DESCRIPTION

MT7042AA White 32 x 75mm Seal "Unifix" "P" Outlet MT7046AA White 38 x 75mm Seal "Unifix" "P" Outlet



#### **Telescopic Bottle Traps**

CODE: COLOUR SIZE/DESCRIPTION
MT7022AA White I.1/4" Telescopic Bottle Trap
MT7026AA White I.1/2" Telescopic Bottle Trap

Tel: 0121 557 3433 sales@masefield-epson.co.uk

Fax: 0121 520 6369 www.masefield-epson.co.uk

# Opella Traps to BS EN274

#### **Unifix Waste System**



CODE: COLOUR
MW9400AA White
MW9401AA White
MW9402AA White
MW9403AA White
MW9404AA White

SIZE/DESCRIPTION
32mm Straight Connector
32mm Obtuse Bend
32mm 90° Knuckle Bend
32mm "T" Connector
38mm to 32mm Reducer



MW9410AA White MW9411AA White MW9412AA White MW9413AA White MW9416AA White

38mm Straight Connector 38mm Obtuse Bend 38mm 90° Knuckle Bend 38mm "T" Connector 38mm to 32mm Reducer (Coupled Both Ends)












#### **Shower Traps**



CODE: COLOUR MT6020CP White MT6025AA White SIZE/DESCRIPTION Shower Trap, Chrome Shower Trap, White




#### Poly Washers - Polythene 1.5mm (1/16") thick



CODE: **DESCRIPTION** SIZE L01050P Pillar Tap Washer 38mm x 22mm (1.1/2" x 7/8") 13mm (1/2") L01075P Pillar Tap Washer 44mm x 29mm (1.3/4" x 1.1/8") 19mm (3/4") L01100T Tank Washer 64mm x 34mm (2.1/2" x 1.11/32") 25mm (I") L01125L Lavatory Washer 60mm x 43mm (2.3/8" x 1.11/16") 32mm (1.1/4") L01125S Sink Washer 89mm x 43mm (3.1/2" x 1.11/16") 32mm (1.1/4") L01150S Sink Washer 89mm x 49mm (3.1/2" x 1.15/16") 38mm (1.1/2") Bath Washer 71mm x 43mm (2.13/16" x 1.11/16") L01125B 32mm (1.1/4") L01150B Bath Washer 71mm x 49mm (2.13/16" x 1.15/16") 38mm (1.1/2")


#### Fibre Washers - 1.5mm (1/16") thick as above, but manufactured in C.N.A.F



CODE: L01050P-F L01075P-F L01100T-F L01125L-F L01150S-F L01125S-F DESCRIPTION
Pillar Tap Washer 38mm x 22mm (1.1/2" x 7/8")
Pillar Tap Washer 44mm x 29mm (1.3/4" x 1.1/8")
Tank Washer 64mm x 34mm (2.1/2" x 1.11/32")
Lavatory Washer 60mm x 43mm (2.3/8" x 1.11/16")
Sink Washer 83mm x 49mm (3.1/2" x 1.15/16")
Sink Washer 83mm x 49mm (3.1/2" x 1.15/16")

SIZE 13mm (1/2") 19mm (3/4") 25mm (1") 32mm (1.1/4") 38mm (1.1/2") 32mm (1.1/4")

#### **Anti-Rotational Washers - PE Foam 2mm thick**



CODE: L01050P-AR

L01075P-AR

DESCRIPTION
13mm (1/2") Pillar Tap Washer
(38mm × 22mm) (1.1/2" × 7/8")
19mm (3/4") Pillar Tap Washer
(44mm × 29mm) (1.3/4" × 1.1/8")

13mm (1/2")

SIZE

19mm (3/4")

#### **Rubber Washers**



CODE: SIZE L01050-R L01075-R L01100-R L01125L-R L01125S-R L01150S-R **DESCRIPTION** 

Pillar Tap Washer, Rubber 38mm x 22mm (1.1/2" x 7/8") 13mm (1/2")
Pillar Tap Washer, Rubber 44mm x 29mm (1.3/4" x 1.1/8") 22mm (3/4")
Tank Washer, Rubber 64mm x 34mm (2.1/4" x 1.11/32")
Lavatory Basin Washer, Rubber 60mm x 43mm (2.3/8" x 1.11/16")
Sink Washer, Rubber 89mm x 43mm (3.1/2" x 1.11/16") 32mm (1.1/4")
Sink Washer, Rubber 89mm x 49mm (3.1/2" x 1.15/16") 38mm (1.1/2")
Bath Washer, Rubber 72mm x 48mm 38mm (1.1/2")

#### **General**



CODE: L04750TH

L05PT

DESCRIPTION
Universal Top Hat Washer

Pillar Tap Fixing Washer

SIZE 13mm/19mm (1/2"/3/4")



Tel: 0121 557 3433 sales@masefield-epson.co.uk

Fax: 0121 520 6369 www.masefield-epson.co.uk



Split-Klick - These revolutionary products save time, money and are kind to the

environment. Saves water, no need to drain water tanks when replacing old top hat washers. Fits both 1/2" and 3/4" taps. Increases strength to tap installations. No need to separate pipework when



fitting Split-Klick top hats. Last much longer than ordinary top hats.

Reduces movement and wear of pipework.

CODE: **DESCRIPTION** 

L04SKTH Split-Klick Top Hat Washer

The Split-Klick Centralising Washer automatically locates taps, making easier, quicker and stronger installations.

CODE:

L05SKCW Split-Klick Centralising Washer

## Syphon Outlet Washers 3mm (1/8") thick



CODE: **DESCRIPTION** L0204SR Syphon Tail Outlet Washer, Rubber L0203SR Syphon Tail Outlet Washer, Rubber L0202SR Syphon Tail Outlet Washer, Rubber L0201SR Valve Tail Outlet Washer, Rubber

SIZE 25mm (I") 32mm (1.1/4") 38mm (1.1/2") 50mm (2")

## Syphon Diaphragm Washers - manufactured from polythene



CODE: **DESCRIPTION** L0345R Round Diaphragm Washer, suitable for round chamber syphons such as the Dudley Hi-Flo,

114mm (4.1/2")

L0350R Round Diaphragm Washer, replacement

Diaphragm for round chamber syphons,

127mm (5")

L0345O Oval Diaphragm Washer, suitable for syphons

such as the Dudley Turbo 88 and Cascade

range, 127mm (5")

L0345T44 Diaphragm Washer to suit Dudley Turbo 44 Syphon

## **Close Coupling Kit Washers**



CODE: **DESCRIPTION** 

L06CC Close Coupling Kit Washer 'Doughnut' Type

Size - 100mm o.d. x 55mm i.d.

L06CC-W Close Coupling Kit Washer, Standard Type L06CC-R Close Coupling Kit Washer 'Stepped Type' L06SC Self Centring Conical Sealing Washer

L07CC-S Close Coupling Washer to suit 2" Outlet (116 x 69 x 15mm)

L06CC-IS 'Ideal Standard' Ring Type Sealing Washer

Basin Waste Seal Kit - Ensures an easy, watertight seal first time.




**DESCRIPTION** CODE:

L90BWS125 32mm (1.1/4") Basin Waste Seal Kit (3 part) on Header Card






### **Trap Sealing Washers**



CODE: **DESCRIPTION** SIZE L08SR34 Trap Inlet Sealing Washer 32mm (1.1/4") L08SR39 Trap Inlet Sealing Washer 38mm (1.1/2") L02004S Tapered Trap Outlet Sealing Washer 32mm (1.1/4") L02005S 38mm (1.1/2") Tapered Trap Outlet Sealing Washer L15300C 32mm Top of Trap Inlet Washer 40 x 32 x 3mm L15301C 38mm Top of Trap Inlet Washer  $45 \times 34 \times 3$ mm L08ORBT

Bottle Trap 'O' Ring Seal



#### **Tapered Flushpipe Sealing Rings**



CODE: **DESCRIPTION** SIZE L02006S Tapered Flushpipe Sealing Ring, suitable for sealing high level flushpipes to syphon 32mm (1.1/4") L02007S Tapered Flushbend Sealing Ring, suitable for sealing 38mm (1.1/2") low level flushbends to syphon L02008S Tapered Flushpipe Sealing Ring, suitable for sealing low level flushbends to valves 50mm (2")

#### Flat Tap Washers 'Holdtite' Brand



CODE: **DESCRIPTION** SIZE LIOAFJB50 Flat Tap Washer c/w Brass Jumper 13mm (1/2") Flat Tap Washer c/w LI0AFJB75 Brass Jumper 19mm (3/4") LIOAFPL038 Flat Tap Washer in box 10mm (3/8") Flat Tap Washer in box LIOAFPL050 13mm (1/2") Flat Tap Washer in box 16mm (5/8") LIOAFPL063 LIOAFPL075 Flat Tap Washer in box 19mm (3/4") LIOAFPLI00 Flat Tap Washer in box 25mm (1")



## Dome Tap Washers 'Holdtite' Brand



CODE: **DESCRIPTION** SIZE L10BDPL038 Dome Tap Washer in box 10mm (3/8") LI0BDPL050 Dome Tap Washer in box 13mm (1/2") LI0BDPL063 Dome Tap Washer in box 16mm (5/8") Dome Tap Washer in box 19mm (3/4") LI0BDPL075 LI0BDPLI00 Dome Tap Washer in box 25mm (I") LI0BDJP038 Dome Tap Washer c/w Plastic Jumper 10mm (3/8") L10BDJP050 Dome Tap Washer c/w Plastic Jumper 13mm (1/2") LI0BDJP063 Dome Tap Washer c/w Plastic Jumper 16mm (5/8") LI0BDJP075 Dome Tap Washer c/w Plastic Jumper 19mm (3/4")



#### **Red Fibre Flat Tap Washers**



**DESCRIPTION** SIZE CODE: 10mm (3/8") LI0GRF38 Red Fibre Tap Washer LI0GRF50 Red Fibre Tap Washer 13mm (1/2") LI0GRF63 Red Fibre Tap Washer 16mm (5/8") LI0GRF75 Red Fibre Tap Washer 19mm (3/4")





#### **Delta Tap Washers**



CODE: L10HDEL50 L10HDEL75

DESCRIPTION
Delta (21) Tap Washer
Delta (21) Tap Washer

SIZE 13mm (1/2") 19mm (3/4")

#### **Tantofex Tap Washers**



CODE: LIOTANT50 LIOTANT75 DESCRIPTION
Tantofex Tap Washer
Tantofex Tap Washer

SIZE 13mm (1/2") 19mm (3/4")

## **Barking Grohe Tap Washer**



CODE: L10HBAR50 DESCRIPTION
Barking Grohe Washer


#### **Pegler Tap Washers**



CODE: LIOAFPLI50 LIOAFPLI75 DESCRIPTION Pegler Tap Washer Pegler Tap Washer SIZE

13mm (1/2") 19mm (3/4")

### **American Tap Washers**



CODE: LIODLUSE LIODLUSP LIODLUSS DESCRIPTION Emco Tap Washer Pfister Tap Washer Sayco Tap Washer SIZE


14.5 x 3 x 4.8mm (9/16 x 1/8 x 3/16") 17.7 x 2 x 4.8mm (11/16 x 5/64 x 3/16") 13 x 3 x 4mm (1/2 x 1/8 x 5/32")

### Prestex '43' Swivel Washers - Fibre



CODE: L10EPX50 L10EPX75 L10EPX100 DESCRIPTION
Prestex '43' Swivel Washer Fibre
Prestex '43' Swivel Washer Fibre
Fibre Washer

SIZE 13mm (1/2") 19mm (3/4") 25mm (1")





#### **Nylon Tap Connector Washers**



CODE: LI0EPX50-N LI0EPX75-N

**DESCRIPTION** Nylon Tap Connector Washer Nylon Tap Connector Washer SIZE 13mm (1/2") 19mm (3/4")

#### Flexible Tap Connector Washers (C.N.A.F)



CODE: L10FFC50 LI0FFC75 L10FFC50-G

L10FFC75-G

**DESCRIPTION** SIZE Flexible Tap Connector Washer 13mm (1/2")

Flexible Tap Connector Washer Flexible Tap Connector Washer -

Graphite coated

Flexible Tap Connector Washer -

Graphite coated

13mm (1/2")

19mm (3/4")

19mm (3/4")

#### Flexible Tap Connector Washer - Rubber



CODE: LI0FFC38-R LI0FRC50

LI0FRC75

**DESCRIPTION** Rubber Flexible Tap Connector Washer

Rubber Flexible Tap Connector Washer to suit SF

Rubber Flexible Tap Connector Washer

to suit SF


SIZE

10mm (3/8")

13mm (1/2")

19mm (1/2")

#### **Top of Tap Body Washers - Fibre**



CODE: LI0TBA50

LI0TBA75

LI0TBA3

LI0TBA4

**DESCRIPTION** No. I Top Body Washer

No. 2 Top Body Washer

No. 3 Top Body Washer

No. 4 Top Body Washer

SIZE

32mm x 28mm x 1.5mm  $(1.1/4" \times 1.1/8" \times 1/16")$ 30mm  $\times 25$ mm  $\times 1.5$ mm  $(1.3/16" \times 15/16" \times 1/16")$ 28mm x 25mm x 1.5mm

 $(1.1/8" \times 15/16" \times 1/16")$ 38mm  $\times$  32mm  $\times$  1.5mm  $(1.1/2" \times 1.1/4" \times 1/16")$ 

#### Supa-Tap Washers



CODE: LI0STA50 LI0STB75 LI0STD50 **DESCRIPTION** Supa-Tap 'A' c/w Jumper Supa-Tap 'B' c/w Jumper Supa-Tap 'D' c/w Jumper SIZE

13mm (1/2") 19mm (3/4") 13mm (1/2")

Tel: 0121 557 3433 sales@masefield-epson.co.uk

Fax: 0121 520 6369 www.masefield-epson.co.uk





#### Supa-Tap Washers Anti-Splash



 CODE:
 DESCRIPTION
 SIZE

 L10STA50-AS
 Supa-Tap 'A' Anti-Splash
 13mm (1/2")

 L10STB75-AS
 Supa-Tap 'B' Anti-Splash
 19mm (3/4")

 L10STD50-AS
 Supa-Tap 'D' Anti-Splash
 13mm (1/2")

## Full Stop Washer and Jumper



CODE: DESCRIPTION SIZE
L10FSW050 Full Stop Washer c/w Jumper 13mm (1/2")
L10FSW075 Full Stop Washer c/w Jumper 19mm (3/4")

### **Draw Off Tap Washers**



CODE: DESCRIPTION SIZE
L15DOC Draw Off Tap Washers, Rubber 13mm (1/2")
L15FDOC Draw Off Tap Washers, Fibre 13mm (1/2")
L15DOC-B Draw Off Tap Washers, Rubber - type B 11.5mm (3/8")
L15DOC75 Draw Off Tap Washers, Rubber 19mm (3/4")

#### Flexible Tube and Hose Washers



CODE: **DESCRIPTION** SIZE LI5I5WM Washing Machine Hose Washer 19mm (3/4") Gauze Filter Washer to suit W/Machine Hose 19mm (3/4") LI515WMG LI5I5SH Shower Hose Washer 13mm (1/2") Flexible Tube Washer LI5FTW50 13mm (1/2") LI5FTW75 Flexible Tube Washer 19mm (3/4")



#### **Ball Valve Washers**



CODE: **DESCRIPTION** SIZE LIIBVR38 Ball Valve Washer, Rubber 10mm (3/8") LIIBVR50 Ball Valve Washer, Rubber 13mm (1/2") LIIBVR63 Ball Valve Washer, Rubber 16mm (5/8") Ball Valve Washer, Rubber 19mm (3/4") LIIBVR75 LIIBVR88 Ball Valve Washer, Rubber 22mm (7/8") LIIBVRI00 Ball Valve Washer, Rubber 25mm (1") LIIBVR125 Ball Valve Washer, Rubber,

(Aquasave Mk 1) 32mm (1.1/4") L11BVR150 Ball Valve Washer, Rubber 38mm (1.1/2")

L11BVS50 Ball Valve Seating Washer,

Red Fibre I3mm (I/2")

L11BVS75 Ball Valve Seating Washer,
Red Fibre 19mm (3/4")

LIIBVD50 Ball Valve Diaphragm Washer,

(Aquasave Mk 2) 32mm (1.1/4")
L11BVDHF Armitage Quiet Valve

Replacement Washer 32mm (1.1/4") L080R115-B 'O' Ring to suit Delchem Ballvalve



#### **Ball Valve Seatings and Pistons**



CODE: SIZE **DESCRIPTION** LIIHPS12 H.P Seating (White)  $3mm \times 13mm (1/8" \times 1/2")$ LIILPS25 L.P Seating (Red) 6mm x 13mm (1/4" x 1/2") LIIHPS75 H.P Seating 19mm (3/4") LIILPS75 L.P Seating 19mm (3/4") LIIPHP50 H.P Piston 13mm (1/2")

#### **Cotter Pins - Brass**



CODE: DESCRIPTION SIZE L11BCP50 Cotter Pin to suit 13mm

(1/2") Ball Valve  $21 \text{mm} \times 3 \text{mm} (7/8" \times 1/8")$ L11BCP75 Large Cotter Pin to suit

Ball Valve  $2 \text{ Imm } \times 5 \text{mm } (7/8" \times 3/8")$ 

## Rubber Washers to suit 13mm/19mm B.S.P.T Thread



CODE: DESCRIPTION SIZE
L15BVS50 Ball Valve Stem Washer to suit 13mm (1/2")
L15OVF Overflow Tail Washer to suit 19mm (3/4")

Tel: 0121 557 3433 sales@masefield-epson.co.uk

Fax: 0121 520 6369 www.masefield-epson.co.uk





#### **Immersion Heater Washers**




CODE: LI51HW LI51HW-L LI51HW-LG

DESCRIPTION
Immersion Heater Washer
Immersion Heater Washer
Immersion Heater Washer
graphite coated on both sides

SIZE (78mm × 66mm × 2mm) (95mm × 66mm × 2.5mm)

 $(95 \text{mm} \times 66 \text{mm} \times 2.5 \text{mm})$ 

### Red Fibre Washers (1.5mm Thick)



CODE: **DESCRIPTION** L18RF064 Red Fibre Washer L18RF083 Red Fibre Washer Red Fibre Washer LI8RFI00 LI8RFII5 Red Fibre Washer Red Fibre Washer LI8RFI35 LI8RFI46 Red Fibre Washer LI8RFI70 Red Fibre Washer

SIZE
9mm x 6.4mm x 1.5mm
12.6mm x 8.3mm x 1.5mm
16mm x 10mm x 1.5mm
17.5mm x 11.5mm x 1.5mm
19mm x 13.5mm x 1.5mm
22mm x 14.6mm x 1.5mm
22mm x 17mm x 1.5mm


## Torbeck/Fluidmaster/WISA and Siamp Spares for Inlet Valves



CODE: DT02999B DT02998 DT02996 DFLP71UK DFHP71UK SW1V0311 DSC999D DHF2999B DESCRIPTION
Torbeck Diaphragm Washer
Torbeck Rubber Cone Washer
Torbeck Filters
Fluidmaster Ultra Low Pressure Seal
Fluidmaster Multi Pressure Seal
WISA Side Entry Diaphragm Washer
Siamp Diaphragm Washer
Hydroflo Diaphragm Washer







#### **Blanking Cap Washers**

DFLP71UK DFHP71UK



CODE: L15SFW075-E L15SFW100-E L15SFW132-E DESCRIPTION
Solid Fibre Disc (Small)
Solid Fibre Disc (Medium)
Solid Fibre Disc (Large)

SIZE 19mm 23mm 30mm

Tel: 0121 557 3433 sales@masefield-epson.co.uk

Fax: 0121 520 6369 www.masefield-epson.co.uk



#### **Miscellaneous**



CODE: L15BDW L15CPW L15CPW-F L15HWB L15BW075 L10TSW50 DESCRIPTION
Bath/Shower Mixer Diverter Washer
Circulation Pump Washer

Circulation Pump Washer, Fibre Hot Water Bottle Washer

Boss Washer Fibre Washer to suit 1/2" BSPT Taps

SIZE

27mm x 9mm x 2mm (1.1/6 x 3/8 x 1/8") 44mm x 30mm x 2mm (1.3/4 x 1.3/8 x 1/8") 44mm x 30mm x 2mm (1.3/4 x 1.3/8 x 1/8")

19mm x 10mm (3/4" x 3/8")

19mm (3/4") 13mm (1/2")

#### Cap and Liner Washers



CODE: L15CLW50 L15CLW63 L15CLW75

DESCRIPTION SIZE
Cap and Liner Washer 13mm (1/2")
Cap and Liner Washer 16mm (5/8")
Cap and Liner Washer 19mm (3/4")

#### **External Tooth Washers**



CODE: L99M22ZP DESCRIPTION SIZE External Tooth Washer, Zinc Plated M22

#### 'O' Rings Imperial



CODE: O.D. (mm) I.D. (mm) SECTION (mm) L08OR004 004 'O' Ring 5 1.78 1.78 L08OR006 006 'O' Ring 6.3 2.90 1.78 L08OR007 007 'O' Ring 3.69 1.78 7 L08OR008 008 'O' Ring 8 4.47 1.78 L08OR009 009 'O' Ring 8.7 5.28 1.78 9.5 010 'O' Ring 6.07 1.78 L08OR010 L08OR011 011 'O' Ring П 7.66 1.78 012 'O' Ring 12.7 9.25 L08OR012 1.78 14.2 10.62 1.78 L08OR013 013 'O' Ring 12.42 L08OR014 014 'O' Ring 15.6 1.78 14 L08OR015 015 'O' Ring 17.2 1.78 1.78 L08OR016 016 'O' Ring 18.8 15.6 L08OR017 017 'O' Ring 17.16 20.5 1.78 L08OR018 18.77 1.78 018 'O' Ring 22 L08OR019 019 'O' Ring 23.5 20.35 1.78 L08OR020 020 'O' Ring 25.4 21.95 1.78 L08OR025 025 'O' Ring 33.5 29.87 1.78 L08OR026 026 'O' Ring 35 31.47 1.78 L08ORII0 110 'O' Ring 14.2 9.19 2.62 L08ORIII III 'O' Ring 10.78 2.62 15.6

**NOMINAL SIZES** 



					of Holdti
'O' Rings Imperial			NOMIN	IAL SIZES	
	CODE:		O.D. (mm)	I.D. (mm)	SECTION (mm)
	L08OR112	112 'O' Ring	17.2	12.97	2.62
	L08OR113	113 'O' Ring	18.8	13.95	2.62
	L08OR114	114 'O' Ring	20.5	15.54	2.62
	L08OR115	115 'O' Ring	22	17.13	2.62
	L08OR116	116 'O' Ring	23.5	18.72	2.62
	L08OR117	117 'O' Ring	25.4	20.29	2.62
	L08OR118	118 'O' Ring	26.8	21.90	2.62
	L08OR119	119 'O' Ring	28.5	23.47	2.62
	L08OR120	120 'O' Ring	30	25.07	2.62
	L08OR121	121 'O' Ring	31.5	26.65	2.62
	L08OR122	122 'O' Ring	33.5	28.25	2.62
	L08OR123	123 'O' Ring	35	29.83	2.62
	L08OR124	124 'O' Ring	36.3	31.42	2.62
	L08OR125	125 'O' Ring	38	35	2.62
	L08OR126	126 'O' Ring	40	34.5	2.62
	L08OR210	210 'O' Ring	41	36.17	3.53
	L08OR211	211 'O' Ring	26.9	20.22	3.53
	L08OR212	212 'O' Ring	28.5	21.82	3.53
	L08OR213	213 'O' Ring	30	23.4	3.53
	L08OR214	214 'O' Ring	31.5	25	3.53
	L08OR215	215 'O' Ring	33.5	26.57	3.53
	L08OR216	216 'O' Ring	35	26.67	3.53
	L08OR217	217 'O' Ring	36.3	29.75	3.53
	L08OR218	218 'O' Ring	38	31.34	3.53
	L08OR219	219 'O' Ring	40	32.93	3.53
	L08OR220	220 'O' Ring	41	34.52	3.53
	L08OR221	221 'O' Ring	43	36.10	3.53
	L08OR222	222 'O' Ring	44.5	37.7	3.53
	L08OR223	223 'O' Ring	47	40.67	3.53
	L08OR224	224 'O' Ring	51	44.05	3.53
	L08OR225	225 'O' Ring	54	47.23	3.53
	L08OR226	226 'O' Ring	58	50.4	3.53
	L08OR315	315 'O' Ring	30	19.99	5.34
	L08OR325	325 'O' Ring	47	37.47	5.34
	L08OR326	326 'O' Ring	51	40.65	5.34
	L08OR327	327 'O' Ring	54	43.82	5.34
	L08OR328	328 'O' Ring	58	47	5.34



## 'O' Rings Metric - Nitrile 70 Shore A



nore A		
CODE:		SIZE
	(2) 2.	
L09OR0302	'O' Ring	3mm x 2mm
L09OR0402	'O' Ring	4mm x 2mm
L09OR0502	'O' Ring	5mm x 2mm
L09OR0602	'O' Ring	6mm x 2mm
L09OR0702	'O' Ring	7mm x 2mm
L09OR0802	'O' Ring	8mm x 2mm
L09OR1002	'O' Ring	10mm x 2mm
L09OR1102	'O' Ring	IImm x 2mm
L09OR1302	'O' Ring	13mm x 2mm
L09OR1402	'O' Ring	14mm x 2mm
207011102	O Tang	1 IIIIII X 2IIIIII
100001400	(O) D:	14 2
L09OR1602	'O' Ring	I6mm x 2mm
L09OR1702	'O' Ring	17mm x 2mm
L09OR1902	'O' Ring	19mm x 2mm
L09OR2102	'O' Ring	21mm x 2mm
L09OR2202	'O' Ring	22mm x 2mm
L09OR3002		30mm x 2mm
	'O' Ring	
L09OR3202	'O' Ring	32mm x 2mm
L09OR1025	'O' Ring	10mm x 2.5mm
L09OR1125	'O' Ring	I I mm x 2.5mm
L09OR1225	'O' Ring	12mm x 2.5mm
	58	
L09OR1425	'O' Ring	14mm x 2.5mm
L09OR1625	'O' Ring	16mm x 2.5mm
L09OR1725	'O' Ring	17mm x 2.5mm
L09OR1925	'O' Ring	19mm x 2.5mm
L09OR2025	'O' Ring	20mm x 2.5mm
L09OR2225	'O' Ring	22mm x 2.5mm
L09OR2325	'O' Ring	23mm x 2.5mm
L09OR2525	'O' Ring	25mm x 2.5mm
L09OR2725	'O' Ring	27mm x 2.5mm
L09OR2825	'O' Ring	28mm x 2.5mm
L09OR3025	'O' Ring	30mm x 2.5mm
L09OR3125	'O' Ring	31mm x 2.5mm
L09OR3325	'O' Ring	33mm x 2.5mm
L09OR3525	'O' Ring	35mm x 2.5mm
L09OR1903	'O' Ring	19mm x 3mm
L09OR2003	'O' Ring	20mm x 3mm
L09OR2203	'O' Ring	22mm x 3mm
L09OR2403	'O' Ring	24mm x 3mm
L09OR2503	'O' Ring	25mm x 3mm
L09OR2703	'O' Ring	27mm x 3mm
L07OR2703	O King	2711111 X 3111111
L09OR2803	'O' Ring	28mm x 3mm
L09OR3003	'O' Ring	30mm x 3mm
L09OR3203	'O' Ring	32mm x 3mm
L09OR3303	'O' Ring	33mm x 3mm
L09OR3503	'O' Ring	35mm x 3mm
L09OR3603	'O' Ring	36mm x 3mm
L09OR3803	'O' Ring	38mm x 3mm
L09OR4103	'O' Ring	41mm x 3mm
L09OR4403	'O' Ring	44mm x 3mm
L09OR4703	'O' Ring	47mm x 3mm
L09OR5003	'O' Ring	50mm x 3mm
L09OR3804	'O' Ring	38mm x 4mm
237013001	- Tung	John A IIIIII





## **Genuine Jubilee Hose Clips**

L20HPC120-B



CODE:		SIZE	
L20HPC012-B	CI2	9.5 - 12mm (3/8" - 1/2")	000
L20HPC016-B	CI6	II - I6mm (I/2" - 5/8")	MOO
L20HPC020-B	C20	13 - 20mm (1/2" - 3/4")	00
L20HPC022-B	C22	16 - 22mm (5/8" - 7/8")	0
L20HPC025-B	C25	18 - 25mm (3/4" - 1")	OX
L20HPC030-B	C30	22 - 30mm (7/8" - 1.1/8")	IA
L20HPC035-B	C35	25 - 35mm (I" - I.3/8")	1
L20HPC040-B	C40	30 - 40mm (1.1/8" - 1.5/8")	IX
L20HPC045-B	C45	32 - 45mm (1.1/4" - 1.3/4")	IM
L20HPC050-B	C50	35 - 50mm (1.1/4" - 1.7/8")	2A
L20HPC055-B	C55	40 - 55mm (1.1/2" - 2.1/8")	2
L20HPC060-B	C60	45 - 60mm (1.3/4" - 2.3/8")	2X
L20HPC070-B	C70	55 - 70mm (2" - 2.3/4")	3
L20HPC080-B	C80	60 - 80mm (2.3/8" - 3.1/8")	3X
L20HPC090-B	C90	70 - 90mm (2.3/4" - 3.1/2")	4
L20HPC100-B	C100	85 - 100mm (3.1/4" - 4")	4X

Cl20 90 - I20mm (3.3/4" - 4.1/2")

5






#### Air Cocks and Keys



CODE: L50ACG L50ACC L50ACT L50ACW12 L50ACW25 L50ACW50





#### **Brass Olives**



CODE:
L60DX08
L60DX10
L60DX15
L60DX22
L60DX28
L60DX75

DESCRIPTION	SIZE
Brass Compression Olives	8mm
Brass Compression Olives	10mm
Brass Compression Olives	15mm
Brass Compression Olives	22mm
Brass Compression Olives	28mm
Brass Compression Olives	3/4"

#### **Nuts**



CODE:	DESCRIPTION	SIZE
N01075AA	Coupling Nut	19mm (3/4")
N01100AA/22	Coupling Nut (22mm I.D)	25mm (I")
N01100AA	Coupling Nut (28mm I.D)	25mm (1")
N01125AA	Coupling Nut to 25mm (I") Pipe	32mm (1.1/4")
N01125AA-2	Coupling Nut to 32mm (1.1/4") Pipe	32mm (1.1/4")
N01150AA	Coupling Nut	38mm (1.1/2")
N01150AA/HL	Coupling Nut to suit H/L application	38mm (1.1/2")
N01200AA	Coupling Nut	50mm (2")
N02038AB	Jamb Nut	10mm (3/8")
N02050AA-F	Jamb Nut	13mm (1/2")
N02050AA	Flat 'Spigot' Nut	13mm (1/2")
N02075AA	Jamb Nut	19mm (3/4")
N02100AA	Jamb Nut	25mm (1")
N02125AA	Jamb Nut	32mm (1.1/4")
N02150AA	Jamb Nut	38mm (1.1/2")
N02200AA	Jamb Nut	50mm (2")

## **Holdtite PTFE Tape**



CODE:

DESCRIPTION PTFE Tape (Packs of 10 Rolls)

SIZE

12mm x 12mm x 0.075mm





### Plugs - Sink, Bath and Basin (Polythene)



CODE: F0103AB F0103AA F0104AB F0104AA DESCRIPTION
Black Plug c/w NP Triangle
White Plug c/w NP Triangle
Black Plug c/w NP Triangle
White plug c/w NP Triangle

SIZE 38mm (1.1/2") to suit 1.1/4" wastes 38mm (1.1/2") to suit 1.1/4" wastes 42mm (1.3/4") to suit 1.1/2" wastes 42mm (1.3/4") to suit 1.1/2" wastes

#### Plugs - Sink, Bath and Basin - Chrome Plated



CODE: F0103CP F0103PCP

F0104CP F0104PCP

CODE:

DESCRIPTION
CP on Brass Plug c/w NP Triangle

& Sealing Ring
CP on PVC Plug c/w NP Triangle

& Sealing Ring
CP on Brass Plug c/w NP Triangle

& Sealing Ring CP on PVC Plug c/w NP Triangle

& Sealing Ring

SIZE

38mm (1.1/2") to suit 1.1/4" wastes

38mm (1.1/2") to suit 1.1/4" wastes

42mm (1.3/4") to suit 1.1/2" wastes

42mm (1.3/4") to suit 1.1/2" wastes

#### **Rubber Plugs - White**



F05WRP100 F05WRP125 F05WRP138 F05WRP150 F05WRP163 F05WRP175 F05WRP200 F05WRP212 F05WRP225 F05WRP238 F05WRP250 DESCRIPTION
White Rubber Plug c/w Triangle

SIZE
25mm (1")
32mm (1.1/4")
35mm (1.3/8")
38mm (1.1/2")
41mm (1.5/8")
44mm (1.3/4")
48mm (1.7/8")
51mm (2")
54mm (2.1/8")
60mm (2.3/8")
64mm (2.1/2")

#### Tap Hole Stoppers - with Locking Nut



CODE: F0201AA F0201CP F0201GP COLOUR White Chrome Plated Gold Plated SIZE

51mm (2") dia 51mm (2") dia 51mm (2") dia



#### Tap Hole Stoppers - with Front Triangle



## Sink Overflow Stoppers - with Backnut, fits most types of sinks with standard overflow hole.



CODE: DESCRIPTION SIZE F0210AB CP Triangle Black with

Extended Thread 32mm (1.1/4") dia

### **Bath Overflow Stoppers - with Locknut and Triangle**



 CODE:
 COLOUR
 SIZE

 F0215AA
 White
 70mm (2.3/4") dia

 F0215CP
 Chrome Plated
 70mm (2.3/4") dia

 F0215GP
 Gold Plated
 70mm (2.3/4") dia

#### **Cistern Hole Stoppers - with Jamb Nut**



CODE: DESCRIPTION SIZE

F0220AA White to suit 13mm (1/2") hole 38mm (1.1/2") dia

F0220CP Chrome Plated to suit 13mm (1/2") hole 38mm (1.1/2") dia

F0220GP Gold Plated to suit 13mm (1/2") hole 38mm (1.1/2") dia

F0220AR White to suit 19mm (3/4") hole

#### **Inta-Loc Pipe Clips - Snap-In Type**



CODE: DESCRIPTION SIZE

J0115AA Inta-Loc Pipe Clip - Snap-in Type 15mm

J0122AA Inta-Loc Pipe Clip - Snap-in Type 22mm

J0128AA Inta-Loc Pipe Clip - Snap-in Type 28mm

Tel: 0121 557 3433 sales@masefield-epson.co.uk

Fax: 0121 520 6369 www.masefield-epson.co.uk


38mm (1.1/2") dia

(overflow stopper)





## Inta-Loc Pipe Clips - Wrap-Over Type



CODE: J0215AA J0222AA J0228AA DESCRIPTION
Inta-Loc Pipe Clip - Wrap-over Type
Inta-Loc Pipe Clip - Wrap-over Type
Inta-Loc Pipe Clip - Wrap-over Type

SIZE 15mm 22mm 28mm

## Pipe Clips - Nail In Type



CODE: J030710AA J031014AA J031500AA J032200AA DESCRIPTION
Pipe Clips - Nail-in Type

SIZE 7mm to 10mm

10mm to 14mm 15mm

22mm

Fax: 0121 520 6369 www.masefield-epson.co.uk



# **Holdtite Plumbers Boxes**

## **Holdtite Plumbers 'O' Ring Box**



'O' Ring Box, contains 80 'O' rings suited to repair a large range of popular taps, box colour red.

CODE: DESCRIPTION L08HP12OR-BR 'O' Ring Plumbers Box

#### **Holdtite Plumbers Ball Valve Box**



Ball Valve Repair Box contains a range of carefully selected items to repair a number of types and sizes of ball valves, box colour blue.

CODE: DESCRIPTION
L08HP12BW-BR Ball Valve Plumbers Box

## **Holdtite Plumbers Tap Washer Box**



Tap Washers box, contains 78 pieces, 15 different types of tap washers suited to repair a large range of popular taps, box colour green.

CODE: DESCRIPTION

L08HP12TW-BR Tap Washers Plumbers Box

#### **Holdtite Plumbers Fibre and Rubber Washer Box**



Fibre and Rubber Washer Box contains 100 pieces, 12 different types of popular fibre and rubber washers used in plumbing installations, box colour orange.

CODE: DESCRIPTION

L08HP12FW-BR Fibre and Rubber Washers Box

#### **Holdtite Plumbers 'O' Ring Box**



Metric 'O' Ring Box contains 220, 12 types of 3mm - 24mm metric 'O' rings, box colour yellow.

CODE: DESCRIPTION L08HP12OR-M 'O' Ring Plumbers Box

Tel: 0121 557 3433 sales@masefield-epson.co.uk

Fax: 0121 520 6369 www.masefield-epson.co.uk





# Holdtite Plumbers Boxes - Large

## **Holdtite Plumbers 'O' Ring Box**



18 compartment assorted 'O' Ring Box containing 340 'O' rings, 18 different types ranging from 011 - 124.

CODE: DESCRIPTION

L08HP18 'O' Ring Plumbers Box

## **Holdtite Plumbers 'O' Ring Box**



30 compartment assorted 'O' Ring Box containing 435 'O' rings, 30 different types ranging from 006 - 216.

CODE: DESCRIPTION

L08HP30A 'O' Ring Plumbers Box

## **Holdtite Plumbers 'O' Ring Box**



24 compartment box with carrying handle contains 295 of larger sized 'O' Rings ranging from 019 - 329.

CODE: DESCRIPTION

L08HP24B 'O' Ring Plumbers Box

#### **Holdtite Plumbers Assorted Washer Box**



18 compartment assorted Washer Pack containing 203 popular fibre, rubber and tap washers.

CODE: DESCRIPTION

L08HP18AWP Assorted Washers Plumbers Box

(cont'd overleaf)



# Holdtite Plumbers Boxes - Large

#### **Holdtite Handy Washer Box**



18 compartment assorted fibre and rubber washer pack, containing 265 popular washers.

CODE: DESCRIPTION L08HP18HWP Handy Washer Box

### Holdtite Mega Plumbers Box - A 'One-stop' Repair Centre



Holdtite Mega Plumbing Box contains various 'O' rings, tap washers, rubber washers, ball valve washers, fibre washers, jumpers, ball valve seatings, cotter pins, 'C' links, brass olives, basin/bath chains, rad keys, poly washers and more.

CODE: DESCRIPTION L08HP18MEGA Mega Plumbers Box

#### **Holdtite Mega Tap Washers Plumbers Box**



Holdtite Mega Tap Washer Box contains over 650 tap washers including Flat, Dome, Tantofex and Delta types.

CODE: DESCRIPTION

L08HP18MEGA/TAP Mega Tap Washers Plumbers Box









# Holdtite Blister Pack Range - Products conveniently packed for easy display in fully recyclable packaging.

CODE:		
QA2001AA	White Internal Connector	l per pack
QA2002TR	'Fin' Type Pan Connector	l per pack
QAE550CC	Close Coupling Kit Plate	l per pack
QAE552CC	Nut, Bolt and Washer CC Kit	l pair per pack
QAE599CC	CC Kit	l per pack
QBS9900	Syvac Aspirator	l per pack
QBS9901	Syvac Washer	l per pack
QBS997CL2	2" 'C' Link, Small	2 per pack
QBS997CL234	2", 3", 4" 'C' Link	3 per pack
QBS997CL24	'C' Link, Small & Large	2 per pack
QBS997CL4	4" 'C' Link, Large	2 per pack
QCPC05AB	Petcock	l per pack
QDT02999B	Torbeck Diaphragm Washer	l per pack
QEC02M110-DF	'D' Type Lever	l per pack
QEC05M88-EF	'E' Type Lever	l per pack

'X' Type Lever

Multi purpose Lift Arm

Brass adjustable Lift arm

I/2" Nylon Lever Bush

1.1/2" White Waste Plug

(cont'd overleaf)

QEC05M110-XF

QESP05MP

QESP05BJ

QESP0205B

QF0103AA

I per pack

I per pack

I per pack

I per pack

2 per pack



## **Holdtite Blister Pack Range**

CODE:		
QF0103AB	1.1/2" Black Waste Plug	2 per pack
QF0104AA	1.3/4" White Waste Plug	2 per pack
QF0104AB	1.3/4" Black Waste Plug	2 per pack
QF0105AA	1.1/2"/1.3/4" Black Waste Plug	2 per pack
QF0105AA	- The state of the	
	1.1/2"/1.3/4" White Waste Plug	2 per pack
QF0201AA	White Tap Hole Stopper	l per pack
QF0201CP	CP Tap Hole Stopper	l per pack
QF0202CP	CP Tap Hole Stopper c/w Triangle	l per pack
QF0210AB	Sink Overflow Stopper	I per pack
QF0215AA	White Bath Overflow Stopper	I per pack
QF0215CP	CP Bath Overflow Stopper	l per pack
QF0220AA	Cistern Hole Stopper, White	l per pack
QF0220AR	3/4" Overflow Hole Stopper	l per pack
QF0220CP	Cistern Hole Stopper, Chrome	l per pack
QF0301B	12" Ball Chain Stay & Hook	l per pack
QF0302B	12" Ball Chain c/w 2 Hooks	l per pack
QF0304L	12" Oval Chain Stay & Hook	I per pack
QF0307B	18" Ball Chain Stay & Hook	I per pack
QF0308B	18" Ball Chain c/w 2 Hooks	I per pack
QF0310L	18" Oval Chain Stay & Hook	I per pack
Q10310L	10 Ovar Gram Stay & Floor	i pei paek
QH0101999OF	Canted Overflow longest	I per pack
QH0101999ST	Straight Overflow longest	l per pack
QH02CP02	H/L Cistern Pull Rubber Handle	l per pack
QH02CP04	H/L Cistern Pull Wooden Handle	l per pack
QJ0115AA	15mm Snap-in Pipe Clip	5 per pack
QJ0122AA	22mm Snap-in Pipe Clip	5 per pack
QJ0128AA	28mm Snap-in Pipe Clip	4 per pack
QJ0215AA	I5mm Wrap-over Pipe Clip	5 per pack
QJ0222AA	22mm Wrap-over Pipe Clip	5 per pack
QJ0228AA	28mm Wrap-over Pipe Clip	5 per pack
QJ030710AA	7-10mm Nail-in Pipe Clip	10 per pack
QJ031014AA	10-14mm Nail-in Pipe Clip	10 per pack
QJ031500AA	15mm Nail-in Pipe Clip	6 per pack
QJ032200AA	22mm Nail-in Pipe Clip	6 per pack
QKAIG	Basin Brackets	l pair per pack
QKAP22CP	CP Pillar Hinge	l per pack
QKAP22GP	Gold Pillar Hinge	l per pack
QKCSFI	Universal Fixing Kit	l pair per pack
QKDPP/AA	White Celmac Toilet Seat Hinge	I per pack
QKDPP/AB	Black Celmac Hinge	l per pack



QKDPP/CP

QKDPR/AA

QKDPR/AB

QL01050P

QL01050P/5

QL01050P-F

QL01050P-R

CP Celmac Hinge

Celmac Hinge Rod, White

Celmac Hinge Rod, Black

1/2" Pillar Tap Washer

1/2" Pillar Tap Washer, Poly

1/2" Pillar Tap Washer, CNAF

1/2" Pillar Tap Washer, Rubber

I per pack

I per pack

I per pack

10 per pack

5 per pack

5 per pack

10 per pack



10 per pack

5 per pack

I per pack

5 per pack

2 per pack 2 per pack

2 per pack

5 per pack

5 per pack

2 per pack

I per pack

### **Holdtite Blister Pack Range**

CODE:		
QL01075P/5	3/4" Pillar Tap Washer	5 per pack
QL01075P	3/4" Pillar Tap Washer, Poly	10 per pack
QL01075P-F	3/4" Pillar Tap Washer, CNAF	5 per pack
QL01075P-R	3/4" Pillar Tap Washer, Rubber	10 per pack
QL01100T	I" Tank Washer, Poly	5 per pack
QL01100T-F	I" Tank Washer, CNAF	5 per pack
QL01125B	1.1/4" Bath Washer, Poly	5 per pack
QL01125L	1.1/4" Lavatory/Basin Washer, Poly	5 per pack
QL01125L-F	1.1/4" Lavatory Washer, CNAF	5 per pack
QL01125S	1.1/4" Sink Washer, Poly	5 per pack
-	,	
QL01150B	1.1/2" Bath Washer, Poly	5 per pack
QL01150M	Assorted Washer Pack, Poly	8 per pack
QL01150S	1.1/2" Sink Washer, Poly	5 per pack
QL01150S-F	1.1/2" Sink Washer, CNAF	5 per pack
QL02004S	32mm Trap Sealing Ring	2 per pack
QL02005S	38mm Trap Sealing Ring	2 per pack
QL02006S	32mm Flushpipe Sealing Ring	2 per pack
QL02007S	38mm Flushpipe Sealing Ring	2 per pack
QL0202SR	1.1/2" Syphon Tail Washer, Rubber	2 per pack
QL0203SR	1.1/4" Syphon Tail Washer, Rubber	2 per pack
QL0204SR	I" Syphon Tail Washer, Rubber	2 per pack
QL0345R	114mm (4.1/2") Syphon Dia Washer	5 per pack
QL035OR	127mm (5") Syphon Dia Washer	5 per pack
QL0345O	127mm (5") Oval Syphon Dia Washer	5 per pack
QL0345M	Mixed Pack Syphon Dia Washer	10 per pack
QL04750TH	Universal Top Hat Washer	2 per pack
QL06CC	'Doughnut' CC Kit Washer	l per pack
QL08SR34	32mm Trap Inlet Washer	2 per pack
QL08SR39	38mm Trap Inlet Washer	2 per pack
QL08ORAP	Assorted 'O' Ring Pack	6 per pack
QL10AFJB50	I/2" Flat Tap Washer c/w Jumper	2 per pack
QL10AFJB75	3/4" Flat Tap Washer c/w Jumper	2 per pack
QL10AFPL038	3/8" Flat Tap Washer	5 per pack
QL10AFPL050	I/2" Flat Tap Washer	10 per pack
QLI0AFPL050/5	I/2" Flat Tap Washer	5 per pack
QL10AFPL063	5/8" Flat Tap Washer	5 per pack
OL LOAFDLOTE	2/42 FL . T . \A/ . L	10

3/4" Flat Tap Washer

3/4" Flat Tap Washer

I" Flat Tap Washer

1/2" Pegler Washer

Barking Grohe Washer

1/2" Dome Tap Washer

3/4" Dome Tap Washer

3/4" Dome Tap Washer

1/2" Delta Seal Kit

1/2" Dome Tap Washer c/w Jumper

3/4" Dome Tap Washer c/w Jumper

(cont'd overleaf)

QL10AFPL075

QLI0AFPLI00

QLI0AFPLI50

QL10BAR50

QLI0BDJ050

QLI0BDJ075

QL10BDPL050

QL10BDPL075

QLI0DEL50K


QLI0BDPL075-2

QLI0AFPL075/5



## **Holdtite Blister Pack Range**

CODE: OLIODEL75K 3/4" Delta Seal Kit I per pack Air Vent Washer, Fibre 5 per pack QL10EAV50 1/2" Prestex Washer 10 per pack QL10EPX50 QL10EPX50/20 1/2" Prestex Washer 20 per pack QLI0EPX50-N 15mm Nylon Tap Connector 10 per pack 3/4" Prestex Washer 10 per pack QLI0EPX75 QL10EPX75/20 3/4" Prestex Washer 20 per pack QL10EPX75-N 22mm Nylon Tap Connector 10 per pack QL10FFC50 1/2" Flex Tap Connector Washer 10 per pack



QLI0STD50 Supa-Tap 'D' Washer 2 per pack 1/2" Tantofex Washer QLI0TANT50 5 per pack 3/4" Tantofex Washer QL10TANT75 5 per pack **OLIOTANT75K** Tantofex Seal Kit - 1982 on 2 per pack Large Cotter Pin, Brass QLIIBCP75 2 per pack QLIIBCP50 1/2" Small Cotter Pin 2 per pack **QLIIBVD50** 1.1/4" Ball Valve Washer 'Delchem' 2 per pack 1.1/4" Ball Valve Washer 'Delchem' QLIIBVD50/5 5 per pack Hushflow Dia Washer QLIIBVDHF I per pack QLIIBVR50 1/2" Ball Valve Washer, Rubber 5 per pack

OLIIBVR50/10 1/2" Ball Valve Washer, Rubber 10 per pack QLIIBVR63 5/8" Ball Valve Washer, Rubber 2 per pack 3/4" Ball Valve Washer, Rubber QLIIBVR75 2 per pack Ball Valve Repair Kit Pack **OLIIBVR-RK** I per pack QLIIBVS50 1/2" Ball Seating Washer 5 per pack 1/2" Shower Hose Washer OL1515SH 5 per pack 5 per pack OLI515WM 3/4" Washing Machine Washer 3/4" Gauze Filter Washer **OLI5I5WMG** 2 per pack Bath/Shower Diverter Washer QL15BDW 2 per pack 1/2" Ball Valve Tail Washer QL15BVS50 5 per pack

1/2" Cap & Liner Washer QL15CLW50 5 per pack 5/8" Cap & Liner Washer QL15CLW63 5 per pack QL15CLW75 3/4" Cap & Liner Washer 5 per pack **QLI5DOC** 1/2" Draw off Cock Washer 5 per pack 3/4" DOC Seal Pack QLI5DOC75P 2 per pack 1/2" DOC Seal Pack **QLI5DOC50P** 2 per pack OLI5FTW50 1/2" Flexible Tube Washer 10 per pack





2 per pack

### **Holdtite Blister Pack Range**

QL20HPC050

CODE: QLI51HW Immersion Heater Washer I per pack OLI51HW-L Large Immersion Heater Washer I per pack 3/4" Overflow Tail Washer QL15OVF 5 per pack 11-16mm Hose Clip 2 per pack QL20HPC016 13-20mm Hose Clip (OO) 2 per pack QL20HPC020 16-22mm Hose Clip (O) 2 per pack QL20HPC022 2 per pack 18-25mm Hose Clip (OX) QL20HPC025 25-35mm Hose Clip 2 per pack QL20HPC035 QL20HPC040 35-40mm Hose Clip 2 per pack

35-50mm Hose Clip



Clock Type Radiator Key I per pack QL50ACC OL50ACG Radiator Key Alloy 2 per pack QL50ACT Radiator Key Brass 2 per pack 3mm (1/8") Air Vent QL50ACW12 I per pack QL50ACW25 6mm (1/4") Air Vent I per pack 13mm (1/2") Air Vent QL50ACW50 2 per pack QL60DX08 8mm Brass Olive 5 per pack 10mm Brass Olive QL60DX10 5 per pack QL60DX15 15mm Brass Olive 10 per pack 22mm Brass Olive QL60DX22 5 per pack

1.1/4" Syphon Coupling Nut QN01125AA I per pack ON01150AA 1.1/2" Syphon Coupling Nut I per pack QN02050AA 1/2" Spigot Nut 2 per pack 3/4" Jamb Nut 2 per pack QN02075AA QN02125AA 32mm (1.1/4") Jamb Nut I per pack 38mm (1.1/2") Jamb Nut QN02150AA I per pack QTIPTFE PTFE Tape I per pack

## Tite Tub Range



Tite Tub Range		
CODE:	DESCRIPTION	QUANTITY PER TUB
L01050-R/TT	13mm (1/2") Pillar Tap Washer, Rubber	100
L01075-R/TT	22mm (3/4") Pillar Tap Washer, Rubber	100
L01050F/TT	13mm (1/2") Pillar Tap Washer, Fibre	100
L01075F/TT	22mm (3/4") Pillar Tap Washer, Fibre	100
L10AFJB50/TT	I/2" Flat Tap Washer c/w Brass Jumper	75
LI0AFJB75/TT	3/4" Flat Tap Washer c/w Brass Jumper	50
LIOAFPL038/TT	3/8" Flat Tap Washer	200
LIOAFPL050/TT	I/2" Flat Tap Washer	200
LIOAFPL063/TT	5/8" Flat Tap Washer	100
LIOAFPL075/TT	3/4" Flat Tap Washer	100
LI0BDPL038/TT	3/8" Dome Tap Washer	100
L10BDPL050/TT	1/2" Dome Tap Washer	200
LI0BDPL063/TT	5/8" Dome Tap Washer	150
LI0BDPL075/TT	3/4" Dome Tap Washer	100
LI0BDJP050/TT	1/2" Dome Tap Washer c/w Plastic Jumper	100

# Tite Tub Range

Tite Tub Range		
CODE:	DESCRIPTION	QUANTITY PER TUB
L10BDJP075/TT	3/4" Dome Tap Washer c/w Plastic Jumper	50
LI0HDEL50/TT	1/2" Delta (21) Tap Washer	300
LI0HDEL75/TT	3/4" Delta (22) Tap Washer	200
LIOTANT50/TT	1/2" Tantofex Tap Washer	300
LIOTANT75/TT	3/4" Tantofex Tap Washer	200
LI0HBAR50/TT	Barking Grohe Washer	300
LIOAFPLI50/TT	1/2" Pegler Tap Washer	200
LIOAFPLI75/TT	3/4" Pegler Tap Washer	200
LI0EPX50/TT	1/2" Prestex '43' Swivel Washer Fibre	500
L10EPX75/TT	3/4" Prestex '43' Swivel Washer Fibre	500
L10FFC50/TT	13mm (1/2") Flexible Tap Connector Washer	400
LI0FFC75/TT	22mm (3/4") Flexible Tap Connector Washer	300
LIOTSW50/TT	13mm (1/2") Fibre Washer to suit 1/2" BSPT Taps	200
LI5DOC/TT	Draw Off Tap Washer, Rubber	200
LI5I5WM/TT	3/4" Washing Machine Hose Washer	200
LI5I5SH/TT	1/2" Shower Hose Washer	500
LI5FTW50/TT	1/2" Flexible Tube Washer	500
LI5FTW75/TT	3/4" Flexible Tube Washer	200
LIIBVR50/TT	I/" Ballvalve Washer Rubber	500
LIIBVD50/TT	1.1/4" Ballvalve Diaphragm Washer	100
L60DX08/TT	8mm Brass Compression Olives	500
L60DX10/TT	10mm Brass Compression Olives	500
L60DX15/TT	15mm Brass Compression Olives	250
L60DX22/TT	22mm Brass Compression Olives	125

## Index

- <b>A</b> -	F.O.	- <b>F</b> -	
Air Cocks and Keys	50	Fibre Washers	
American Tap Washers	41		
Anti-Rotational Washers	38	- Prestex '43' Swivel Washer	41
Antique H/L Chrome Plated Flushpipe Pack	8	- To Suit 1/2" BSPT Taps	44
Antique Ceramic Cistern Pull	8	Flapper Valve	
Autosyphons	31	- Delchem	15
- B -		- Fluidmaster	15
Ballvalves	23-25	Flat Tap Washers	40
Ballvalve Seatings and Pistons	44	Flexible Tap Connector Washers	42
Ballvalve Washers	44	Flexible Tube And Hose Washers	43
Barking Grohe Tap Washer	41	Floats	15
Basin Waste Seal Kit	39	- Brass Thread	23
Bath / Shower Mixer Diverter Washer	46	- Export	23
Bath Overflow Stoppers	52	- Plastic Thread	23
Bath Grips	22	Fluidmaster	
BBS Autosyphons	31	- Flapper Valve	15
Blanking Cap Washers	45	- Inlet Valve	24
Blister Pack Range	57	- Spares	45
Boss Washer	46	Flushing Valves	13-15
Braided Hoses	29	Flushpipe Accessories	4, 9
Brackets	27	Flushpipe Connectors	9
Brass Olives	50	Flushpipes	,
Buffer Clips	7	- European Style	6
- C -	/		6 4
	1/	- High Level	
Cap and Liner Washers	46	- Low Level	5, 6, 7
Celmac		- Metal	7
<ul> <li>Fittings For Plastic Toilet Seats</li> </ul>	28	Full Stop Washer and Jumper	43
Chain		- H -	
- Basin	27	Holdtite	
- Bath	27	- Air Cocks and Keys	50
- Sink	27	- Braided Hoses	29
Circulation Pump Washer	46	- Brass Olives	50
Circulation Pump Washer – Fibre	46	- Nuts	50
Cisterns	16	- 'O' Rings	46-49
Cistern Hole Stoppers	52	- Pipe Clips	52-53
Cistern Levers	17-22	·	51
		- Plugs	54-56
Cistern Pulls	8, 26	- Plumbers Boxes	
Close Coupling Kits	12	- PTFE Tape	50
Close Coupling Kit Washers	39	- Stoppers	51-52
Cotter Pins	44	- Washers and Seals	39-46
- D -		Hose Clips	49
Delchem Valves	23	Hot Water Bottle Washer	46
Delta Tap Washers	41	Hydroflo valves	24
Dimple Lever	21	-1-	
Dome Tap Washers	40	Immersion Heater Washers	45
Drain Grid	27	Inlet Valves	
Draw Off Tap Washers	43	- Delchem Cistern Valves	23
Dudley	15	- Dudley Hydroflo Equilibrium Float Valves	24
•	17		
- Cisterns	16	- European Float Valves - 3/8" Inlet	25
- Dimple Lever	21	- Fluidmaster Float Valves	24
- High Level Levers	22	- Siamp Float Valves	24
- Hydroflo	24	- Torbeck 'Compact' Valve	25
- S7 Cascade Syphons	11	- Torbeck Equilibrium 'Quiet Filling' Float Valves	23
- S9 Hi-Flo Syphons	11	- WISA/SPHINX Float Valves	25
- Syvac Aspirator	12	-J-	
- Turboʻlli Syphon	10	Jubilee	
- Turbo '44' Syphon	10	- Hose Clips	49
- Turbo '88' Syphon	10	- K -	
- E -	. •	Keys	
Equilibrium Valves		- Radiator	45
- Torbeck	23	-   Nadiator	1.0
IOIDCCK			0.1
Fluidmacter	7.4	Less Able Cistern Layors	) [
<ul><li>Fluidmaster</li><li>Hydroflo</li></ul>	24 24	Less Able Cistern Levers Levers	21

## Index

			111 3 321
- Budget Range	20-21	Stoppers	
- Classic	19-20	- Bath Overflow	52
- Concealed	18	- Cistern Hole	52
- Less Able	21	- Sink Overflow	52
- Side	17	- Tap Hole	51-52
- Special Length Concealed	18	Supa-Tap Washers	42
- Standard	17	Supa-Tap Washers Anti-Splash	43
		· · · · · · · · · · · · · · · · · · ·	15
Lift Arms	21	Syphons	
- M -		- Cascade S7	11
Metal Flushpipes	7-8	- Hi-Flo S9	11
Multiflush Outlet Valve	14	-Turbo 'll'	10
	1 1		
- N -		- Turbo '44'	10
Nuts		-Turbo '88'	10
- Coupling	50	Syphon Diaphragm Washer	39
- Jamb	50	Syphon Outlet Washer	39
· ·	50	-T -	37
- Spigot			
Nylon Tap Connector Washers	42	Tantofex Tap Washers	41
- 0 -		Tap Hole Stoppers - Front Triangle	52
O' Ring		Tap Hole Stoppers - Locking Nut	51
	46-47		<i>J</i> 1
- Imperial		Tap Washers	4.1
- Metric	48	- American	41
Opella		- Barking Grohe	41
- Delchem Cistern Valves	23	- Delta	41
- Delchem Flapper Valve	15	- Dome	40
- Torbeck 'Compact' Valve	25	- Draw Off	43
- Torbeck Equilibrium 'Quiet Filling' Float Valves	23	- Flat	40
- Torbeck Variflush Drop Valve for Cisterns	15	- Pegler	41
- Trap Range	35-37	- Red Fibre	40
Outlet Valves	33 37		42
		- Supa-Tap	
- Multiflush	14	- Tantofex	41
- Niagara	14	Tapered Flushpipe Sealing Rings	40
- Siamp	13	Tite-tubs	62-63
- SPHINX/WISA	32-34	Toilet Roll Holder Inserts	28
- Torbeck	15	Toilet Seat Hinges	28
- P -		Top Hat Spacing Washer	
Pegler Tap Washer	41	- Holdtite	38
Petcocks	31	- Split-Klick	39
	52-53		42
Pipe Clips		Top Of Tap Body Washers - Fibre	
Pillar Tap Fixing Washer	38	Torbeck Valves	23, 25
Plugs - Sink, Bath, Basin (Chrome Plated)	51	Torbeck Spares	45
Plugs - Sink, Bath, Basin (Polythene)	51	Traps	
Plugs - Sink, Bath, Basin (Rubber)	51	- Bottle	36
= , , , ,			
Plumber's Boxes	54-56	- 'P'	35-36
Poly Washers	38	- 'S'	35
Prestex '43' Swivel Washers – Fibre	41	- Shower	37
PTFE Tape	50	Trap Sealing Washers	40
<u> </u>	<u> </u>		10
- Q -	22	Turbo Syphons	10
Qualifloat	23	-	10
R -		- 44	10
Red Fibre Flat Tap Washers	40	- 88	10
Red Fibre Washers	45	- U -	. •
			38
Rubber Plugs	51	Universal Top Hat Washer	38
Rubber Washers	38	-V -	
Rubber Washers to suit 13mm Thread	44	Valves	
- S -		- Inlet	24-25
Siamp		-W-	2 1 20
•	24		20.47
- Inlet Valves	24	Washers and Seals	39-46
- Outlet Valves	13	Waterfoil	
Sink Overflow Stoppers	52	<ul> <li>Central Heating Protector</li> </ul>	30
Sioux Chief Manufacturing Co		Water Hammer Arresters	30
	20		
- Water Hammer Arresters	30	WISA	32-34
Split-Klick			
- Centralising Washer	39		
- Top Hat Washer	38		

Tel: 0121 557 3433 sales@masefield-epson.co.uk

Fax: 0121 520 6369 www.masefield-epson.co.uk

## Terms and Conditions

#### **DEFINITIONS**

- The Company means Masefield Epson Ltd
- 1.2 The Buyer means the person, firm or company who purchases the Goods from the
- 1.3 Contract means any contract between the Company and the Buyer for the sale of goods or services from the Company to the Buyer
- 1.4 Delivery Point : the place where delivery of the Goods is to take place under condition 6.1 or 6.7:
- 1.5 Goods : any goods or services agreed in the Contract to be supplied to the Buyer by the Company on any goods supplied in substitution of the original Goods, (including any parts or part of them) pursuant to Clause 10 and Clause 13.2 and Clause 14.1 of this Contract;
- 1.6 A reference to a particular law is a reference to it as it is in force for the time being taking account of any amendment, extension, application or re-enactment and includes any subordinate legislation for the time being in force made under it;
- 1.7 A reference to one gender includes a reference to the other gender;
- 1.8 Condition headings do not affect the interpretation of these conditions.

#### APPLICATION

- 2.1 These Conditions apply to all Contracts for the sale of goods and/or supply of services by the Company to any Buyer and prevail over and extinguish all terms and conditions of contract imposed by the Buyer or implied by trade, custom, practice or course of dealing in so far as such terms and conditions are inconsistent therewith or additional thereto
- 2.2 No alteration, exclusion or waiver of any of these conditions shall be effective or binding unless made in writing by a Director of the Company. The Buyer acknowledges that it not relied on any statement, promise or representation made or given by or on behalf of the Company which is not set out in this Contract and neither party has a remedy against the other party for any representations, statements or promises not set out in the Contract. Nothing in this condition shall exclude or limit the Company's liability for fraudulent misrepresentation

#### QUOTATION, ORDER AND ACCEPTANCE

- Any quotation by the Company does not constitute an offer and is given on the basis that no Contract shall come into existence until the Company despatches an acceptance of the order to the Buyer. Any quotation given by the Company is valid for a period of 30 days only from its date, provided that the Company has not previously withdrawn it and may be revised or withdrawn at any time prior to the Company's acceptance of the Buyer's order.
- 3.2 Each order or acceptance of a quotation for Goods by the Buyer shall be deemed to be an offer by the Buyer to buy the Goods subject to these conditions
- 3.3 The Buyer's order, whether verbal or written, shall not be deemed to have been accepted until the Company has issued its written acknowledgement form and the Buyer's credit has been approved by the Company or satisfactory security for payment has been given.
- 3.4 The Buyer shall ensure that the terms of its order and any applicable specification are complete and accurate. No order which has been accepted by the Company may be cancelled or varied by the Buyer except with the written agreement of the Company and on such terms that the Buyer shall indemnify the Company in full against all loss (including loss of profits), costs (including costs of labour, materials ordered or used, tooling and all manufacturing costs), damages, charges and expenses incurred by the Company as a result of such cancellation or variation.
- 3.5 The Company shall be entitled to suspend or end the provision of all or any part of the Goods or services to be provided to the Buyer under this Contract at any time where there is a monetary amount outstanding from the Buyer to the Company under any other Contract made between the Buyer and the Company for the provision by the Company of

#### DESCRIPTION

- 4.1 The quantity and description of the Goods shall be as set out in the Company's acknowledgement of order
- 4.2 All samples, drawings, descriptive matter, specifications and advertising issued by the Company and any descriptions or illustrations contained in the Company's catalogues or brochures are issued or published for the sole purpose of giving an approximate idea of the Goods described in them. They shall not form part of the Contract and this is not a sale by sample.

- $5.1\,$  The price payable by the Buyer for each Delivery of the Goods shall be the Company's price ruling at date of despatch. The Company may at any time revise prices to take into account any increase in the Company's costs (including, but not limited to the cost of raw materials, labour, energy, transport or other overheads, any tax due or other levy and ariation in exchange rates).
- $\overline{5.2}$  Unless otherwise specified, VAT and any other tax or duties payable by the Company shall be added to the price payable by the Buyer.

#### DELIVERY AND COLLECTION

- 6.1 Delivery shall take place on a safe hard road, as near as legally permitted to the Buyer's specified Delivery point as provided on the Buyer's order form. The Buyer will be responsible for the costs and provision of safe offloading facilities and manual labour ensuring that Delivery is completed without undue delay or the Buyer will be liable to ndemnify the Company for the Company's costs incurred as a result of such delay
- 6.2 Unless otherwise stated, all quotations assume Delivery in full loads by any method of transport at the Company's option.
- 6.3 Any time or date for Delivery is given and intended as an estimate only and time for delivery shall not be made of the essence by notice. If no date for Delivery is specified, Delivery shall be within a reasonable time. The Company shall not be liable for any direct or indirect loss or damage (including, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and similar loss) costs, damages charges or expenses caused directly or indirectly by any delay in the Delivery of the Goods (even if caused by the Company's negligence), nor shall any delay entitle the Buyer to terminate or rescind the Contract unless such delay exceeds 60 days from the original estimated Delivery date.
- 6.4 Signature on the Company's delivery note by an employee, representative or agent of the Buyer shall be conclusive proof of the quantity received by the Buyer and of Delivery to
- 6.5 If the Company delivers to the Buyer a quantity of goods of up to 5% more or less than the order accepted by the Company, the Buyer shall not be entitled to object or reject the Goods or any of them by reason of the surplus or shortfall and the Buyer shall pay for such goods at the pro rata Contract rate.
- 6.6 The Company may make deliveries partially or by instalment. Each separate instalment shall be invoiced and paid for in accordance with the provisions of this Contract. Each instalment shall be a separate Contract and no cancellation or termination of any one Contract relating to an instalment shall entitle the Buyer to repudiate or cancel any other Contract

- 6.7 When the Buyer arranges transport of the Goods from the Company's place of business, Delivery shall take place at the Company's place of business and the Buyer shall take Delivery of the Goods within 3 days of being given notice by the Company that the Goods are ready for delivery
- 6.8 If for any reason the Buyer fails to accept Delivery in accordance with Clause 6.1 or 6.7, or the Company is unable to deliver the Goods on time because the Buyer has not provided adequate or appropriate instructions, documents licences or authorisations:
- 6.8.1 The Goods shall be deemed to have been delivered at the Buyer's premises if the delivery is arranged pursuant to Clause 6.1. If delivery is arranged pursuant to Clause 6.7, Delivery will be deemed to have taken place at the expiry of  $\tilde{3}$  working days of the Company giving notice that the goods are ready for delivery;
- 6.8.2 Risk in the Goods shall pass to the Buyer (including for loss or damage caused by the Company's negligence);
- 6.8.3 If the Buyer fails to take, or refuses to accept Delivery of any of the Goods the Company may charge for the refused delivery and any associated costs and may store the Goods until collection by the Buyer from the Company's premises and charge the Buyer reasonable costs of storage, insurance and re-delivery or without affecting the continuation of the Contract, sell the Goods.
- The Company shall not be liable for any damage, discrepancy non-Delivery or short Delivery of Goods (even if caused by the Company's negligence) unless the Buyer gives written notice to the Company of the non-delivery within 3 days of the date when the Goods would in the ordinary course of events have been received.
- 6.10 Any liability of the Company for non-Delivery of the Goods shall be limited to replacing the Goods within a reasonable time or issuing a credit note at the pro rata Contract rate against any invoice raised for such Goods.

#### RETURNABLE PACKAGING

Pallets, stillages and special containers are returnable to the Company, and remain the property of the Company, they or equivalent like items shall be returned in good condition to the Company following delivery.

#### **TECHNICAL DATA**

All Company drawings, descriptive matter, price lists, brochures or advertisements whether or not supplied with a quotation or tender are approximate only and intended merely to give a general idea of the goods described therein and shall not form part of the Contract. Any tools, patterns and samples, unless paid for in full, and drawings, specifications or other information provided remains the Company's property and all technical information patentable or unpatentable copyright and registered designs arising from the execution of any orders are the property of the Company. They must not be copied, disclosed or given to any third party or otherwise used without written permission of the Company. Any research studies, quality enhancement or cost reduction measures shall remain the property of the Company and such information shall be kept confidential by the Buyer

#### INDEMNITY

The Buyer shall indemnify the Company against all damages, costs, penalties and expenses arising out of or loss suffered as a result of any work carried out in accordance with the Buyers specification(s) as agreed in writing or any resultant infringement of a patent, design whether registered or unregistered, trade mark, copyright or any other industrial property right. If the Buyer uses, sells, causes to be sited or installed the Goods in such a manner as to infringe such rights the Company shall not be responsible for such infringement and the Buyer agrees to indemnify the Company from and against all liability arising there from.

#### VARIATIONS TO SPECIFICATION

The Company reserves the right to substitute goods of equivalent strength and quality vithout prior reference to the Buyer.

#### TERMS OF PAYMENT

- II.I Payment shall be received in full by the Company by the end of the month following the date of the Company's invoice.
- 11.2 Time of payment is of the essence.
- 11.3 In the event of late or non-payment the Company shall be entitled to charge interest on such sum from the due date for payment at the annual rate of 4% above the base lending rate from time to time of Barclays Bank plc, accruing on a daily basis until payment is made, whether before or after any judgment. The Company reserves the right to claim interest under the Late Payment of Commercial Debts (Interest) Act 1998. In such circumstance any settlement discount will cease to apply and the full price shall be due and payable immediately by the Buyer to the Company.
- II.4 The Company shall be entitled, at its discretion, to withdraw credit facilities and suspend deliveries at any time in which event all sums outstanding from the Buyer to the Company shall become due and payable immediately.
- 11.5 In the event of termination of the Contract for any reason whatsoever, all sums outstanding from the Buyer to the Company shall become due and payable immediately.
- II.6 The Buyer shall not be entitled to withhold or delay payment or exercise any right to set off howsoever arising or arisen which might otherwise be available to it

#### 12 TITLE AND RISK

- 12.1 Goods supplied shall remain the property of Masefield Epson Ltd until all money due has been paid in cleared funds. Risk passes to the Buyer on Delivery.
- 12.2 Until payment of all money due to Masefield Epson Ltd the Buyer undertakes to:-
- 12.2.1 Hold the Goods on a fiduciary basis as the Company's bailee; and 12.2.2 Keep the Goods stored separately (at no cost to the Company) and in such a manner as to make the Goods readily identifiable separate from all other and easily and clearly identifiable upon examination; and
- 12.2.3 Not destroy, deface or obscure any identifying mark or packaging on or relating to the Goods; and
- 12.2.4 Maintain the Goods in satisfactory condition and keep them insured on the Company's behalf for their full price against all risks to the reasonable satisfaction of the Company. On request the Buyer shall produce the policy of insurance to the Company
- 12.3 The Buyer may resell the Goods before ownership has passed to it solely on the following conditions:
- 12.3.1 Any sale shall be effected in the ordinary course of the Buyer's business at full market value: and
- 12.3.2 Any such sale shall be a sale of the Company's property on the Buyer's own behalf and the Buyer shall deal as principal when making such a sale; and
- 12.3.3 Any of the proceeds from the sale of the Company's Goods shall be retained in a separate account by the Buyer. 12.4 The Buyer's right to possession of the Goods shall terminate immediately if:
- 12.4.1 the Buyer has a bankruptcy order made against him or makes an arrangement or composition with his creditors, or otherwise takes the benefit of any statutory provision for

the time being in force for the relief of insolvent debtors, or (being a body corporate) convenes a meeting of creditors (whether formal or informal), or enters into liquidation (whether voluntary or compulsory) except a solvent voluntary liquidation for the purpose only of reconstruction or amalgamation, or has a receiver and/or manager, administrator or administrative receiver appointed of its undertaking or any part thereof, or documents are filed with the court for the appointment of an administrator of the Buyer or notice of intention to appoint an administrator is given by the Buyer or its Directors or by a qualifying floating charge holder (as defined in paragraph 14 of Schedule B1 to the Insolvency Act 1986), or a resolution is passed or a petition presented to any court for the winding-up of the Buyer or for the granting of an administration order in respect of the Buyer, or any proceedings are commenced relating to the insolvency or possible insolvency of the Buyer: or

- 12.4.2 The Buyer suffers or allows an execution, whether legal or equitable, to be levied on his/its property or obtained against him/it, or fails to observe or perform any of his/its obligations under the Contract or any other Contract between the Company and the Buyer, or is unable to pay its debts within the meaning of section 123 of the Insolvency Act 1986 or the Buyer ceases to trade; or
- 12.4.3 The Buyer encumbers or purports to in any way charges any of the Goods.
- 12.5 The Company shall be entitled to recover payment for the Goods notwithstanding that ownership of any of the Goods has not passed from the Company;
- 12.6 The Buyer grants the Company, its agents and employees an irrevocable licence at any time to enter any premises where the Goods are or may be stored in order to inspect them, or, where the Buyer's right to possession has terminated, to recover them.
- 12.7 Where the Company is unable to determine whether any Goods are the Goods in respect of which the Buyer's right to possession has terminated, the Buyer shall be deemed to have sold all Goods of the kind sold by the Company to the Buyer in the order in which they were invoiced to the Buyer;
- 12.8 On termination of the Contract, howsoever caused the Company's (but not the Buyer's) rights contained in this condition shall remain in effect.

#### 13 QUALIT

- 13.1 The Company warrants all Goods which have been supplied by the Company against any defect of materials or workmanship arising within a period of 12 months of Delivery which can be proved to the Company's satisfaction to have been caused before Delivery. The above warranty is given subject to the following conditions:
- 13.1.1 Full details of any such defect are notified to the Company in writing within 14 days of its first discovery.
- 13.1.2 The Goods' have been properly used for their normal purpose, handled, maintained, stored and installed in accordance with the Company's installation instructions and good practice:
- 13.1.3 The Company shall be under no liability in respect of any defect arising from any fair wear or tear, wilful damage, negligence, abnormal working conditions, failure to follow the Company's instructions, whether oral or in writing, misuse or repair of the Goods without the Company's approval; and
- 13.1.4 The Goods in which the defect arises are returned undamaged and adequately packed at the Buyer's expense to the Company.
- 13.2 The liability of the Company shall be limited at its option either to supplying replacement Goods, which will be supplied subject to these terms, or refunding the price of the Goods.
- 13.3 The Company shall be under no liability under the said warranty if:
- 13.3.1 the Buyer has not paid in full for the Goods, or
- 13.3.2 the Buyer or his customer has executed or attempted to execute repairs or alterations to the Goods which are not authorised in writing by the Company or has failed in any other respect to adhere strictly to the terms hereof, or
- 13.3.3 the Company has not been notified of any defect within 14 days of the discovery of the defect, or
- 13.3.4 the Goods are returned to the Company inadequately packaged, in which event any damage to the Goods will be deemed to have resulted from the Buyer's inadequate packaging and not from any defect in materials or workmanship; or
- 13.3.5 if the Buyer has used the Goods without first having carried out all the inspections and tests which the design and use necessitate, or
- 13.3.6 when any fault is attributable to the whole unit in which the Goods are incorporated or to any modification carried out after Delivery.
- 13.4 Except for the express warranties set out above, the Company grants no other warranties relating to defects in design, workmanship, or materials of the Goods and all other conditions, warranties, stipulations, or other statements whatsoever whether express or implied, by statute at common law or otherwise howsoever, relating to such defects in the Goods and services are hereby excluded
- 13.5 Where the Buyer notified the Company as aforesaid and the Company performs its obligations under these conditions the Buyer shall not be entitled to any claim in respect of the Goods, or for work done thereon, or any other costs or losses, direct or indirect or consequential and loss of profits whatsoever (save where death or personal injury has been caused by the Company's negligence) nor shall the Buyer be entitled to repudiate the Contract, fail to pay for the Goods or cancel deliveries. The Buyer shall indemnify the Company against all costs of dismantling, digging out, replacement and reassembly.
- 13.6 Nothing in these conditions excludes or limits the liability of the Company:
- 13.6.1 for death or personal injury caused by the Company's negligence; or
- 13.6.2 for any matter which it would be illegal for the Company to exclude or attempt to exclude its liability; or
- 13.6.3 for fraud or fraudulent misrepresentation;
- 13.7 Subject to the above condition:
- 13.7.1 The Company's total liability in contract, tort (including negligence or breach of statutory duty) misrepresentation, restitution or otherwise arising in connection with the performance or contemplated performance of the Contract shall be limited to the Contract price;
- 13.7.2 the Company shall not be liable to the Buyer for any pure economic loss, loss of profit, loss of business, depletion of goodwill or otherwise, in each case whether direct, indirect or consequential, or any claims for consequential compensation whatsoever (howsoever caused) which arise out of or in connection with the Contract.

#### 14 LIABILITY

- 14.1 The above warranty is limited to the supply to the Buyer free at his premises of the new Goods or parts in exchange for any acknowledged by the Company to be defective. The decision of the Company on all claims and all questions as to defects and as to the exchange of the Goods shall be final and conclusive.
- 14.2 The warranty above shall also apply to any replaced goods provided hereunder during the unexpired period applicable to the Goods for which the replacement has been performed.

- 14.3 Other than stated above, the Company undertakes no liability whatsoever in respect of the Goods sold by it and shall in no circumstances be liable in respect of loss, damage or delay, injury or expense, direct or consequential suffered at any time whether before or after the Goods may have been repaired or replaced, and howsoever caused, even if caused by negligence or breach of duty by the Company, its servants or agents. The terms set out herein are conclusive of the relationship between the Company and the Buyer and the Company shall be under no liability whatsoever by reason of any representation, statement or warranty, nor shall there be implied in any Contract of sale any term, condition or warranty statutory or otherwise. Nothing in these conditions shall affect the statutory liability of the Company for death or personal injury caused by negligence.
- 14.4 The Company undertakes no liability whatsoever in respect of operations subsequently carried out on products before their use, nor for cost of assembly, disassembly and withdrawal from service.

#### 5 PATTERNS, TOOLS & DIES

- 15.1 Any patterns, core boxes, tools or dies (the Equipment) manufactured by or on behalf of the Company remain the property of the Company even though the Buyer may have been charged for part of the cost. Except for loss or damage caused directly by the Company's negligence (for which the Company's liability shall be limited to the direct cost of replacements or repair), the Company accepts no liability for loss or damage to the Equipment which is in the Company's possession nor can it guarantee productive life.
- 15.2 Where the Equipment has not been used for a period of two years the Company may, after giving the Buyer one month's notice in writing, dispose of it. In the event that the Equipment needs repair or replacement it will be undertaken by the Company only upon the basis that the Buyer contributes to the cost.
- 15.3 Where Equipment is provided by the Buyer he is responsible for ensuring that it matches the drawings and required specifications. If the Company carries out dimensional checks as requested by the Buyer it reserves the right to invoice the cost to the Buyer. In all cases if the Equipment received by the Company does not conform to the specifications the initially agreed price of the Goods may be revised.
  15.4 All money due must be paid to the Company before Equipment is released to the Buyer
- 15.4 All money due must be paid to the Company before Equipment is released to the Buyer or a third party.
- 15.5 Once manufacture of Equipment has commenced, cancellation cannot be accepted in any circumstances and any costs incurred must be paid by the Buyer in full. Equipment must be paid for in the month of delivery of samples even though subsequent modification may be required or the project is abandoned.

#### 16 ASSIGNMENT

The Buyer shall not assign the Contract of which these Conditions form part or any part of it without the prior written consent of the Company. The Company reserves the right to subcontract the performance of the Contract or any part of it.

#### 17 FORCE MAJEURE

The Company shall not be liable to the Buyer or be deemed to be in breach of the Contract by reason of any delay in delivery or any delay in performing or any failure to perform any of the Company's obligations if the delay or failure arises directly or indirectly from any cause beyond the Company's reasonable control. Without prejudice to the generality of the foregoing, the following shall be regarded as causes beyond the Company's reasonable control: Act of God, explosion, epidemic, flood, storm, fire or accident; war or threat of war, terrorism, sabotage, insurrection, civil disturbance or requisition; acts, restrictions, regulations by laws, prohibitions or measures of any kind on the part of any governmental, parliamentary or local authority, import or export regulations or embargoes; strikes, lockouts or other industrial actions or trade disputes (whether involving employees of the Company or a third party); difficulty or increased expense in obtaining materials, labour, transport, fuel, parts or machinery; power failure or breakdown in machinery and equipment.

#### 18 FREE ISSUE COMPONENTS

It is the Buyer's responsibility to ensure that all components supplied by them for use in the products manufactured are fit for purpose and comply fully with the required specification. The Buyer will supply free issue in sufficient and timely quantities to allow for the Company's production programme. The Company accepts no liability for failure of components supplied by the Buyer.

#### 9 NOTICES

Any notice or communication given hereunder must be in writing and may be effected by personal delivery, facsimile, e-mail or by registered mail. If effected by personal delivery notices shall be deemed to be received on the date of such delivery, if by facsimile or email on the day of sending and if by post 48 hours after the date of posting.

#### 20 LIE

The Company shall in respect of all unpaid debts due from the Buyer have a general lien on all goods and property of the Buyer in its possession (although such goods or some of them may have been paid for) and upon 14 days written notice to the Buyer may dispose of such goods and property and apply the proceeds towards the satisfaction of the sums due to the Company.

#### 21 INDULGENCE OR FORBEARANCE

The rights of the parties shall not be prejudiced or restricted by any indulgence or forbearance extended to them by the other party and no waiver by either party in respect of any breach shall operate as a waiver in respect of any subsequent breach.

#### 22 DEFAULT OF BUYER (TERMINATION)

If the Buyer defaults in or commits any breach of any of its obligations to the Company, or ceases to carry out its business or a substantial part thereof, or if any distress or execution is levied on any of the Buyer's property or the Buyer makes or offers to make any arrangement with its creditors or commits any act of bankruptcy, or if any resolution or petition to wind up the Buyer's business is passed or presented or a receiver, liquidator or similar official is appointed of the Buyer's undertaking, or any payment of the whole or any part of the purchase price of the Goods is dishonoured by the Buyer's bank, then the Company shall be entitled forthwith to terminate this and any other Contract with the Buyer in writing to the Buyer's last known address.

#### 23 SEVERANCE

If any condition herein shall be deemed void for any reason whatsoever, but would be valid if part of the wording were deleted, any such condition shall apply with such modifications as may be necessary to make it valid and effective.

#### 24 ENGLISH LAW

The Contract and these Conditions shall be governed by English Law and the Buyer shall submit to the sole jurisdiction of the English Courts.

May 2007

# marefield-epson Itd

# Plumbing Products Manufacturers and Suppliers for:





## Thomas Dudley Ltd.





UK



USA



Holland



Monaco

## **Masefield-Epson Ltd**

Coneygre Road Tipton
West Midlands DY4 8XF
Tel: 0121 557 3433

Fax: 0121 520 6369

Email: sales@masefield-epson.co.uk www.masefield-epson.co.uk

