


P603 Circulation valve without insulation



Bronze circulation valve. 30°C - 50°C adjustable range. Female x female.

GENERAL INFORMATION

Size	Pattern No.	Pack 1 Qty	Code	Barcode
DN15	P603	1	16500	4018919061148
DN20	P603	1	16501	4018919061179



DIMENSIONS (mm)									
Code	Description	A	В	С	D	Е	Kg		
16500	FXF Circ Valve 30-50C	57	75	36	98	136	0.64		
16501	FXF Circ Valve 30-50C	57	75	45	125	147	0.82		

Pegler Yorkshire 5 Year Guarantee - Terms and Conditions

Products are subject to a 5 year guarantee that is between Pegler Yorkshire and the final purchaser of the product.

The guarantee is subject to proof of purchase being supplied.

This guarantee does not affect any statutory rights the consumer may have in law.

The guarantee covers manufacturing or material defects when installed in accordance with our instructions on specified tube materials and applications, and does not cover parts subject to normal wear and tear.

This product range has been designed for the use of homeowners, domestic and commercial applications and therefore the Guarantee is subject to the product being properly selected for their intended service conditions.

The guarantee is not applicable where the product is fitted contrary to the conditions in the fitting instructions.

This is reinforced where valves are covered by the European Pressure Equipment Directive (PED97/23/EC) where Installation, Operating and Maintenance Instructions are supplied with each product and/or carton.

Provided it is installed correctly and receives adequate preventative maintenance it should give years of troublefree service.

Abusive behaviour and accidental damage to the product are not covered by this guarantee.

The extent of this liability is limited to the cost of the replacement of the defective item and not to installation or consequential damages.



P603/4/5/6 Ranges of **Circulation Valves**



